



Central Health Medi-Medi Plan II (HMO D-SNP)
Central Health Dual Access Plan (HMO D-SNP)
Central Health Embrace Care Plan (HMO C-SNP)
Central Health Embrace Choice Plan (HMO C-SNP)

2026 處方集

(承保藥物清單或「藥物清單」)

請詳閱以下內容：本文件包含
我們在本計劃中承保藥物的相關資訊

HPMS 核准處方集文件，呈交 ID 00026144，版本編號 10

本處方集之更新日期為 04/01/2026。有關最新資訊或其他問題，請聯絡 Central Health Medicare Plan 會員服務部，電話：(800) 665-3086 (TTY 使用者請撥打 711)，10 月 1 日至 3 月 31 日：每週七天，當地時間 8 a.m. 至 8 p.m.，4 月 1 日至 9 月 30 日：週一至週五，當地時間 8 a.m. 至 8 p.m.，或造訪 centralhealthplan.com/PartD/Formulary。

現有會員須知： 本處方集自去年以來已有所變更。請檢查這份文件，確保其中仍含有您所服用的藥物。

當此藥物清單（處方集）提及「我方」、「我方」或「我們的」，就表示 **Central Health Medicare Plan**。當其提及「計劃」或「我們的計劃」時，就是指 **Central Health Medicare Plan**。

本文件包括我們計劃的藥物清單（處方集），其有效期截至 **04/01/2026**。如需更新的藥物清單（處方集），請聯絡我們。我們的聯絡資訊以及藥物清單（處方集）的最近日期，就在封面和封底頁列明。

您通常必須在網絡藥房領取處方藥福利。福利、處方集、藥局網絡和/或共付額/共同保險可能會在 **2026 年 1 月 1 日** 發生變化，並在一年中不時發生變化。

Central Health Medicare Plan 處方集是什麼？

在本文件中，我們使用「藥物清單」和「處方集」這兩個術語來表示相同的含義。處方集是 **Central Health Medicare Plan** 與醫療照護提供者團隊諮詢後選擇的承保藥物清單，代表被認為是優質治療計劃必要部分的處方療法。**Central Health Medicare Plan** 通常承保我們處方集中所列之藥物，只要該藥物具有醫學上必要性、處方藥在 **Central Health Medicare Plan** 網絡藥局調配，並遵守其他計劃規定。如需瞭解如何領取處方藥，請檢閱您的「承保範圍證明」。

處方集可以變更嗎？

大多數的藥物承保變更發生在 1 月 1 日，但 **Central Health Medicare Plan** 可能會在一年中新增或移除處方集中的藥物，將其移至不同的費用分攤等級，或新增新的限制。在進行這些變更時，我們必須遵守 **Medicare** 規定。處方集的更新資訊每月都會發佈在我們的網站上，網址為：centralhealthplan.com/PartD/Formulary。

今年可能對您造成影響的變更： 在以下情況下，您會受到年內保險範圍變更的影響：

- **立即替換某些新版本的名牌藥和原生物製品。** 如果我們將藥物替換為此藥物的某種新版本，我們可能會立即將其從處方集中移除，該新版本藥物將出現在相同或較低的費用分攤等級中，並具有相同或較少的限制。當我們將新版本藥物加入處方集時，我們可能決定繼續保留處方集中的名牌藥或原生物製品，但會立即將藥物轉移至不同的費用分攤等級或加入新的限制。

只有在我們添加名牌藥的一種新版本非專利藥物，或添加原生物製品的某種新版本生物相似藥時，我們才能立即進行這些變更（例如，添加可互換的生物相似藥，該藥可由藥局替換原生物製品而無需新處方）。

如果您目前正在服用名牌藥或原生物製品，我們可能不會在作出立即變更之前告知您，但我們隨後會向您提供有關我們作出特定變更的資訊。

如果我們作出此類變更，您或您的處方開立者可以要求我們作出例外處理，並繼續為您承保正在變更的藥物。如需更多資訊，請參閱以下標題為「如何申請 **Central Health Medicare Plan** 處方集的例外處理？」的部分。

其中一些藥物類型可能是您從未聽聞過的。如需更多資訊，請參閱以下標題為「原生物製品是什麼？它們與生物相似藥有何關聯？」的部分。

- **退出市場的藥物。**倘製造商撤銷藥物銷售，或美國食品藥物管理局 (FDA) 基於安全或有效性原因決定撤銷藥物銷售，我們可能會立即從處方集中移除該藥物，並隨後向服用該藥物的會員發出通知。
- **其他變更。**我們可能作出其他影響目前正在服用藥物的會員的變更。例如，我們可能會在添加非專利藥時從處方集中移除名牌藥，或在添加生物相似藥時移除原生物製品。我們也可能會對名牌藥或原廠生物製劑實施新的限制，或將其移至不同的費用分攤等級，或兩者皆適用。我們可能會根據新的臨床指南進行變更。如果我們從處方集中移除藥物、對藥物添加事先授權、數量限制和/或階段治療限制，或將藥物移至更高的費用分攤層級，我們必須在變更生效前至少 30 天通知受影響的會員。或者，當會員要求補充藥物時，他們可能會收到 31 天供應量的藥物和變更通知。

如果我們作出這些其他變更，您或您的處方開立者可以要求我們對您作出例外處理，並繼續承保您一直在服用的藥物。我們向您提供的通知還將包括有關如何申請例外處理的資訊，您也可以在下述標題為「如何申請 Central Health Medicare Plan 處方集的例外處理？」的部分中找到資訊。

如果您目前正在服用該藥物，則不會影響您的變更。一般而言，如果您正在服用本 2026 年處方集藥物，且該藥物在年初時即納入承保範圍，則在 2026 承保年度內，我們不會停止或降低該藥物的承保範圍，除非出現上述所述的情況。這意味著這些藥物將以相同的費用分攤方式繼續供應，並且在承保年度的餘下時間內對服用這些藥物的會員沒有新的限制。有關不會影響您的變更，今年您將不會收到直接通知。但是，在次年 1 月 1 日，此類變更會影響您，請務必查看新福利年度的處方集，以瞭解藥物的任何變更。

所附處方集有效期截至 04/01/2026。如欲瞭解 Central Health Medicare Plan 承保藥物的最新資訊，請聯絡我們。我們的聯絡資訊位於封面和封底頁。

我如何使用處方集？

有兩種方法可以尋找您在處方集中的藥物：

醫療狀況

處方集從第 6 頁開始。根據用於治療的醫療狀況類型，此處方集中的藥物分為不同的類別。例如，用於治療心臟疾病的藥物列在「心血管疾病」類別下。如果您瞭解您的藥物用途，請在從第 <7> 頁開始的清單中查看類別名稱。然後在類別名稱下方查看您的藥物。

按字母順序的列表

如果您不確定要查看哪個類別，您應該在從第 95 頁開始的索引中尋找您的藥物。該索引提供本文件中包含的所有藥物的字母順序列表。索引中列出了名牌藥與非專利藥物。查看索引並找到您的藥物。在您的藥物旁邊，您將看到該項可搜尋承保資訊的頁面編號。翻至索引中列出的頁面，然後在列表的第一欄中找到您的藥物名稱。

非專利藥物是什麼？

Central Health Medicare Plan 同時承保名牌藥與非專利藥物。非專利藥因具有與名牌藥相同的活性成分而獲得 FDA 核准。一般而言，非專利藥的效果與名牌藥一樣好，而且價格通常比名牌藥低。許多名牌藥都有非專利藥替代品。通常在藥局可以用非專利藥物代替名牌藥，而無需新的處方，具體取決於州法律。

什麼是原生物製品？它們與生物相似藥有何關聯？

在處方集中，當我們提到藥物時，可能是指藥物或生物製品。生物製品是比傳統的藥物更複雜的一種藥物。由於生物製品比一般藥物更複雜，因此它們沒有非專利形式，而是有稱為生物相似藥的替代品。一般而言，生物相似藥的藥效與原生物製品一樣好，而且其價格可能更低。某些原生物製品有生物相似藥替代品。就像非專利藥物可以代替名牌藥一樣，一些生物相似藥是可互換的生物相似藥，取決於州法律的規定，可能可以在藥局用它代替原生物製品而不需要開具新的處方。

有關藥物類型的討論，請參閱「承保範圍證明」，第 5 章，第 3.1 節，「『藥物清單』說明了哪些為承保的 D 部分藥物」。

我的保障是否有任何限制？

某些承保藥物可能有額外的承保要求或限制。這些要求和限制可能包括：

- **事先授權**：對於某些藥物，**Central Health Medicare Plan** 要求您或您的處方開立者取得事先授權。這表示您必須先取得 **Central Health Medicare Plan** 的核准，才能領取處方藥。如果您未獲得核准，**Central Health Medicare Plan** 可能不承保該藥物。
- **數量限制**：對於某些藥物，**Central Health Medicare Plan** 會限制 **Central Health Medicare Plan** 承保的藥物數量。例如，**Central Health Medicare Plan** 為每個處方提供 30 個 **esomeprazole magnesium**。這可能是標準一個月或三個月供應量的補充。
- **階段療法**：在某些情況下，**Central Health Medicare Plan** 要求您先嘗試使用某些藥物來治療您的醫療狀況，然後我們才會為該病症承保其他藥物。例如，如果藥物 **A** 和藥物 **B** 都治療您的疾病，除非您先嘗試藥物 **A**，否則 **Central Health Medicare Plan** 可能不承保藥物 **B**。如果藥物 **A** 對您沒有幫助，**Central Health Medicare Plan** 才會承保藥物 **B**。

您可以查看從第 6 頁開始的處方集，瞭解您的藥物是否有任何額外的要求或限制。您也可以造訪我們的網站，以取得特定承保藥物所受限制的詳細資訊。我們已發佈線上文件，說明我們的事先授權和階段治療限制。您也可以要求我們向您寄出一份副本。我們的聯絡資訊以及處方集的最近更新日期，就在封面和封底頁列明。

您可以要求 **Central Health Medicare Plan** 對這些約束或限制作出例外處理，或要求我們提供可能治療您健康狀況的其他類似藥物清單。有關如何申請例外處理的資訊，請參閱第 <5> 頁的「如何申請 **Central Health Medicare Plan** 處方集的例外處理？」一節。

什麼是非處方 (OTC) 藥？

OTC 藥是非處方藥，通常不在 **Medicare Prescription Drug Plan** 的承保範圍內。**Central Health Medicare Plan** 為某些 OTC 藥付費。**Central Health Medicare Plan** 將免費向您提供這些 OTC 藥物。**Central Health Medicare Plan** 為這些 OTC 藥物支付的費用不會計入您的 D 部分藥物總費用。

如果我的藥物不在處方集上，該怎麼辦？

如果您的藥物未包含在此處方集（承保藥物清單）中，則應首先聯絡會員服務部，並詢問您的藥物是否在承保範圍內

如果您發現 **Central Health Medicare Plan** 不承保您的藥物，您有兩種選擇：

- 您可以向會員服務部索取受 **Central Health Medicare Plan** 承保之類似藥物的清單。當您收到清單時，請向您的醫師出示，並要求他們開出 **Central Health Medicare Plan** 承保的類似藥物。
- 您可以要求 **Central Health Medicare Plan** 做出例外處理，以給付您的藥物。請參閱下文以取得有關如何申請例外處理的資訊。

如何申請 **Central Health Medicare Plan** 處方集的例外處理？

您可以要求 **Central Health Medicare Plan** 對承保規定做出例外處理。您可以要求我們提供多種類型的例外處理。

- 即使藥物不在我們的處方集中，您也可以要求我們承保該藥物。如果獲得核准，此藥物將以預先確定的費用分攤水平承保，您將無法要求我們以較低的費用分攤水平提供藥物。
- 您可以要求我們對您的藥物豁免承保限制，包括事先授權、階段治療或藥物數量限制。例如，對於某些藥物，**Central Health Medicare Plan** 限制我們所承保的藥物數量。倘您的藥物有數量限制，您可要求我們豁免限制並承保更多數量。
- 您可以要求我們以較低的費用分攤水平承保處方集藥物，除非該藥物屬於專門藥物等級。如果獲得核准，這將降低您必須為藥物支付的金額。

一般來說，只有在計畫處方集中包含了替代藥物、藥物的費用分攤水平較低的或適用限制對您無效和/或藥物會導致您產生不良影響的情況下，我們的計畫才會核准您的例外處理申請。

您或您的處方開立者應聯絡我們，要求提供等級或處方集例外處理，包括承保範圍限制的例外處理。**當您申請例外處理時，您的處方開立者將需要解釋您需要例外處理的醫療原因。**一般而言，收到您的處方開立者的證明文件後，我們必須在 72 小時內做出決定。如果您認為且我們同意，等待 72 小時的時間做出決定，可能會對您的健康造成嚴重傷害，您可以要求加急（快速）決定。如果我們同意，或您的處方開立者要求快速決定，我們必須在收到您處方開立者的證明文件後的 24 小時內給您一個決定。

如果我的藥物不在處方集上或受到限制，我該怎麼辦？

作為計劃中的新會員或續保會員，您可能服用不在我們處方集中的藥物。或者，您可能正在服用我們處方集中的藥物，但該藥物有承保限制，例如事先授權。您應該與您的處方開立者討論有關要求承保決定以表明您符合核准標準、改用我們承保的替代藥物，或要求處方集例外處理，以便我們承保您服用的藥物。當您和您的醫生為您決定正確的行動方針時，我們可能會在某些情況下，在您成為我們計畫會員的最初 90 天內承保您的藥物。

對於未在我們處方集中或具有承保限制的每種藥物，我們將暫時承保 31 天的供應量。倘您處方規定的用藥天數較少，我們會允許您持續補充藥物，保證提供最多 31 天份量的藥物。如果承保未獲核准，在您的首次 31 天供應量後，即使您已加入計畫不到 90 天，我們也不會支付這些藥物的費用。

如果您是長期護理機構的居民，且您需要的藥物不在我們的處方集中，或者您取得藥物的能力有限，但您加入本計畫的會員資格已超過最初 90 天，那麼在您尋求處方集例外處理期間，我們將給付該藥物的 31 天緊急供應量。

如需更多資訊

如需有關 **Central Health Medicare Plan** 處方藥承保範圍的詳細資訊，請檢閱您的承保證明和其他計畫資料。

如果您對 **Central Health Medicare Plan** 有疑問，請聯絡我們。我們的聯絡資訊以及處方集的最新更新日期，就在封面和封底頁列明。

如果您對 **Medicare** 處方藥承保範圍有任何疑問，請致電 **Medicare**，電話：1-800-MEDICARE (1-800-633-4227)，本專線全年無休。TTY 使用者應致電 1-877-486-2048。或者，請造訪 <http://www.medicare.gov>。

Central Health Medicare Plan formulary

以下處方集提供我們計畫承保藥物的承保資訊。倘在清單中尋找您的藥物遇到阻礙，請翻至從第 95 頁開始的索引。

表格的第一欄會列出藥物名稱。名牌藥為大寫（例如 **JANUVIA TABS**），而非專利藥物則以小寫斜體列出（例如 *metformin hcl*）。

您可透過「要求/限制」欄位中的資訊瞭解我們的計畫對您的藥物承保是否有任何特殊要求。

以下是「必要操作、規限或使用限制」一欄中所用代碼的含義：

PA = 事先授權（核准）：您必須先獲得核准，方可取得此藥物。

QL = 數量限制：計劃承保的藥物數量。

ST = 階段治療標準：您須先嘗試另一種藥物方可取得此藥物。

NM = 非郵購：此藥物無法透過郵購續藥。

B/D = 視具體情況而定，此藥物可能屬於 **Medicare Part B** 或 **D** 承保的藥物。

LA = 有限權限藥物：僅特定藥房提供此藥物。

_ = Medicaid 承保的非 **D** 部分藥物或 OTC 項目。

NDS = 無延長天數供給：您可收到的天數供給將受到限制。

MOLINA_CY26_6T_GS_CORE eff 04/01/2026**Drug Name Drug Tier Requirements/Limits****ANALGESICS****GOUT**

| | | |
|------------------------------------------------|---|-------------------------|
| <i>allopurinol</i> TABS 100mg, 300mg | 1 | |
| <i>colchicine</i> TABS .6mg | 3 | QL (120 tabs / 30 days) |
| <i>colchicine w/ probenecid tab 0.5-500 mg</i> | 3 | |
| <i>febuxostat</i> TABS 40mg, 80mg | 4 | PA |
| <i>probenecid</i> TABS 500mg | 3 | |

MISCELLANEOUS

| | | |
|-------------------------------------------------------------|---|-----|
| <i>lidocaine hcl (local anesth.)</i> SOLN .5%, 1%, 1.5%, 2% | 3 | B/D |
|-------------------------------------------------------------|---|-----|

NSAIDS

| | | |
|--------------------------------------------------------------------------------|---|-------------------------|
| <i>celecoxib</i> CAPS 50mg, 100mg, 200mg | 3 | QL (60 caps / 30 days) |
| <i>celecoxib</i> CAPS 400mg | 3 | QL (30 caps / 30 days) |
| <i>diclofenac potassium</i> TABS 50mg | 2 | QL (120 tabs / 30 days) |
| <i>diclofenac sodium</i> TB24 100mg | 3 | |
| <i>diclofenac sodium</i> TBEC 25mg, 50mg, 75mg | 2 | |
| <i>diclofenac w/ misoprostol tab delayed release 50-0.2 mg</i> | 4 | |
| <i>diclofenac w/ misoprostol tab delayed release 75-0.2 mg</i> | 4 | |
| <i>diflunisal</i> TABS 500mg | 3 | |
| <i>etodolac</i> CAPS 200mg, 300mg; TABS 400mg, 500mg; TB24 400mg, 500mg, 600mg | 3 | |
| <i>flurbiprofen</i> TABS 100mg | 3 | |
| <i>ibu</i> TABS 400mg, 600mg, 800mg | 1 | |
| <i>ibuprofen</i> SUSP 100mg/5ml | 3 | |
| <i>ibuprofen</i> TABS 400mg, 600mg, 800mg | 1 | |
| <i>meloxicam</i> TABS 7.5mg, 15mg | 1 | |
| <i>nabumetone</i> TABS 500mg, 750mg | 2 | |
| <i>naproxen</i> TABS 250mg, 375mg, 500mg | 1 | |
| <i>naproxen</i> TBEC 375mg | 2 | QL (120 tabs / 30 days) |
| <i>naproxen sodium</i> TABS 275mg, 550mg | 3 | |
| <i>oxaprozin</i> TABS 600mg | 4 | |
| <i>piroxicam</i> CAPS 10mg, 20mg | 3 | |
| <i>sulindac</i> TABS 150mg, 200mg | 2 | |

OPIOID ANALGESICS, LONG-ACTING

| | | |
|------------------------------------------------------------------------------------------------------------|---|-------------------------------|
| <i>buprenorphine</i> PTWK 5mcg/hr, 7.5mcg/hr, 10mcg/hr, 15mcg/hr, 20mcg/hr | 2 | QL (4 patches / 28 days), PA |
| <i>fentanyl</i> PT72 12mcg/hr, 25mcg/hr, 37.5mcg/hr, 50mcg/hr, 62.5mcg/hr, 75mcg/hr, 87.5mcg/hr, 100mcg/hr | 4 | QL (10 patches / 30 days), PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|------------------|---------------------------------|
| <i>hydrocodone bitartrate</i> T24A 20mg, 30mg, 40mg, 60mg, 80mg | 4 | QL (30 tabs / 30 days), PA |
| <i>hydrocodone bitartrate</i> T24A 100mg, 120mg | 5 | NDS, QL (30 tabs / 30 days), PA |
| <i>methadone hcl</i> SOLN 5mg/5ml, 10mg/5ml | 3 | QL (450 mL / 30 days), PA |
| <i>methadone hcl</i> TABS 5mg, 10mg | 3 | QL (90 tabs / 30 days), PA |
| <i>methadone hydrochloride i</i> CONC 10mg/ml | 3 | QL (90 mL / 30 days), PA |
| <i>morphine sulfate</i> TBCR 15mg, 30mg, 60mg, 100mg, 200mg | 3 | QL (90 tabs / 30 days), PA |
| OXYCONTIN T12A 10mg, 15mg, 20mg, 30mg | 4 | QL (60 tabs / 30 days), PA |
| OXYCONTIN T12A 40mg, 60mg, 80mg | 5 | NDS, QL (60 tabs / 30 days), PA |
| OPIOID ANALGESICS, SHORT-ACTING | | |
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 3 | QL (2700 mL / 30 days) |
| <i>acetaminophen w/ codeine tab 300-15 mg</i> | 2 | QL (400 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab 300-30 mg</i> | 2 | QL (360 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 2 | QL (180 tabs / 30 days) |
| <i>butorphanol tartrate</i> SOLN 1mg/ml, 2mg/ml | 4 | |
| <i>butorphanol tartrate</i> SOLN 10mg/ml | 3 | QL (10 mL / 30 days) |
| <i>endocet tab 2.5-325mg</i> | 3 | QL (360 tabs / 30 days) |
| <i>endocet tab 5-325mg</i> | 3 | QL (360 tabs / 30 days) |
| <i>endocet tab 7.5-325mg</i> | 3 | QL (240 tabs / 30 days) |
| <i>endocet tab 10-325mg</i> | 3 | QL (180 tabs / 30 days) |
| <i>hydrocodone-acetaminophen soln 7.5-325 mg/15ml</i> | 4 | QL (2700 mL / 30 days) |
| <i>hydrocodone-acetaminophen tab 5-325 mg</i> | 3 | QL (240 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab 7.5-325 mg</i> | 3 | QL (180 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab 10-325 mg</i> | 3 | QL (180 tabs / 30 days) |
| <i>hydrocodone-ibuprofen tab 7.5-200 mg</i> | 3 | QL (150 tabs / 30 days) |
| <i>hydromorphone hcl</i> LIQD 1mg/ml | 4 | QL (600 mL / 30 days) |
| <i>hydromorphone hcl</i> TABS 2mg, 4mg, 8mg | 3 | QL (180 tabs / 30 days) |
| <i>morphine sulfate</i> SOLN 2mg/ml, 4mg/ml, 8mg/ml, 10mg/ml | 4 | B/D |
| <i>morphine sulfate</i> SOLN 10mg/5ml, 20mg/5ml | 3 | QL (900 mL / 30 days) |
| <i>morphine sulfate</i> SOLN 100mg/5ml | 3 | QL (180 mL / 30 days) |
| <i>morphine sulfate</i> TABS 15mg, 30mg | 3 | QL (180 tabs / 30 days) |
| <i>oxycodone hcl</i> CONC 100mg/5ml | 4 | QL (180 mL / 30 days) |
| <i>oxycodone hcl</i> SOLN 5mg/5ml | 4 | QL (900 mL / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------|------------------|----------------------------|
| <i>oxycodone hcl</i> TABS 5mg, 10mg, 15mg, 20mg, 30mg | 3 | QL (180 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 2.5-325 mg</i> | 3 | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 5-325 mg</i> | 3 | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 7.5-325 mg</i> | 3 | QL (240 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab 10-325 mg</i> | 3 | QL (180 tabs / 30 days) |
| <i>tramadol hcl</i> TABS 50mg | 2 | QL (240 tabs / 30 days) |
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | 2 | QL (240 tabs / 30 days) |

ANTI-INFECTIVES

ANTI-INFECTIVES - MISCELLANEOUS

| | | |
|-------------------------------------------------------------------|---|---------------------------|
| <i>albendazole</i> TABS 200mg | 4 | QL (672 tabs / year), PA |
| <i>amikacin sulfate</i> SOLN 1gm/4ml, 500mg/2ml | 4 | |
| ARIKAYCE SUSP 590mg/8.4ml | 5 | NDS, NM, PA |
| <i>atovaquone</i> SUSP 750mg/5ml | 4 | QL (300 mL / 30 days), PA |
| <i>aztreonam</i> SOLR 1gm, 2gm | 4 | |
| BLUJEPa TABS 750mg | 3 | |
| CAYSTON SOLR 75mg | 5 | NDS, NM, PA |
| <i>clindamycin hcl</i> CAPS 75mg, 150mg, 300mg | 2 | |
| <i>clindamycin palmitate hydrochloride</i> SOLR 75mg/5ml | 4 | |
| <i>clindamycin phosphate</i> SOLN 300mg/2ml, 600mg/4ml, 900mg/6ml | 3 | |
| <i>clindamycin phosphate in d5w iv soln 300 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in d5w iv soln 600 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in d5w iv soln 900 mg/50ml</i> | 4 | |
| CLINDMYC/NAC INJ 300/50ML | 4 | |
| CLINDMYC/NAC INJ 600/50ML | 4 | |
| CLINDMYC/NAC INJ 900/50ML | 4 | |
| <i>colistimethate sodium</i> SOLR 150mg | 4 | |
| <i>dapsone</i> TABS 25mg, 100mg | 3 | |
| DAPTOMYCIN SOLR 350mg | 5 | NDS |
| <i>daptomycin</i> SOLR 350mg, 500mg | 5 | NDS |
| EMVERM CHEW 100mg | 5 | NDS, QL (12 tabs / year) |
| <i>ertapenem sodium</i> SOLR 1gm | 3 | |
| <i>fosfomicin tromethamine</i> PACK 3gm | 4 | |
| <i>gentamicin in saline inj 0.8 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 1 mg/ml</i> | 3 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|------------------|---------------------------------|
| <i>gentamicin in saline inj 1.2 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 1.6 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 2 mg/ml</i> | 3 | |
| <i>gentamicin sulfate SOLN 10mg/ml, 40mg/ml</i> | 3 | |
| <i>imipenem-cilastatin intravenous for soln 250 mg</i> | 4 | |
| <i>imipenem-cilastatin intravenous for soln 500 mg</i> | 4 | |
| IMPAVIDO CAPS 50mg | 5 | NDS, PA |
| <i>ivermectin TABS 3mg</i> | 3 | QL (20 tabs / 90 days), PA |
| <i>ivermectin TABS 6mg</i> | 3 | QL (10 tabs / 90 days), PA |
| <i>linezolid SOLN 600mg/300ml</i> | 4 | |
| <i>linezolid SUSR 100mg/5ml</i> | 5 | NDS, QL (1800 mL / 30 days) |
| <i>linezolid TABS 600mg</i> | 4 | QL (60 tabs / 30 days) |
| LINEZOLID INJ 2MG/ML | 4 | |
| <i>meropenem SOLR 1gm, 2gm, 500mg</i> | 4 | |
| <i>methenamine hippurate TABS 1gm</i> | 3 | |
| <i>metronidazole SOLN 500mg/100ml</i> | 3 | |
| <i>metronidazole TABS 250mg, 500mg</i> | 1 | |
| <i>neomycin sulfate TABS 500mg</i> | 2 | |
| <i>nitazoxanide TABS 500mg</i> | 5 | NDS, QL (6 tabs / 30 days) |
| <i>nitrofurantoin macrocrystal CAPS 50mg, 100mg</i> | 3 | |
| <i>nitrofurantoin monohyd macro CAPS 100mg</i> | 3 | |
| <i>pentamidine isethionate inh SOLR 300mg</i> | 4 | B/D |
| <i>pentamidine isethionate inj SOLR 300mg</i> | 4 | |
| <i>polymyxin b sulfate SOLR 500000unit</i> | 4 | |
| <i>praziquantel TABS 600mg</i> | 4 | |
| <i>pyrimethamine TABS 25mg</i> | 5 | NDS, QL (90 tabs / 30 days), PA |
| <i>streptomycin sulfate SOLR 1gm</i> | 5 | NDS |
| <i>sulfadiazine TABS 500mg</i> | 5 | NDS |
| <i>sulfamethoxazole-trimethoprim iv soln 400-80 mg/5ml</i> | 4 | |
| <i>sulfamethoxazole-trimethoprim susp 200-40 mg/5ml</i> | 3 | |
| <i>sulfamethoxazole-trimethoprim tab 400-80 mg</i> | 1 | |
| <i>sulfamethoxazole-trimethoprim tab 800-160 mg</i> | 1 | |
| <i>tinidazole TABS 250mg, 500mg</i> | 3 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------|------------------|---------------------------------------------------------------------------------|
| TOBI PODHALER CAPS 28mg | 5 | NDS, NM, PA |
| <i>tobramycin</i> NEBU 300mg/5ml | 5 | NDS, NM, PA |
| <i>tobramycin sulfate</i> SOLN 1.2gm/30ml, 10mg/ml, 80mg/2ml | 3 | |
| <i>trimethoprim</i> TABS 100mg | 3 | |
| <i>vancomycin hcl</i> CAPS 125mg | 4 | QL (80 caps / 180 days) |
| <i>vancomycin hcl</i> CAPS 250mg | 4 | QL (160 caps / 180 days) |
| <i>vancomycin hcl</i> SOLR 1gm, 1.25gm, 1.5gm, 5gm, 10gm, 500mg, 750mg | 4 | |
| VANCOMYCIN INJ 1 GM | 4 | |
| VANCOMYCIN INJ 500MG | 4 | |
| VANCOMYCIN INJ 750MG | 4 | |
| ANTIFUNGALS | | |
| <i>amphotericin b</i> SOLR 50mg | 4 | B/D |
| <i>amphotericin b liposome</i> SUSR 50mg | 5 | NDS, B/D |
| <i>caspofungin acetate</i> SOLR 50mg, 70mg | 4 | |
| CRESEMBA CAPS 74.5mg, 186mg | 5 | NDS, PA |
| <i>fluconazole</i> SUSR 10mg/ml, 40mg/ml; TABS 50mg | 3 | |
| <i>fluconazole</i> TABS 100mg, 150mg, 200mg | 2 | |
| <i>fluconazole in nacl 0.9% inj 200 mg/100ml</i> | 3 | |
| <i>fluconazole in nacl 0.9% inj 400 mg/200ml</i> | 3 | |
| <i>flucytosine</i> CAPS 250mg, 500mg | 5 | NDS, PA |
| <i>griseofulvin microsize</i> SUSP 125mg/5ml; TABS 500mg | 4 | |
| <i>griseofulvin ultramicrosize</i> TABS 125mg, 250mg | 4 | |
| <i>itraconazole</i> CAPS 100mg | 4 | QL (120 caps / 30 days) |
| <i>ketoconazole</i> TABS 200mg | 3 | PA |
| <i>micafungin sodium</i> SOLR 50mg, 100mg | 4 | |
| <i>nystatin</i> TABS 500000unit | 3 | |
| <i>posaconazole</i> SUSP 40mg/ml | 5 | NDS, QL (630 mL / 30 days), PA |
| <i>posaconazole</i> TBEC 100mg | 5 | NDS, QL (93 tabs / 30 days), PA |
| <i>terbinafine hcl</i> TABS 250mg | 2 | QL (30 tabs / 30 days), PA; PA applies after a 90 day supply in a calendar year |
| <i>voriconazole</i> SOLR 200mg | 4 | PA |
| <i>voriconazole</i> SUSR 40mg/ml | 5 | NDS, QL (600 mL / 28 days), PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------------------|------------------|------------------------------|
| <i>voriconazole</i> TABS 50mg | 4 | QL (480 tabs / 30 days) |
| <i>voriconazole</i> TABS 200mg | 4 | QL (120 tabs / 30 days) |
| ANTIMALARIALS | | |
| <i>atovaquone-proguanil hcl tab 62.5-25 mg</i> | 4 | |
| <i>atovaquone-proguanil hcl tab 250-100 mg</i> | 4 | |
| <i>chloroquine phosphate</i> TABS 250mg, 500mg | 4 | |
| COARTEM TAB 20-120MG | 4 | |
| <i>mefloquine hcl</i> TABS 250mg | 3 | |
| <i>primaquine phosphate</i> TABS 26.3mg | 3 | |
| PRIMAQUINE PHOSPHATE TABS 26.3mg | 3 | |
| <i>quinine sulfate</i> CAPS 324mg | 4 | PA |
| ANTIRETROVIRAL AGENTS | | |
| <i>abacavir sulfate</i> SOLN 20mg/ml; TABS 300mg | 4 | |
| APTIVUS CAPS 250mg | 5 | NDS |
| <i>atazanavir sulfate</i> CAPS 150mg, 200mg, 300mg | 4 | |
| <i>darunavir</i> TABS 600mg | 4 | QL (60 tabs / 30 days) |
| <i>darunavir</i> TABS 800mg | 4 | QL (30 tabs / 30 days) |
| EDURANT TABS 25mg | 5 | NDS |
| EDURANT PED TBSO 2.5mg | 5 | NDS |
| <i>efavirenz</i> TABS 600mg | 4 | |
| <i>emtricitabine</i> CAPS 200mg | 4 | |
| EMTRIVA SOLN 10mg/ml | 4 | |
| <i>etravirine</i> TABS 100mg, 200mg | 5 | NDS |
| <i>fosamprenavir calcium</i> TABS 700mg | 5 | NDS |
| INTELENCE TABS 25mg | 4 | |
| ISENTRESS CHEW 25mg | 4 | |
| ISENTRESS CHEW 100mg; PACK 100mg; TABS 400mg | 5 | NDS |
| ISENTRESS HD TABS 600mg | 5 | NDS |
| <i>lamivudine</i> SOLN 10mg/ml; TABS 150mg, 300mg | 3 | |
| <i>maraviroc</i> TABS 150mg, 300mg | 5 | NDS |
| <i>nevirapine</i> SUSP 50mg/5ml; TB24 400mg | 4 | |
| <i>nevirapine</i> TABS 200mg | 2 | |
| NORVIR PACK 100mg | 4 | |
| PIFELTRO TABS 100mg | 5 | NDS |
| PREZISTA SUSP 100mg/ml | 5 | NDS, QL (400 mL / 30 days) |
| PREZISTA TABS 75mg | 4 | QL (480 tabs / 30 days) |
| PREZISTA TABS 150mg | 5 | NDS, QL (240 tabs / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------|------------------|----------------------------|
| REYATAZ PACK 50mg | 5 | NDS |
| <i>ritonavir</i> TABS 100mg | 3 | |
| RUKOBIA TB12 600mg | 5 | NDS |
| SELZENTRY SOLN 20mg/ml | 5 | NDS |
| SUNLENCA TABS 300mg; TBPK 300mg | 5 | NDS |
| <i>tenofovir disoproxil fumarate</i> TABS 300mg | 4 | |
| TIVICAY TABS 50mg | 5 | NDS |
| TIVICAY PD TBSO 5mg | 5 | NDS |
| TROGARZO SOLN 200mg/1.33ml | 5 | NDS |
| TYBOST TABS 150mg | 3 | |
| VIRACEPT TABS 250mg, 625mg | 5 | NDS |
| VIREAD POWD 40mg/gm; TABS 150mg, 200mg, 250mg | 5 | NDS |
| <i>zidovudine</i> CAPS 100mg | 4 | |
| <i>zidovudine</i> SYRP 50mg/5ml; TABS 300mg | 3 | |
| ANTIRETROVIRAL COMBINATION AGENTS | | |
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | 4 | |
| BIKTARVY TAB 30-120-15 MG | 5 | NDS |
| BIKTARVY TAB 50-200-25 MG | 5 | NDS |
| CIMDUO TAB 300-300 | 5 | NDS |
| DELSTRIGO TAB | 5 | NDS |
| DESCOVY TAB 120-15MG | 5 | NDS |
| DESCOVY TAB 200/25MG | 5 | NDS |
| DOVATO TAB 50-300MG | 5 | NDS |
| <i>efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg</i> | 4 | |
| <i>efavirenz-lamivudine-tenofovir df tab 400-300-300 mg</i> | 5 | NDS |
| <i>efavirenz-lamivudine-tenofovir df tab 600-300-300 mg</i> | 5 | NDS |
| <i>emtricitabine-rilpivirine-tenofovir df tab 200-25-300 mg</i> | 5 | NDS |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg</i> | 4 | |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg</i> | 5 | NDS |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 167-250 mg</i> | 4 | |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg</i> | 4 | |
| EVOTAZ TAB 300-150 | 5 | NDS |
| GENVOYA TAB | 5 | NDS |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------|------------------|--------------------------------------|
| JULUCA TAB 50-25MG | 5 | NDS |
| KALETRA SOL | 4 | |
| <i>lamivudine-zidovudine tab 150-300 mg</i> | 4 | |
| <i>lopinavir-ritonavir tab 100-25 mg</i> | 4 | |
| <i>lopinavir-ritonavir tab 200-50 mg</i> | 4 | |
| ODEFSEY TAB | 5 | NDS |
| PREZCOBIX TAB 675/150 | 5 | NDS |
| PREZCOBIX TAB 800-150 | 5 | NDS |
| STRIBILD TAB | 5 | NDS |
| SYMTUZA TAB | 5 | NDS |
| TRIUMEQ PD TAB | 4 | |
| TRIUMEQ TAB | 5 | NDS |
| ANTITUBERCULAR AGENTS | | |
| <i>cycloserine CAPS 250mg</i> | 5 | NDS |
| <i>ethambutol hcl TABS 100mg, 400mg</i> | 3 | |
| <i>isoniazid SYRP 50mg/5ml</i> | 4 | |
| <i>isoniazid TABS 100mg, 300mg</i> | 1 | |
| PRIFTIN TABS 150mg | 4 | |
| <i>pyrazinamide TABS 500mg</i> | 4 | |
| <i>rifabutin CAPS 150mg</i> | 4 | |
| <i>rifampin CAPS 150mg, 300mg</i> | 3 | |
| <i>rifampin SOLR 600mg</i> | 4 | |
| SIRTURO TABS 20mg, 100mg | 5 | NDS, NM, PA |
| ANTIVIRALS | | |
| <i>acyclovir CAPS 200mg; TABS 400mg, 800mg</i> | 2 | |
| <i>acyclovir SUSP 200mg/5ml</i> | 4 | |
| <i>acyclovir sodium SOLN 50mg/ml</i> | 4 | B/D |
| <i>adefovir dipivoxil TABS 10mg</i> | 4 | |
| BARACLUDE SOLN .05mg/ml | 5 | NDS, ST |
| <i>entecavir TABS .5mg, 1mg</i> | 4 | |
| EPCLUSA PAK 150-37.5 | 5 | NDS, NM, PA |
| EPCLUSA PAK 200-50MG | 5 | NDS, NM, PA |
| EPCLUSA TAB 200-50MG | 5 | NDS, NM, PA |
| EPCLUSA TAB 400-100 | 5 | NDS, NM, PA |
| <i>famciclovir TABS 125mg, 250mg, 500mg</i> | 3 | |
| <i>ganciclovir sodium SOLR 500mg</i> | 4 | B/D |
| <i>lamivudine (hbv) TABS 100mg</i> | 3 | |
| LIVTENCITY TABS 200mg | 5 | NDS, QL (336 tabs / 28 days), NM, PA |
| MAVYRET PAK 50-20MG | 5 | NDS, NM, PA |
| MAVYRET TAB 100-40MG | 5 | NDS, NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------|------------------|---------------------------------|
| <i>oseltamivir phosphate</i> CAPS 30mg | 3 | QL (168 caps / year) |
| <i>oseltamivir phosphate</i> CAPS 45mg, 75mg | 3 | QL (84 caps / year) |
| <i>oseltamivir phosphate</i> SUSR 6mg/ml | 3 | QL (1080 mL / year) |
| PAXLOVID PAK | 2 | QL (22 tabs / 90 days) |
| PAXLOVID TAB 150-100 | 2 | QL (40 tabs / 90 days) |
| PAXLOVID TAB 300-100 | 2 | QL (60 tabs / 90 days) |
| PEGASYS SOLN 180mcg/ml; SOSY 180mcg/0.5ml | 5 | NDS, NM, PA |
| PREVYMIS TABS 240mg, 480mg | 5 | NDS, QL (28 tabs / 28 days), PA |
| RELENZA DISKHALER AEPB 5mg/blister | 3 | QL (6 inhalers / year) |
| <i>ribavirin (hepatitis c)</i> CAPS 200mg; TABS 200mg | 3 | NM |
| <i>rimantadine hydrochloride</i> TABS 100mg | 4 | |
| <i>valacyclovir hcl</i> TABS 1gm, 500mg | 3 | |
| <i>valganciclovir hcl</i> SOLR 50mg/ml | 5 | NDS |
| <i>valganciclovir hcl</i> TABS 450mg | 3 | |
| VOSEVI TAB | 5 | NDS, NM, PA |
| CEPHALOSPORINS | | |
| <i>cefaclor</i> CAPS 250mg, 500mg | 3 | |
| <i>cefadroxil</i> CAPS 500mg | 2 | |
| <i>cefadroxil</i> SUSR 250mg/5ml, 500mg/5ml | 3 | |
| CEFAZOLIN SOLR 2gm, 3gm | 4 | |
| CEFAZOLIN INJ 1GM/50ML | 4 | |
| <i>cefazolin sodium</i> SOLR 1gm, 2gm, 3gm, 10gm, 500mg | 3 | |
| CEFAZOLIN SOLN 2GM/100ML-4% | 4 | |
| CEFAZOLIN/DEX SOL 1GM/50ML-4% | 4 | |
| CEFAZOLIN/DEX SOL 2GM/50ML-3% | 4 | |
| CEFAZOLIN/DEX SOL 3GM/50ML-2% | 4 | |
| CEFAZOLIN/DEX SOL 3GM/150ML-4% | 4 | |
| <i>cefdinir</i> CAPS 300mg | 2 | |
| <i>cefdinir</i> SUSR 125mg/5ml, 250mg/5ml | 3 | |
| <i>cefepime hcl</i> SOLR 1gm, 2gm | 4 | |
| <i>cefixime</i> CAPS 400mg; SUSR 100mg/5ml, 200mg/5ml | 4 | |
| <i>cefotetan disodium</i> SOLR 1gm, 2gm | 4 | |
| <i>cefoxitin sodium</i> SOLR 1gm, 2gm, 10gm | 4 | |
| <i>cefpodoxime proxetil</i> SUSR 50mg/5ml, 100mg/5ml | 4 | |
| <i>cefpodoxime proxetil</i> TABS 100mg, 200mg | 3 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------|------------------|----------------------------|
| <i>cefprozil</i> SUSR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg | 3 | |
| <i>ceftaroline fosamil</i> SOLR 400mg, 600mg | 5 | NDS |
| <i>ceftazidime</i> SOLR 1gm, 2gm, 6gm | 4 | |
| <i>ceftriaxone sodium</i> SOLR 1gm, 2gm, 10gm, 250mg, 500mg | 4 | |
| <i>cefuroxime axetil</i> TABS 250mg, 500mg | 2 | |
| <i>cefuroxime sodium</i> SOLR 1.5gm, 750mg | 3 | |
| <i>cephalexin</i> CAPS 250mg, 500mg | 1 | |
| <i>cephalexin</i> SUSR 125mg/5ml, 250mg/5ml | 3 | |
| <i>tazicef</i> SOLR 1gm, 2gm, 6gm | 4 | |
| TEFLARO SOLR 400mg, 600mg | 5 | NDS |
| ERYTHROMYCINS/MACROLIDES | | |
| <i>azithromycin</i> SOLR 500mg; SUSR 100mg/5ml, 200mg/5ml | 3 | |
| <i>azithromycin</i> TABS 250mg, 500mg, 600mg | 1 | |
| <i>clarithromycin</i> SUSR 125mg/5ml, 250mg/5ml; TB24 500mg | 4 | |
| <i>clarithromycin</i> TABS 250mg, 500mg | 3 | |
| DIFICID SUSR 40mg/ml | 5 | NDS |
| <i>e.e.s. 400</i> TABS 400mg | 4 | |
| ERYTHROCIN LACTOBIONATE SOLR 500mg | 4 | |
| <i>erythromycin base</i> CPEP 250mg; TABS 250mg, 500mg; TBEC 250mg, 333mg, 500mg | 4 | |
| <i>erythromycin ethylsuccinate</i> TABS 400mg | 4 | |
| <i>erythromycin lactobionate</i> SOLR 500mg | 4 | |
| <i>fidaxomicin</i> TABS 200mg | 5 | NDS |
| FLUOROQUINOLONES | | |
| CIPRO SUSR 500mg/5ml | 4 | |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> | 3 | |
| <i>ciprofloxacin 400 mg/200ml in d5w</i> | 3 | |
| <i>ciprofloxacin hcl</i> TABS 250mg, 500mg, 750mg | 1 | |
| <i>levofloxacin</i> SOLN 25mg/ml | 4 | |
| <i>levofloxacin</i> TABS 250mg, 500mg, 750mg | 1 | |
| <i>levofloxacin in d5w iv soln 250 mg/50ml</i> | 3 | |
| <i>levofloxacin in d5w iv soln 500 mg/100ml</i> | 3 | |
| <i>levofloxacin in d5w iv soln 750 mg/150ml</i> | 3 | |
| <i>moxifloxacin hcl</i> TABS 400mg | 3 | |
| <i>moxifloxacin hcl 400 mg/250ml in sodium chloride 0.8% inj</i> | 4 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| PENICILLINS | | |
| <i>amoxicillin</i> CAPS 250mg, 500mg; SUSR 125mg/5ml, 200mg/5ml, 250mg/5ml, 400mg/5ml; TABS 500mg, 875mg | 1 | |
| <i>amoxicillin</i> CHEW 125mg, 250mg | 2 | |
| <i>amoxicillin & k clavulanate for susp</i> 200-28.5 mg/5ml | 3 | |
| <i>amoxicillin & k clavulanate for susp</i> 250-62.5 mg/5ml | 4 | |
| <i>amoxicillin & k clavulanate for susp</i> 400-57 mg/5ml | 3 | |
| <i>amoxicillin & k clavulanate for susp</i> 600-42.9 mg/5ml | 3 | |
| <i>amoxicillin & k clavulanate tab</i> 250-125 mg | 3 | |
| <i>amoxicillin & k clavulanate tab</i> 500-125 mg | 2 | |
| <i>amoxicillin & k clavulanate tab</i> 875-125 mg | 2 | |
| <i>ampicillin</i> CAPS 500mg | 2 | |
| <i>ampicillin & sulbactam sodium for inj</i> 1.5 (1-0.5) gm | 4 | |
| <i>ampicillin & sulbactam sodium for inj</i> 3 (2-1) gm | 4 | |
| <i>ampicillin & sulbactam sodium for iv soln</i> 1.5 (1-0.5) gm | 4 | |
| <i>ampicillin & sulbactam sodium for iv soln</i> 3 (2-1) gm | 4 | |
| <i>ampicillin & sulbactam sodium for iv soln</i> 15 (10-5) gm | 4 | |
| <i>ampicillin sodium</i> SOLR 1gm, 2gm, 10gm, 250mg, 500mg | 4 | |
| BICILLIN L-A SUSY 600000unit/ml, 1200000unit/2ml, 2400000unit/4ml | 4 | |
| <i>dicloxacillin sodium</i> CAPS 250mg, 500mg | 3 | |
| <i>nafcillin sodium</i> SOLR 1gm, 2gm | 4 | |
| <i>nafcillin sodium</i> SOLR 10gm | 5 | NDS |
| <i>oxacillin sodium</i> SOLR 1gm, 2gm, 10gm | 4 | |
| <i>penicillin g potassium</i> SOLR 5000000unit, 20000000unit | 4 | |
| <i>penicillin g sodium</i> SOLR 5000000unit | 4 | |
| <i>penicillin v potassium</i> SOLR 125mg/5ml, 250mg/5ml | 2 | |
| <i>penicillin v potassium</i> TABS 250mg, 500mg | 1 | |
| <i>pfizerpen</i> SOLR 5000000unit, 20000000unit | 4 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|------------------|---------------------------------|
| <i>piperacillin sod-tazobactam na for inj 3.375 gm (3-0.375 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 2.25 gm (2-0.25 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 4.5 gm (4-0.5 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 13.5 gm (12-1.5 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 40.5 gm (36-4.5 gm)</i> | 4 | |
| TETRACYCLINES | | |
| <i>doxy 100 SOLR 100mg</i> | 4 | |
| <i>doxycycline (monohydrate) CAPS 50mg, 100mg</i> | 2 | |
| <i>doxycycline (monohydrate) SUSR 25mg/5ml; TABS 50mg, 75mg, 100mg</i> | 3 | |
| <i>doxycycline hyclate CAPS 50mg, 100mg; TABS 20mg, 100mg</i> | 3 | |
| <i>doxycycline hyclate SOLR 100mg</i> | 4 | |
| <i>minocycline hcl CAPS 50mg, 75mg, 100mg</i> | 3 | |
| NUZYRA SOLR 100mg | 5 | NDS, NM |
| NUZYRA TABS 150mg | 5 | NDS, QL (30 tabs / 14 days), NM |
| <i>tetracycline hcl CAPS 250mg, 500mg</i> | 4 | |
| <i>tigecycline SOLR 50mg</i> | 4 | |
| ANTINEOPLASTIC AGENTS | | |
| ALKYLATING AGENTS | | |
| BENDAMUSTINE HYDROCHLORID SOLN 100mg/4ml | 5 | NDS, B/D, NM |
| BENDEKA SOLN 100mg/4ml | 5 | NDS, B/D, NM |
| <i>carboplatin SOLN 50mg/5ml, 150mg/15ml, 450mg/45ml, 600mg/60ml</i> | 3 | B/D |
| <i>cisplatin SOLN 50mg/50ml, 100mg/100ml, 200mg/200ml</i> | 3 | B/D |
| <i>cyclophosphamide CAPS 25mg, 50mg</i> | 3 | B/D |
| CYCLOPHOSPHAMIDE SOLN 1gm/2ml, 2gm/4ml, 500mg/ml | 5 | NDS, B/D, NM |
| CYCLOPHOSPHAMIDE SOLN 1gm/5ml, 500mg/2.5ml, 500mg/5ml, 1000mg/10ml, 2000mg/20ml | 5 | NDS, B/D |
| <i>cyclophosphamide SOLR 1gm, 500mg</i> | 4 | B/D |
| <i>cyclophosphamide SOLR 2gm</i> | 5 | NDS, B/D |
| CYCLOPHOSPHAMIDE TABS 25mg, 50mg | 4 | B/D |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------|------------------|--------------------------------------|
| CYCLOPHOSPHAMIDE MONOHYDR SOLN 2gm/10ml | 5 | NDS, B/D |
| FRINDOVYX SOLN 1gm/2ml, 2gm/4ml, 500mg/ml | 5 | NDS, B/D, NM |
| GLEOSTINE CAPS 10mg, 40mg | 4 | NM |
| GLEOSTINE CAPS 100mg | 5 | NDS, NM |
| LEUKERAN TABS 2mg | 5 | NDS, PA |
| <i>lomustine</i> CAPS 10mg, 40mg | 4 | NM |
| <i>lomustine</i> CAPS 100mg | 5 | NDS, NM |
| <i>oxaliplatin</i> SOLN 50mg/10ml, 100mg/20ml, 200mg/40ml | 4 | B/D |
| <i>oxaliplatin</i> SOLR 50mg, 100mg | 5 | NDS, B/D |
| VIVIMUSTA SOLN 100mg/4ml | 5 | NDS, B/D, NM |
| ANTIMETABOLITES | | |
| <i>azacitidine</i> SUSR 100mg | 5 | NDS, B/D, NM |
| <i>cytarabine</i> SOLN 20mg/ml | 3 | B/D |
| <i>fluorouracil</i> SOLN 1gm/20ml, 2.5gm/50ml, 5gm/100ml, 500mg/10ml | 3 | B/D |
| <i>gemcitabine hcl</i> SOLN 1gm/26.3ml, 2gm/52.6ml, 200mg/5.26ml; SOLR 1gm, 2gm, 200mg | 4 | B/D |
| INQOVI TAB 35-100MG | 5 | NDS, QL (5 tabs / 28 days), NM, PA |
| LONSURF TAB 15-6.14 | 5 | NDS, QL (100 tabs / 28 days), NM, PA |
| LONSURF TAB 20-8.19 | 5 | NDS, QL (80 tabs / 28 days), NM, PA |
| <i>mercaptopurine</i> SUSP 2000mg/100ml | 5 | NDS, NM |
| <i>mercaptopurine</i> TABS 50mg | 3 | |
| <i>methotrexate sodium</i> SOLN 1gm/40ml, 50mg/2ml, 250mg/10ml; SOLR 1gm | 2 | B/D |
| ONUREG TABS 200mg, 300mg | 5 | NDS, QL (14 tabs / 28 days), NM, PA |
| <i>pemetrexed disodium</i> SOLR 100mg, 500mg, 750mg, 1000mg | 5 | NDS, B/D |
| TABLOID TABS 40mg | 5 | NDS, PA |
| HORMONAL ANTINEOPLASTIC AGENTS | | |
| <i>abiraterone acetate</i> TABS 250mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| <i>abiraterone acetate</i> TABS 500mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| <i>abirtega</i> TABS 250mg | 4 | QL (120 tabs / 30 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------|------------------|--------------------------------------|
| AKEEGA TAB 50/500MG | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| AKEEGA TAB 100/500 | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| <i>anastrozole</i> TABS 1mg | 2 | |
| <i>bicalutamide</i> TABS 50mg | 2 | |
| ELIGARD KIT 7.5mg, 22.5mg, 30mg, 45mg | 4 | NM, PA |
| ERLEADA TABS 60mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| ERLEADA TABS 240mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| EULEXIN CAPS 125mg | 5 | NDS |
| <i>exemestane</i> TABS 25mg | 4 | |
| FIRMAGON SOLR 80mg | 4 | NM, PA |
| FIRMAGON SOLR 120mg/vial | 5 | NDS, NM, PA |
| <i>fulvestrant</i> SOSY 250mg/5ml | 5 | NDS, B/D |
| INLURIYO TABS 200mg | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| <i>letrozole</i> TABS 2.5mg | 2 | |
| <i>leuprolide acetate</i> KIT 1mg/0.2ml | 4 | NM, PA |
| LUPRON DEPOT (1-MONTH) KIT 3.75mg | 5 | NDS, NM, PA |
| LUPRON DEPOT (3-MONTH) KIT 11.25mg | 5 | NDS, NM, PA |
| LYSODREN TABS 500mg | 5 | NDS, NM |
| <i>megestrol acetate</i> TABS 20mg, 40mg | 3 | |
| <i>nilutamide</i> TABS 150mg | 5 | NDS |
| NUBEQA TABS 300mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| ORGOVYX TABS 120mg | 5 | NDS, NM, PA |
| ORSERDU TABS 86mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| ORSERDU TABS 345mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| SOLTAMOX SOLN 10mg/5ml | 5 | NDS |
| <i>tamoxifen citrate</i> TABS 10mg, 20mg | 2 | |
| <i>toremifene citrate</i> TABS 60mg | 4 | PA |
| XTANDI CAPS 40mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| XTANDI TABS 40mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| XTANDI TABS 80mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| YONSA TABS 125mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------|------------------|----------------------------------------|
| IMMUNOMODULATORS | | |
| <i>lenalidomide</i> CAPS 2.5mg, 5mg, 10mg, 15mg | 5 | NDS, QL (28 caps / 28 days), NM, PA |
| <i>lenalidomide</i> CAPS 20mg, 25mg | 5 | NDS, QL (21 caps / 28 days), NM, PA |
| POMALYST CAPS 1mg, 2mg, 3mg, 4mg | 5 | NDS, QL (21 caps / 28 days), NM, PA |
| THALOMID CAPS 50mg | 5 | NDS, QL (84 caps / 28 days), NM, PA |
| THALOMID CAPS 100mg | 5 | NDS, QL (112 caps / 28 days), NM, PA |
| MISCELLANEOUS | | |
| BESREMI SOSY 500mcg/ml | 5 | NDS, QL (2 syringes / 28 days), NM, PA |
| <i>bexarotene</i> CAPS 75mg | 5 | NDS, QL (300 caps / 30 days), NM, PA |
| <i>doxorubicin hcl</i> SOLN 2mg/ml | 4 | B/D |
| <i>doxorubicin hcl liposomal</i> SUSP 2mg/ml | 5 | NDS, B/D |
| <i>hydroxyurea</i> CAPS 500mg | 2 | |
| <i>irinotecan hcl</i> SOLN 40mg/2ml, 100mg/5ml, 300mg/15ml, 500mg/25ml | 4 | B/D |
| IWILFIN TABS 192mg | 5 | NDS, QL (240 tabs / 30 days), NM, PA |
| <i>leucovorin calcium</i> SOLN 500mg/50ml; SOLR 50mg, 100mg, 200mg, 350mg, 500mg | 4 | B/D |
| <i>leucovorin calcium</i> TABS 5mg, 10mg, 15mg, 25mg | 3 | |
| MATULANE CAPS 50mg | 5 | NDS, NM |
| <i>mesna</i> TABS 400mg | 5 | NDS |
| MODEYSO CAPS 125mg | 5 | NDS, QL (20 caps / 28 days), NM, PA |
| <i>tretinoin (chemotherapy)</i> CAPS 10mg | 5 | NDS |
| WELIREG TABS 40mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| MITOTIC INHIBITORS | | |
| <i>docetaxel</i> CONC 20mg/ml | 4 | B/D |
| <i>docetaxel</i> CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 5 | NDS, B/D |
| DOCETAXEL CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 5 | NDS, B/D |
| DOCIVYX SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 5 | NDS, B/D, NM |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|------------------|--------------------------------------|
| <i>etoposide</i> SOLN 1gm/50ml, 100mg/5ml, 500mg/25ml | 3 | B/D |
| <i>paclitaxel</i> CONC 6mg/ml, 30mg/5ml, 150mg/25ml, 300mg/50ml | 4 | B/D |
| <i>paclitaxel inj 100mg</i> | 5 | NDS, B/D, NM |
| <i>vincristine sulfate</i> SOLN 1mg/ml | 2 | B/D |
| <i>vinorelbine tartrate</i> SOLN 10mg/ml, 50mg/5ml | 4 | B/D |
| MOLECULAR TARGET AGENTS | | |
| ALECENSA CAPS 150mg | 5 | NDS, QL (240 caps / 30 days), NM, PA |
| ALUNBRIG TABS 30mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| ALUNBRIG TABS 90mg, 180mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| ALUNBRIG PAK | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| AUGTYRO CAPS 40mg | 5 | NDS, QL (240 caps / 30 days), NM, PA |
| AUGTYRO CAPS 160mg | 5 | NDS, QL (60 caps / 30 days), NM, PA |
| AVMAPKI PAK FAKZYNJA | 5 | NDS, QL (1 pack / 28 days), NM, PA |
| AYVAKIT TABS 25mg, 50mg, 100mg, 200mg, 300mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| BALVERSA TABS 3mg | 5 | NDS, QL (84 tabs / 28 days), NM, PA |
| BALVERSA TABS 4mg | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| BALVERSA TABS 5mg | 5 | NDS, QL (28 tabs / 28 days), NM, PA |
| BORTEZOMIB SOLR 1mg, 2.5mg | 4 | NM, PA |
| <i>bortezomib</i> SOLR 3.5mg | 5 | NDS, NM, PA |
| BOSULIF CAPS 50mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |
| BOSULIF CAPS 100mg | 5 | NDS, QL (300 caps / 30 days), NM, PA |
| BOSULIF TABS 100mg | 5 | NDS, QL (180 tabs / 30 days), NM, PA |
| BOSULIF TABS 400mg, 500mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| BRAFTOVI CAPS 75mg | 5 | NDS, QL (180 caps / 30 days), NM, PA |
| BRUKINSA CAPS 80mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------|------------------|--------------------------------------|
| BRUKINSA TABS 160mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| CABOMETYX TABS 20mg, 40mg, 60mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| CALQUENCE TABS 100mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| CAPRELSA TABS 100mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| CAPRELSA TABS 300mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| COMETRIQ (60MG DOSE) KIT 20mg | 5 | NDS, QL (84 caps / 28 days), NM, PA |
| COMETRIQ KIT 100MG | 5 | NDS, QL (56 caps / 28 days), NM, PA |
| COMETRIQ KIT 140MG | 5 | NDS, QL (112 caps / 28 days), NM, PA |
| COPIKTRA CAPS 15mg, 25mg | 5 | NDS, QL (56 caps / 28 days), NM, PA |
| COTELLIC TABS 20mg | 5 | NDS, QL (63 tabs / 28 days), NM, PA |
| DANZITEN TABS 71mg, 95mg | 5 | NDS, QL (112 tabs / 28 days), NM, PA |
| <i>dasatinib</i> TABS 20mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>dasatinib</i> TABS 50mg, 70mg, 80mg, 100mg, 140mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| DAURISMO TABS 25mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| DAURISMO TABS 100mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| ENSACOVE CAPS 25mg | 5 | NDS, QL (270 caps / 30 days), NM, PA |
| ENSACOVE CAPS 100mg | 5 | NDS, QL (60 caps / 30 days), NM, PA |
| ERIVEDGE CAPS 150mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |
| <i>erlotinib hcl</i> TABS 25mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>erlotinib hcl</i> TABS 100mg, 150mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TABS 2.5mg, 5mg, 7.5mg, 10mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 2mg, 5mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------|------------------|--------------------------------------|
| <i>everolimus</i> TBSO 3mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| FOTIVDA CAPS .89mg, 1.34mg | 5 | NDS, QL (21 caps / 28 days), NM, PA |
| FRUZAQLA CAPS 1mg | 5 | NDS, QL (84 caps / 28 days), NM, PA |
| FRUZAQLA CAPS 5mg | 5 | NDS, QL (21 caps / 28 days), NM, PA |
| GAVRETO CAPS 100mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| <i>gefitinib</i> TABS 250mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| GILOTRIF TABS 20mg, 30mg, 40mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| GOMEKLI CAPS 1mg | 5 | NDS, QL (168 caps / 28 days), NM, PA |
| GOMEKLI CAPS 2mg | 5 | NDS, QL (84 caps / 28 days), NM, PA |
| GOMEKLI TBSO 1mg | 5 | NDS, QL (168 tabs / 28 days), NM, PA |
| HERCEP HYLEC SOL 60-10000 | 5 | NDS, NM, PA |
| HERCEPTIN SOLR 150mg | 5 | NDS, NM, PA |
| HERCESSI SOLR 150mg, 420mg | 5 | NDS, NM, PA |
| HERNEXEOS TABS 60mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| HERZUMA SOLR 150mg, 420mg | 5 | NDS, NM, PA |
| HYRNUO TABS 10mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| IBRANCE CAPS 75mg, 100mg, 125mg | 5 | NDS, QL (21 caps / 28 days), NM, PA |
| IBRANCE TABS 75mg, 100mg, 125mg | 5 | NDS, QL (21 tabs / 28 days), NM, PA |
| IBTROZI CAPS 200mg | 5 | NDS, QL (90 caps / 30 days), NM, PA |
| ICLUSIG TABS 10mg, 15mg, 30mg, 45mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| IDHIFA TABS 50mg, 100mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>imatinib mesylate</i> TABS 100mg | 4 | QL (90 tabs / 30 days), NM, PA |
| <i>imatinib mesylate</i> TABS 400mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| IMBRUVICA CAPS 70mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------|------------------|--------------------------------------|
| IMBRUVICA CAPS 140mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| IMBRUVICA SUSP 70mg/ml | 5 | NDS, QL (216 mL / 27 days), NM, PA |
| IMBRUVICA TABS 140mg, 280mg, 420mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| IMKELDI SOLN 80mg/ml | 5 | NDS, QL (280 mL / 28 days), NM, PA |
| INLYTA TABS 1mg | 5 | NDS, QL (180 tabs / 30 days), NM, PA |
| INLYTA TABS 5mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| INREBIC CAPS 100mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| ITOVEBI TABS 3mg | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| ITOVEBI TABS 9mg | 5 | NDS, QL (28 tabs / 28 days), NM, PA |
| JAKAFI TABS 5mg, 10mg, 15mg, 20mg, 25mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| JAYPIRCA TABS 50mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| JAYPIRCA TABS 100mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| KADCYLA SOLR 100mg, 160mg | 5 | NDS, B/D, NM |
| KANJINTI SOLR 150mg, 420mg | 5 | NDS, NM, PA |
| KEYTRUDA SOLN 100mg/4ml | 5 | NDS, NM, PA |
| KEYTRUDA INJ QLEX 395-4800 MG-UNIT/2.4ML | 5 | NDS, QL (1 vial / 21 days), NM, PA |
| KEYTRUDA INJ QLEX 790-9600 MG-UNIT/4.8ML | 5 | NDS, QL (1 vial / 42 days), NM, PA |
| KISQALI 200 DOSE TBPK 200mg | 5 | NDS, QL (21 tabs / 28 days), NM, PA |
| KISQALI 400 DOSE TBPK 200mg | 5 | NDS, QL (42 tabs / 28 days), NM, PA |
| KISQALI 400 PAK FEMARA | 5 | NDS, QL (70 tabs / 28 days), NM, PA |
| KISQALI 600 DOSE TBPK 200mg | 5 | NDS, QL (63 tabs / 28 days), NM, PA |
| KISQALI 600 PAK FEMARA | 5 | NDS, QL (91 tabs / 28 days), NM, PA |
| KOMZIFTI CAPS 200mg | 5 | NDS, QL (90 caps / 30 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------|------------------|--------------------------------------|
| KOSELUGO CAPS 10mg | 5 | NDS, QL (240 caps / 30 days), NM, PA |
| KOSELUGO CAPS 25mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| KOSELUGO CPSP 5mg | 5 | NDS, QL (600 caps / 30 days), NM, PA |
| KOSELUGO CPSP 7.5mg | 5 | NDS, QL (360 caps / 30 days), NM, PA |
| KRAZATI TABS 200mg | 5 | NDS, QL (180 tabs / 30 days), NM, PA |
| <i>lapatinib ditosylate</i> TABS 250mg | 5 | NDS, QL (180 tabs / 30 days), NM, PA |
| LAZCLUZE TABS 80mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| LAZCLUZE TABS 240mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| LENVIMA 4 MG DAILY DOSE CPPK 4mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |
| LENVIMA 8 MG DAILY DOSE CPPK 4mg | 5 | NDS, QL (60 caps / 30 days), NM, PA |
| LENVIMA 10 MG DAILY DOSE CPPK 10mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |
| LENVIMA 12MG DAILY DOSE CPPK 4mg | 5 | NDS, QL (90 caps / 30 days), NM, PA |
| LENVIMA 20 MG DAILY DOSE CPPK 10mg | 5 | NDS, QL (60 caps / 30 days), NM, PA |
| LENVIMA CAP 14 MG | 5 | NDS, QL (60 caps / 30 days), NM, PA |
| LENVIMA CAP 18 MG | 5 | NDS, QL (90 caps / 30 days), NM, PA |
| LENVIMA CAP 24 MG | 5 | NDS, QL (90 caps / 30 days), NM, PA |
| LORBRENA TABS 25mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| LORBRENA TABS 100mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| LUMAKRAS TABS 120mg | 5 | NDS, QL (240 tabs / 30 days), NM, PA |
| LUMAKRAS TABS 240mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| LUMAKRAS TABS 320mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| LYNPARZA TABS 100mg, 150mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------|------------------|--------------------------------------|
| LYTGOBI (12 MG DAILY DOSE) TBPk 4mg | 5 | NDS, QL (84 tabs / 28 days), NM, PA |
| LYTGOBI (16 MG DAILY DOSE) TBPk 4mg | 5 | NDS, QL (112 tabs / 28 days), NM, PA |
| LYTGOBI (20 MG DAILY DOSE) TBPk 4mg | 5 | NDS, QL (140 tabs / 28 days), NM, PA |
| MEKINIST SOLR .05mg/ml | 5 | NDS, QL (1260 mL / 30 days), NM, PA |
| MEKINIST TABS 2mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| MEKINIST TABS .5mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| MEKTOVI TABS 15mg | 5 | NDS, QL (180 tabs / 30 days), NM, PA |
| MONJUVI SOLR 200mg | 5 | NDS, NM, PA |
| NERLYNX TABS 40mg | 5 | NDS, QL (180 tabs / 30 days), NM, PA |
| <i>nilotinib hcl</i> CAPS 50mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| <i>nilotinib hcl</i> CAPS 150mg, 200mg | 5 | NDS, QL (112 caps / 28 days), NM, PA |
| NINLARO CAPS 2.3mg, 3mg, 4mg | 5 | NDS, QL (3 caps / 28 days), NM, PA |
| ODOMZO CAPS 200mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |
| OGIVRI SOLR 150mg, 420mg | 5 | NDS, NM, PA |
| OGSIVEO TABS 100mg, 150mg | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| OJEMDA SUSR 25mg/ml | 5 | NDS, QL (96 mL / 28 days), NM, PA |
| OJEMDA TABS 100mg | 5 | NDS, QL (24 tabs / 28 days), NM, PA |
| OJJAARA TABS 100mg, 150mg, 200mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| ONTRUZANT SOLR 150mg, 420mg | 5 | NDS, NM, PA |
| <i>pazopanib hcl</i> TABS 200mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| <i>pazopanib hcl</i> TABS 400mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| PEMAZYRE TABS 4.5mg, 9mg, 13.5mg | 5 | NDS, QL (28 tabs / 28 days), NM, PA |
| PHESGO SOL | 5 | NDS, NM, PA |
| PIQRAY 200MG DAILY DOSE TBPk 200mg | 5 | NDS, QL (28 tabs / 28 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------|------------------|-----------------------------------------|
| PIQRAY 250MG TAB DOSE | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| PIQRAY 300MG DAILY DOSE TBPk 150mg | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| QINLOCK TABS 50mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| RETEVMO TABS 40mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| RETEVMO TABS 80mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| RETEVMO TABS 120mg, 160mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| REVUFORJ TABS 25mg | 5 | NDS, QL (240 tabs / 30 days), NM, PA |
| REVUFORJ TABS 110mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| REVUFORJ TABS 160mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| REZLIDHIA CAPS 150mg | 5 | NDS, QL (60 caps / 30 days), NM, PA |
| ROMVIMZA CAPS 14mg, 20mg, 30mg | 5 | NDS, QL (8 caps / 28 days), NM, PA |
| ROZLYTREK CAPS 100mg | 5 | NDS, QL (180 caps / 30 days), NM, PA |
| ROZLYTREK CAPS 200mg | 5 | NDS, QL (90 caps / 30 days), NM, PA |
| ROZLYTREK PACK 50mg | 5 | NDS, QL (336 packets / 28 days), NM, PA |
| RUBRACA TABS 200mg, 250mg, 300mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| RYDAPT CAPS 25mg | 5 | NDS, QL (224 caps / 28 days), NM, PA |
| SCSEMBLIX TABS 20mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| SCSEMBLIX TABS 40mg | 5 | NDS, QL (300 tabs / 30 days), NM, PA |
| SCSEMBLIX TABS 100mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| <i>sorafenib tosylate</i> TABS 200mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| STIVARGA TABS 40mg | 5 | NDS, QL (84 tabs / 28 days), NM, PA |
| <i>sunitinib malate</i> CAPS 12.5mg, 25mg, 37.5mg, 50mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------|------------------|--------------------------------------|
| TABRECTA TABS 150mg, 200mg | 5 | NDS, QL (112 tabs / 28 days), NM, PA |
| TAFINLAR CAPS 50mg, 75mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| TAFINLAR TBSO 10mg | 5 | NDS, QL (840 tabs / 28 days), NM, PA |
| TAGRISSE TABS 40mg, 80mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| TALZENNA CAPS .1mg, .35mg, .5mg, .75mg, 1mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |
| TALZENNA CAPS .25mg | 5 | NDS, QL (90 caps / 30 days), NM, PA |
| TAZVERIK TABS 200mg | 5 | NDS, QL (240 tabs / 30 days), NM, PA |
| TECENTRIQ SOLN 840mg/14ml, 1200mg/20ml | 5 | NDS, NM, PA |
| TECENTRIQ INJ HYBREZA | 5 | NDS, QL (1 vial / 21 days), NM, PA |
| TEPMETKO TABS 225mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| TIBSOVO TABS 250mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| <i>torpenz</i> TABS 2.5mg, 5mg, 7.5mg, 10mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| TRAZIMERA SOLR 150mg, 420mg | 5 | NDS, NM, PA |
| TRUQAP TABS 160mg, 200mg | 5 | NDS, QL (64 tabs / 28 days), NM, PA |
| TRUQAP TBPk 160mg, 200mg | 5 | NDS, QL (4 packs / 28 days), NM, PA |
| TRUXIMA SOLN 100mg/10ml, 500mg/50ml | 5 | NDS, NM, PA |
| TUKYSA TABS 50mg, 150mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| TURALIO CAPS 125mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| VANFLYTA TABS 17.7mg, 26.5mg | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| VENCLEXTA TABS 10mg | 3 | QL (112 tabs / 28 days), NM, PA |
| VENCLEXTA TABS 50mg | 5 | NDS, QL (112 tabs / 28 days), NM, PA |
| VENCLEXTA TABS 100mg | 5 | NDS, QL (180 tabs / 30 days), NM, PA |
| VENCLEXTA TAB START PK | 5 | NDS, QL (42 tabs / 28 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|--------------------------------------------|------------------|--------------------------------------|
| VERZENIO TABS 50mg, 100mg, 150mg, 200mg | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| VITRAKVI CAPS 25mg | 5 | NDS, QL (180 caps / 30 days), NM, PA |
| VITRAKVI CAPS 100mg | 5 | NDS, QL (60 caps / 30 days), NM, PA |
| VITRAKVI SOLN 20mg/ml | 5 | NDS, QL (300 mL / 30 days), NM, PA |
| VIZIMPRO TABS 15mg, 30mg, 45mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| VONJO CAPS 100mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| VORANIGO TABS 10mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| VORANIGO TABS 40mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| XALKORI CAPS 200mg, 250mg; CPSP 20mg, 50mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| XALKORI CPSP 150mg | 5 | NDS, QL (180 caps / 30 days), NM, PA |
| XOSPATA TABS 40mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| XPOVIO PAK (40 MG ONCE WEEKLY) TBPk 10mg | 5 | NDS, QL (16 tabs / 28 days), NM, PA |
| XPOVIO PAK (40 MG ONCE WEEKLY) TBPk 40mg | 5 | NDS, QL (4 tabs / 28 days), NM, PA |
| XPOVIO PAK (40 MG TWICE WEEKLY) TBPk 40mg | 5 | NDS, QL (8 tabs / 28 days), NM, PA |
| XPOVIO PAK (60 MG ONCE WEEKLY) TBPk 60mg | 5 | NDS, QL (4 tabs / 28 days), NM, PA |
| XPOVIO PAK (60 MG TWICE WEEKLY) TBPk 20mg | 5 | NDS, QL (24 tabs / 28 days), NM, PA |
| XPOVIO PAK (80 MG ONCE WEEKLY) TBPk 40mg | 5 | NDS, QL (8 tabs / 28 days), NM, PA |
| XPOVIO PAK (80 MG ONCE WEEKLY) TBPk 80mg | 5 | NDS, QL (4 tabs / 28 days), NM, PA |
| XPOVIO PAK (80 MG TWICE WEEKLY) TBPk 20mg | 5 | NDS, QL (32 tabs / 28 days), NM, PA |
| XPOVIO PAK (100 MG ONCE WEEKLY) TBPk 50mg | 5 | NDS, QL (8 tabs / 28 days), NM, PA |
| ZEJULA TABS 100mg, 200mg, 300mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| ZELBORAF TABS 240mg | 5 | NDS, QL (240 tabs / 30 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------|------------------|--------------------------------------|
| ZIRABEV SOLN 100mg/4ml, 400mg/16ml | 5 | NDS, NM, PA |
| ZOLINZA CAPS 100mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| ZYDELIG TABS 100mg, 150mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| ZYKADIA TABS 150mg | 5 | NDS, QL (84 tabs / 28 days), NM, PA |

CARDIOVASCULAR

ACE INHIBITOR COMBINATIONS

| | | |
|-------------------------------------------------------------------|---|------------------------|
| <i>amlodipine besylate-benazepril hcl cap 2.5-10 mg</i> | 6 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-10 mg</i> | 6 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-20 mg</i> | 6 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-40 mg</i> | 6 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 10-20 mg</i> | 6 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 10-40 mg</i> | 6 | QL (30 caps / 30 days) |
| <i>benazepril & hydrochlorothiazide tab 5-6.25mg</i> | 6 | |
| <i>benazepril & hydrochlorothiazide tab 10-12.5 mg</i> | 6 | |
| <i>benazepril & hydrochlorothiazide tab 20-12.5 mg</i> | 6 | |
| <i>benazepril & hydrochlorothiazide tab 20-25 mg</i> | 6 | |
| <i>captopril & hydrochlorothiazide tab 25-15 mg</i> | 6 | |
| <i>captopril & hydrochlorothiazide tab 25-25 mg</i> | 6 | |
| <i>captopril & hydrochlorothiazide tab 50-15 mg</i> | 6 | |
| <i>captopril & hydrochlorothiazide tab 50-25 mg</i> | 6 | |
| <i>enalapril maleate & hydrochlorothiazide tab 5-12.5 mg</i> | 6 | |
| <i>enalapril maleate & hydrochlorothiazide tab 10-25 mg</i> | 6 | |
| <i>fosinopril sodium & hydrochlorothiazide tab 10-12.5 mg</i> | 6 | |
| <i>fosinopril sodium & hydrochlorothiazide tab 20-12.5 mg</i> | 6 | |
| <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg</i> | 6 | |
| <i>lisinopril & hydrochlorothiazide tab 20-12.5 mg</i> | 6 | |
| <i>lisinopril & hydrochlorothiazide tab 20-25 mg</i> | 6 | |

ACE INHIBITORS

| | | |
|--------------------------------------------------|---|--|
| <i>benazepril hcl TABS 5mg, 10mg, 20mg, 40mg</i> | 6 | |
| <i>captopril TABS 12.5mg, 25mg, 50mg, 100mg</i> | 6 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|------------------|----------------------------|
| <i>enalapril maleate</i> TABS 2.5mg, 5mg, 10mg, 20mg | 6 | |
| <i>fosinopril sodium</i> TABS 10mg, 20mg, 40mg | 6 | |
| <i>lisinopril</i> TABS 2.5mg, 5mg, 10mg, 20mg, 30mg, 40mg | 6 | |
| <i>moexipril hcl</i> TABS 7.5mg, 15mg | 6 | |
| <i>perindopril erbumine</i> TABS 2mg, 4mg, 8mg | 6 | |
| <i>quinapril hcl</i> TABS 5mg, 10mg, 20mg, 40mg | 6 | |
| <i>ramipril</i> CAPS 1.25mg, 2.5mg, 5mg, 10mg | 6 | |
| <i>trandolapril</i> TABS 1mg, 2mg, 4mg | 6 | |
| ALDOSTERONE RECEPTOR ANTAGONISTS | | |
| <i>eplerenone</i> TABS 25mg, 50mg | 3 | |
| KERENDIA TABS 10mg, 20mg, 40mg | 3 | QL (30 tabs / 30 days) |
| <i>spironolactone</i> TABS 25mg, 50mg, 100mg | 1 | |
| ALPHA BLOCKERS | | |
| <i>doxazosin mesylate</i> TABS 1mg, 2mg, 4mg, 8mg | 2 | |
| <i>prazosin hcl</i> CAPS 1mg, 2mg, 5mg | 3 | |
| <i>terazosin hcl</i> CAPS 1mg, 2mg, 5mg, 10mg | 1 | |
| ANGIOTENSIN II RECEPTOR ANTAGONIST COMBINATIONS | | |
| <i>amlodipine besylate-olmesartan medoxomil tab</i> 5-20 mg | 6 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab</i> 5-40 mg | 6 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab</i> 10-20 mg | 6 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab</i> 10-40 mg | 6 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab</i> 5-160 mg | 6 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab</i> 5-320 mg | 6 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab</i> 10-160 mg | 6 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab</i> 10-320 mg | 6 | QL (30 tabs / 30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab</i> 16-12.5 mg | 6 | QL (60 tabs / 30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab</i> 32-12.5 mg | 6 | QL (30 tabs / 30 days) |
| <i>candesartan cilexetil-hydrochlorothiazide tab</i> 32-25 mg | 6 | QL (30 tabs / 30 days) |
| EDARBYCLOR TAB 40-12.5 | 4 | QL (30 tabs / 30 days), ST |
| EDARBYCLOR TAB 40-25MG | 4 | QL (30 tabs / 30 days), ST |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|------------------|----------------------------|
| ENTRESTO CAP 6-6MG | 3 | QL (240 caps / 30 days) |
| ENTRESTO CAP 15-16MG | 3 | QL (240 caps / 30 days) |
| <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg</i> | 6 | QL (60 tabs / 30 days) |
| <i>irbesartan-hydrochlorothiazide tab 300-12.5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>losartan potassium & hydrochlorothiazide tab 50-12.5 mg</i> | 6 | |
| <i>losartan potassium & hydrochlorothiazide tab 100-12.5 mg</i> | 6 | |
| <i>losartan potassium & hydrochlorothiazide tab 100-25 mg</i> | 6 | |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 20-12.5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-12.5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-25 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-12.5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-25 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-12.5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-25 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>sacubitril-valsartan tab 24-26 mg</i> | 3 | QL (60 tabs / 30 days) |
| <i>sacubitril-valsartan tab 49-51 mg</i> | 3 | QL (60 tabs / 30 days) |
| <i>sacubitril-valsartan tab 97-103 mg</i> | 3 | QL (60 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 40-5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 40-10 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 80-5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>telmisartan-amlodipine tab 80-10 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>telmisartan-hydrochlorothiazide tab 40-12.5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>telmisartan-hydrochlorothiazide tab 80-12.5 mg</i> | 6 | QL (60 tabs / 30 days) |
| <i>telmisartan-hydrochlorothiazide tab 80-25 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-12.5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-25 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-12.5 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-25 mg</i> | 6 | QL (30 tabs / 30 days) |
| ANGIOTENSIN II RECEPTOR ANTAGONISTS | | |
| <i>candesartan cilexetil TABS 4mg, 8mg, 16mg</i> | 6 | QL (60 tabs / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>candesartan cilexetil</i> TABS 32mg | 6 | QL (30 tabs / 30 days) |
| EDARBI TABS 40mg, 80mg | 4 | QL (30 tabs / 30 days), ST |
| <i>irbesartan</i> TABS 75mg, 150mg, 300mg | 6 | QL (30 tabs / 30 days) |
| <i>losartan potassium</i> TABS 25mg, 50mg, 100mg | 6 | |
| <i>olmesartan medoxomil</i> TABS 5mg | 6 | QL (60 tabs / 30 days) |
| <i>olmesartan medoxomil</i> TABS 20mg, 40mg | 6 | QL (30 tabs / 30 days) |
| <i>telmisartan</i> TABS 20mg, 40mg, 80mg | 6 | QL (30 tabs / 30 days) |
| <i>valsartan</i> TABS 40mg, 80mg, 160mg | 6 | QL (60 tabs / 30 days) |
| <i>valsartan</i> TABS 320mg | 6 | QL (30 tabs / 30 days) |
| ANTIARRHYTHMICS | | |
| <i>amiodarone hcl</i> SOLN 50mg/ml, 150mg/3ml, 900mg/18ml; TABS 100mg, 400mg | 4 | |
| <i>amiodarone hcl</i> TABS 200mg | 1 | |
| <i>disopyramide phosphate</i> CAPS 100mg, 150mg | 4 | |
| <i>dofetilide</i> CAPS 125mcg, 250mcg, 500mcg | 4 | |
| <i>flecainide acetate</i> TABS 50mg, 100mg, 150mg | 3 | |
| MULTAQ TABS 400mg | 4 | QL (60 tabs / 30 days) |
| <i>pacerone</i> TABS 100mg, 400mg | 4 | |
| <i>pacerone</i> TABS 200mg | 1 | |
| <i>propafenone hcl</i> CP12 225mg, 325mg, 425mg | 4 | |
| <i>propafenone hcl</i> TABS 150mg, 225mg, 300mg | 3 | |
| <i>quinidine sulfate</i> TABS 200mg, 300mg | 4 | |
| <i>sotalol hcl</i> TABS 80mg, 120mg, 160mg, 240mg | 2 | |
| <i>sotalol hcl (afib/af)</i> TABS 80mg, 120mg, 160mg | 3 | |
| ANTILIPEMICS, FIBRATES | | |
| <i>choline fenofibrate</i> CPDR 45mg, 135mg | 3 | |
| <i>fenofibrate</i> TABS 48mg, 54mg, 145mg, 160mg | 2 | |
| <i>fenofibrate micronized</i> CAPS 67mg, 134mg, 200mg | 3 | |
| <i>gemfibrozil</i> TABS 600mg | 2 | |
| ANTILIPEMICS, HMG-CoA REDUCTASE INHIBITORS | | |
| <i>atorvastatin calcium</i> TABS 10mg, 20mg, 40mg, 80mg | 6 | QL (30 tabs / 30 days) |
| EZALLOR SPRINKLE CPSP 5mg, 10mg, 20mg, 40mg | 4 | QL (30 caps / 30 days), ST |
| <i>fluvastatin sodium</i> CAPS 20mg, 40mg | 6 | QL (60 caps / 30 days), ST |
| <i>fluvastatin sodium</i> TB24 80mg | 6 | QL (30 tabs / 30 days), ST |
| <i>lovastatin</i> TABS 10mg, 20mg, 40mg | 6 | QL (60 tabs / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|------------------|-------------------------------------------|
| <i>pitavastatin calcium</i> TABS 1mg, 2mg, 4mg | 6 | QL (30 tabs / 30 days), ST |
| <i>pravastatin sodium</i> TABS 10mg, 20mg, 40mg, 80mg | 6 | QL (30 tabs / 30 days) |
| <i>rosuvastatin calcium</i> TABS 5mg, 10mg, 20mg, 40mg | 6 | QL (30 tabs / 30 days) |
| <i>simvastatin</i> TABS 5mg, 10mg, 20mg, 40mg, 80mg | 6 | QL (30 tabs / 30 days) |
| ZYPITAMAG TABS 2mg, 4mg | 4 | QL (30 tabs / 30 days), ST |
| ANTILIPEMICS, MISCELLANEOUS | | |
| <i>cholestyramine</i> PACK 4gm; POWD 4gm/dose | 3 | |
| <i>cholestyramine light</i> PACK 4gm; POWD 4gm/dose | 3 | |
| <i>colesevelam hcl</i> PACK 3.75gm; TABS 625mg | 4 | |
| <i>colestipol hcl</i> GRAN 5gm; PACK 5gm | 4 | |
| <i>colestipol hcl</i> TABS 1gm | 3 | |
| <i>ezetimibe</i> TABS 10mg | 2 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-10 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-20 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-40 mg</i> | 6 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-80 mg</i> | 6 | QL (30 tabs / 30 days) |
| NEXLETOL TABS 180mg | 3 | QL (30 tabs / 30 days) |
| NEXLIZET TAB 180/10MG | 3 | QL (30 tabs / 30 days) |
| <i>niacin (antihyperlipidemic)</i> TBCR 500mg, 750mg, 1000mg | 3 | QL (60 tabs / 30 days) |
| <i>omega-3-acid ethyl esters cap 1 gm</i> | 3 | PA |
| <i>prevalite</i> PACK 4gm; POWD 4gm/dose | 3 | |
| REPATHA SOSY 140mg/ml | 3 | QL (6 syringes / 28 days), NM, PA |
| REPATHA SURECLICK SOAJ 140mg/ml | 3 | QL (6 autoinjectors / 28 days), NM, PA |
| VASCEPA CAPS .5gm, 1gm | 3 | |
| BETA-BLOCKER/DIURETIC COMBINATIONS | | |
| <i>atenolol & chlorthalidone tab 50-25 mg</i> | 2 | |
| <i>atenolol & chlorthalidone tab 100-25 mg</i> | 2 | |
| <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg</i> | 2 | |
| <i>bisoprolol & hydrochlorothiazide tab 5-6.25 mg</i> | 2 | |
| <i>bisoprolol & hydrochlorothiazide tab 10-6.25 mg</i> | 2 | |
| <i>metoprolol & hydrochlorothiazide tab 50-25 mg</i> | 3 | |
| <i>metoprolol & hydrochlorothiazide tab 100-25 mg</i> | 3 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>metoprolol & hydrochlorothiazide tab 100-50 mg</i> | 3 | |
| BETA-BLOCKERS | | |
| <i>acebutolol hcl CAPS 200mg, 400mg</i> | 3 | |
| <i>atenolol TABS 25mg, 50mg, 100mg</i> | 1 | |
| <i>bisoprolol fumarate TABS 5mg, 10mg</i> | 2 | |
| <i>carvedilol TABS 3.125mg, 6.25mg, 12.5mg, 25mg</i> | 1 | |
| <i>labetalol hcl TABS 100mg, 200mg, 300mg</i> | 2 | |
| <i>metoprolol succinate TB24 25mg, 50mg, 100mg, 200mg</i> | 1 | |
| <i>metoprolol tartrate SOLN 5mg/5ml</i> | 4 | |
| <i>metoprolol tartrate TABS 25mg, 50mg, 100mg</i> | 1 | |
| <i>nadolol TABS 20mg, 40mg, 80mg</i> | 3 | |
| <i>nebivolol hcl TABS 2.5mg, 5mg, 10mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>nebivolol hcl TABS 20mg</i> | 3 | QL (60 tabs / 30 days) |
| <i>pindolol TABS 5mg, 10mg</i> | 3 | |
| <i>propranolol hcl CP24 60mg, 80mg, 120mg, 160mg; SOLN 20mg/5ml, 40mg/5ml</i> | 3 | |
| <i>propranolol hcl TABS 10mg, 20mg, 40mg, 60mg, 80mg</i> | 2 | |
| <i>timolol maleate TABS 5mg, 10mg, 20mg</i> | 3 | |
| CALCIUM CHANNEL BLOCKERS | | |
| <i>amlodipine besylate TABS 2.5mg, 5mg, 10mg</i> | 1 | |
| <i>cartia xt CP24 120mg, 180mg, 240mg, 300mg</i> | 2 | |
| <i>dilt-xr CP24 120mg, 180mg, 240mg</i> | 2 | |
| <i>diltiazem hcl CP12 60mg, 90mg, 120mg</i> | 4 | |
| <i>diltiazem hcl CP24 120mg, 180mg, 240mg; TABS 30mg, 60mg, 90mg, 120mg</i> | 2 | |
| <i>diltiazem hcl SOLN 25mg/5ml, 50mg/10ml, 125mg/25ml; TB24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg</i> | 3 | |
| <i>diltiazem hcl coated beads CP24 120mg, 180mg, 240mg, 300mg</i> | 2 | |
| <i>diltiazem hcl coated beads CP24 360mg</i> | 4 | |
| <i>diltiazem hcl extended release beads CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg</i> | 2 | |
| <i>felodipine TB24 2.5mg, 5mg, 10mg</i> | 2 | |
| <i>isradipine CAPS 2.5mg, 5mg</i> | 4 | |
| <i>matzim la TB24 180mg, 240mg, 300mg, 360mg, 420mg</i> | 3 | |
| <i>nicardipine hcl CAPS 20mg, 30mg</i> | 4 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------|------------------|----------------------------|
| <i>nifedipine</i> TB24 30mg, 60mg, 90mg | 3 | |
| <i>nimodipine</i> CAPS 30mg | 4 | |
| <i>nisoldipine</i> TB24 8.5mg, 17mg, 34mg | 4 | |
| <i>tiadylt er</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg | 2 | |
| <i>verapamil hcl</i> CP24 100mg, 200mg, 300mg, 360mg; SOLN 2.5mg/ml | 4 | |
| <i>verapamil hcl</i> CP24 120mg, 180mg, 240mg | 3 | |
| <i>verapamil hcl</i> TABS 40mg, 80mg, 120mg | 1 | |
| <i>verapamil hcl</i> TBCR 120mg, 180mg, 240mg | 2 | |
| DIURETICS | | |
| <i>acetazolamide</i> CP12 500mg; TABS 125mg, 250mg | 3 | |
| <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 2 | |
| <i>amiloride hcl</i> TABS 5mg | 2 | |
| <i>bumetanide</i> SOLN .25mg/ml; TABS .5mg, 1mg, 2mg | 3 | |
| <i>chlorthalidone</i> TABS 25mg, 50mg | 2 | |
| <i>furosemide</i> SOLN 10mg/ml, 40mg/5ml | 2 | |
| <i>furosemide</i> TABS 20mg, 40mg, 80mg | 1 | |
| <i>furosemide inj</i> SOLN 10mg/ml | 3 | |
| <i>hydrochlorothiazide</i> CAPS 12.5mg; TABS 12.5mg, 25mg, 50mg | 1 | |
| <i>indapamide</i> TABS 1.25mg, 2.5mg | 1 | |
| <i>methazolamide</i> TABS 25mg, 50mg | 4 | |
| <i>metolazone</i> TABS 2.5mg, 5mg, 10mg | 2 | |
| <i>spironolactone & hydrochlorothiazide tab 25-25 mg</i> | 2 | |
| <i>torseamide</i> TABS 5mg, 10mg, 20mg, 100mg | 2 | |
| <i>triamterene & hydrochlorothiazide cap 37.5-25 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide tab 37.5-25 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide tab 75-50 mg</i> | 1 | |
| MISCELLANEOUS | | |
| <i>aliskiren fumarate</i> TABS 150mg, 300mg | 6 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-atorvastatin calcium tab 2.5-10 mg</i> | 6 | |
| <i>amlodipine besylate-atorvastatin calcium tab 2.5-20 mg</i> | 6 | |
| <i>amlodipine besylate-atorvastatin calcium tab 2.5-40 mg</i> | 6 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------|------------------|--------------------------------------|
| <i>amlodipine besylate-atorvastatin calcium tab 5-10 mg</i> | 6 | |
| <i>amlodipine besylate-atorvastatin calcium tab 5-20 mg</i> | 6 | |
| <i>amlodipine besylate-atorvastatin calcium tab 5-40 mg</i> | 6 | |
| <i>amlodipine besylate-atorvastatin calcium tab 5-80 mg</i> | 6 | |
| <i>amlodipine besylate-atorvastatin calcium tab 10-10 mg</i> | 6 | |
| <i>amlodipine besylate-atorvastatin calcium tab 10-20 mg</i> | 6 | |
| <i>amlodipine besylate-atorvastatin calcium tab 10-40 mg</i> | 6 | |
| <i>amlodipine besylate-atorvastatin calcium tab 10-80 mg</i> | 6 | |
| <i>clonidine PTWK .1mg/24hr, .2mg/24hr, .3mg/24hr</i> | 3 | |
| <i>clonidine hcl TABS .1mg, .2mg, .3mg</i> | 1 | |
| <i>CORLANOR SOLN 5mg/5ml</i> | 4 | QL (450 mL / 30 days) |
| <i>digoxin SOLN .05mg/ml, .25mg/ml</i> | 4 | |
| <i>digoxin TABS 125mcg, 250mcg</i> | 2 | QL (30 tabs / 30 days) |
| <i>droxidopa CAPS 100mg</i> | 4 | QL (90 caps / 30 days), NM, PA |
| <i>droxidopa CAPS 200mg, 300mg</i> | 5 | NDS, QL (180 caps / 30 days), NM, PA |
| <i>epinephrine (anaphylaxis) SOLN 1mg/ml</i> | 4 | |
| <i>guanfacine hcl TABS 1mg, 2mg</i> | 3 | PA; PA applies if 65 years and older |
| <i>hydralazine hcl SOLN 20mg/ml</i> | 4 | |
| <i>hydralazine hcl TABS 10mg, 25mg, 50mg, 100mg</i> | 1 | |
| <i>ivabradine hcl TABS 5mg, 7.5mg</i> | 4 | QL (60 tabs / 30 days) |
| <i>metyrosine CAPS 250mg</i> | 5 | NDS, NM, PA |
| <i>midodrine hcl TABS 2.5mg, 5mg</i> | 3 | |
| <i>midodrine hcl TABS 10mg</i> | 4 | |
| <i>minoxidil TABS 2.5mg, 10mg</i> | 2 | |
| <i>ranolazine TB12 500mg, 1000mg</i> | 4 | |
| <i>VERQUVO TABS 2.5mg, 5mg, 10mg</i> | 3 | QL (30 tabs / 30 days), PA |
| <i>NITRATES</i> | | |
| <i>isosorbide dinitrate TABS 5mg, 10mg, 20mg, 30mg</i> | 3 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|------------------|--------------------------------------|
| <i>isosorbide mononitrate</i> TB24 30mg, 60mg, 120mg | 1 | |
| NITRO-BID OINT 2% | 3 | |
| <i>nitroglycerin</i> PT24 .1mg/hr, .2mg/hr, .4mg/hr, .6mg/hr | 3 | |
| <i>nitroglycerin</i> SUBL .3mg, .4mg, .6mg | 2 | |
| <i>PULMONARY ARTERIAL HYPERTENSION</i> | | |
| ADEMPAS TABS .5mg, 1mg, 1.5mg, 2mg, 2.5mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>alyq</i> TABS 20mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| <i>ambrisentan</i> TABS 5mg, 10mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>bosentan</i> TABS 62.5mg, 125mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| <i>bosentan</i> TBSO 32mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| OPSUMIT TABS 10mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>sildenafil citrate (pulmonary hypertension)</i> TABS 20mg | 3 | QL (360 tabs / 30 days), NM, PA |
| <i>tadalafil (pulmonary hypertension)</i> TABS 20mg | 4 | QL (60 tabs / 30 days), NM, PA |
| <i>treprostinil</i> SOLN 20mg/20ml, 50mg/20ml, 100mg/20ml, 200mg/20ml | 5 | NDS, NM, PA |
| UPTRAVI TABS 200mcg | 5 | NDS, QL (140 tabs / 28 days), NM, PA |
| UPTRAVI TABS 400mcg, 600mcg, 800mcg, 1000mcg, 1200mcg, 1400mcg, 1600mcg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| UPTRAVI PACK TAB 200/800 | 5 | NDS, QL (1 pack / 28 days), NM, PA |
| WINREVAIR KIT 45mg, 60mg | 5 | NDS, QL (2 vials / 21 days), NM, PA |
| WINREVAIR INJ 45MG | 5 | NDS, QL (2 vials / 21 days), NM, PA |
| WINREVAIR INJ 60MG | 5 | NDS, QL (2 vials / 21 days), NM, PA |
| YUTREPIA CAPS 26.5mcg, 53mcg, 79.5mcg | 5 | NDS, QL (140 caps / 28 days), NM, PA |
| YUTREPIA CAPS 106mcg | 5 | NDS, QL (224 caps / 28 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

Drug Name Drug Tier Requirements/Limits

CENTRAL NERVOUS SYSTEM

ANTI-ANXIETY

| | | |
|---------------------------------------------------|---|-------------------------|
| <i>alprazolam</i> TABS .25mg, .5mg, 1mg, 2mg | 2 | QL (150 tabs / 30 days) |
| <i>buspirone hcl</i> TABS 5mg, 10mg, 15mg | 1 | |
| <i>buspirone hcl</i> TABS 7.5mg, 30mg | 3 | |
| <i>fluvoxamine maleate</i> TABS 25mg, 50mg, 100mg | 3 | |
| <i>lorazepam</i> CONC 2mg/ml | 3 | QL (150 mL / 30 days) |
| <i>lorazepam</i> SOLN 4mg/ml, 20mg/10ml | 2 | |
| <i>lorazepam</i> TABS .5mg, 1mg, 2mg | 2 | QL (150 tabs / 30 days) |
| <i>lorazepam intensol</i> CONC 2mg/ml | 3 | QL (150 mL / 30 days) |

ANTIDEMENTIA

| | | |
|--------------------------------------------------------------|---|----------------------------------------|
| <i>donepezil hydrochloride</i> TABS 5mg; TDBP 5mg | 2 | QL (30 tabs / 30 days) |
| <i>donepezil hydrochloride</i> TABS 10mg; TDBP 10mg | 2 | |
| <i>galantamine hydrobromide</i> CP24 8mg, 16mg, 24mg | 3 | QL (30 caps / 30 days) |
| <i>galantamine hydrobromide</i> SOLN 4mg/ml | 4 | QL (200 mL / 30 days) |
| <i>galantamine hydrobromide</i> TABS 4mg, 8mg, 12mg | 3 | QL (60 tabs / 30 days) |
| <i>memantine hcl</i> CP24 7mg, 14mg, 21mg, 28mg; SOLN 2mg/ml | 4 | PA; PA applies if 29 years and younger |
| <i>memantine hcl</i> TABS 5mg, 10mg | 3 | PA; PA applies if 29 years and younger |
| <i>memantine hcl-donepezil hcl cap er 24hr 14-10 mg</i> | 4 | |
| <i>memantine hcl-donepezil hcl cap er 24hr 21-10 mg</i> | 4 | |
| <i>memantine hcl-donepezil hcl cap er 24hr 28-10 mg</i> | 4 | |
| NAMZARIC CAP 7-10MG | 4 | |
| <i>rivastigmine</i> PT24 4.6mg/24hr, 9.5mg/24hr, 13.3mg/24hr | 4 | QL (30 patches / 30 days) |
| <i>rivastigmine tartrate</i> CAPS 1.5mg, 3mg, 4.5mg, 6mg | 3 | QL (60 caps / 30 days) |

ANTIDEPRESSANTS

| | | |
|--------------------------------------------------------------------|---|--------------------------------------|
| <i>amitriptyline hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | 3 | PA; PA applies if 65 years and older |
| <i>amoxapine</i> TABS 25mg, 50mg, 100mg, 150mg | 3 | PA; PA applies if 65 years and older |
| AUVELITY TAB 45-105MG | 4 | QL (60 tabs / 30 days), PA |
| <i>bupropion hcl</i> TABS 75mg, 100mg | 2 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------|------------------|-----------------------------------------|
| <i>bupropion hcl</i> TB12 100mg, 150mg, 200mg; TB24 150mg | 2 | QL (60 tabs / 30 days) |
| <i>bupropion hcl</i> TB24 300mg | 2 | QL (30 tabs / 30 days) |
| <i>citalopram hydrobromide</i> SOLN 10mg/5ml | 3 | |
| <i>citalopram hydrobromide</i> TABS 10mg, 20mg, 40mg | 1 | |
| <i>clomipramine hcl</i> CAPS 25mg, 50mg, 75mg | 4 | PA |
| <i>desipramine hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | 4 | PA; PA applies if 65 years and older |
| <i>desvenlafaxine succinate</i> TB24 25mg, 50mg, 100mg | 3 | QL (30 tabs / 30 days) |
| <i>doxepin hcl</i> CAPS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg; CONC 10mg/ml | 3 | PA; PA applies if 65 years and older |
| DRIZALMA SPRINKLE CSDR 20mg, 30mg, 40mg, 60mg | 4 | QL (60 caps / 30 days), PA |
| <i>duloxetine hcl</i> CPEP 20mg, 30mg, 60mg | 3 | QL (60 caps / 30 days) |
| EMSAM PT24 6mg/24hr, 9mg/24hr, 12mg/24hr | 5 | NDS, QL (30 patches / 30 days), PA |
| <i>escitalopram oxalate</i> SOLN 5mg/5ml | 4 | |
| <i>escitalopram oxalate</i> TABS 5mg, 10mg, 20mg | 1 | |
| EXXUA TB24 18.2mg, 36.3mg, 54.5mg, 72.6mg | 5 | NDS, QL (30 tabs / 30 days), PA |
| EXXUA TITRATION PACK TB24 18.2mg | 5 | NDS, QL (2 packs / year), PA |
| FETZIMA CP24 20mg, 40mg | 4 | QL (60 caps / 30 days), PA |
| FETZIMA CP24 80mg, 120mg | 4 | QL (30 caps / 30 days), PA |
| FETZIMA CAP TITRATIO | 4 | QL (2 packs / year), PA |
| <i>fluoxetine hcl</i> CAPS 10mg, 20mg, 40mg | 1 | |
| <i>fluoxetine hcl</i> SOLN 20mg/5ml | 3 | |
| <i>imipramine hcl</i> TABS 10mg, 25mg, 50mg | 2 | PA; PA applies if 65 years and older |
| MARPLAN TABS 10mg | 4 | QL (180 tabs / 30 days) |
| <i>mirtazapine</i> TABS 7.5mg; TBDP 15mg, 30mg, 45mg | 3 | |
| <i>mirtazapine</i> TABS 15mg, 30mg, 45mg | 2 | |
| <i>nefazodone hcl</i> TABS 50mg, 100mg, 150mg, 200mg, 250mg | 4 | |
| <i>nortriptyline hcl</i> CAPS 10mg, 25mg, 50mg, 75mg | 2 | |
| <i>nortriptyline hcl</i> SOLN 10mg/5ml | 4 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|------------------|--------------------------------------------------------------|
| <i>paroxetine hcl</i> SUSP 10mg/5ml | 4 | QL (900 mL / 30 days), PA; PA applies if 65 years and older |
| <i>paroxetine hcl</i> TABS 10mg, 20mg, 30mg, 40mg | 2 | PA; PA applies if 65 years and older |
| <i>paroxetine hcl</i> TB24 12.5mg, 25mg, 37.5mg | 4 | QL (60 tabs / 30 days), PA; PA applies if 65 years and older |
| <i>phenelzine sulfate</i> TABS 15mg | 3 | |
| <i>protriptyline hcl</i> TABS 5mg, 10mg | 4 | |
| RALDESY SOLN 10mg/ml | 4 | QL (1800 mL / 30 days), PA |
| <i>sertraline hcl</i> CONC 20mg/ml | 3 | |
| <i>sertraline hcl</i> TABS 25mg, 50mg, 100mg | 1 | |
| <i>tranylcypromine sulfate</i> TABS 10mg | 4 | |
| <i>trazodone hcl</i> TABS 50mg, 100mg, 150mg | 1 | |
| <i>trimipramine maleate</i> CAPS 25mg, 50mg | 4 | QL (120 caps / 30 days) |
| <i>trimipramine maleate</i> CAPS 100mg | 4 | QL (60 caps / 30 days) |
| TRINTELLIX TABS 5mg, 10mg, 20mg | 4 | QL (30 tabs / 30 days), PA |
| <i>venlafaxine hcl</i> CP24 37.5mg, 75mg, 150mg | 2 | |
| <i>venlafaxine hcl</i> TABS 25mg, 37.5mg, 50mg, 75mg, 100mg | 3 | |
| <i>vilazodone hcl</i> TABS 10mg, 20mg, 40mg | 4 | QL (30 tabs / 30 days) |
| ZURZUVAE CAPS 20mg, 25mg | 5 | NDS, QL (28 caps / 14 days), PA |
| ZURZUVAE CAPS 30mg | 5 | NDS, QL (14 caps / 14 days), PA |
| ANTIPARKINSONIAN AGENTS | | |
| <i>amantadine hcl</i> CAPS 100mg | 3 | QL (120 caps / 30 days) |
| <i>amantadine hcl</i> SOLN 50mg/5ml | 3 | |
| <i>amantadine hcl</i> TABS 100mg | 4 | |
| <i>benztropine mesylate</i> SOLN 1mg/ml | 4 | |
| <i>benztropine mesylate</i> TABS .5mg, 1mg, 2mg | 2 | PA; PA applies if 65 years and older |
| <i>bromocriptine mesylate</i> CAPS 5mg; TABS 2.5mg | 4 | |
| <i>carb/levo orally disintegrating tab 10-100mg</i> | 3 | |
| <i>carb/levo orally disintegrating tab 25-100mg</i> | 3 | |
| <i>carb/levo orally disintegrating tab 25-250mg</i> | 3 | |
| <i>carbidopa</i> TABS 25mg | 4 | |
| <i>carbidopa & levodopa tab 10-100 mg</i> | 2 | |
| <i>carbidopa & levodopa tab 25-100 mg</i> | 2 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------|------------------|--------------------------------------|
| <i>carbidopa & levodopa tab 25-250 mg</i> | 2 | |
| <i>carbidopa & levodopa tab er 25-100 mg</i> | 3 | |
| <i>carbidopa & levodopa tab er 50-200 mg</i> | 3 | |
| <i>carbidopa-levodopa-entacapone tabs 12.5-50-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 18.75-75-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 25-100-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 31.25-125-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 37.5-150-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 50-200-200 mg</i> | 4 | |
| <i>entacapone TABS 200mg</i> | 4 | |
| <i>INBRIJA CAPS 42mg</i> | 5 | NDS, QL (300 caps / 30 days), NM, PA |
| <i>pramipexole dihydrochloride TABS .125mg, .25mg, .5mg, .75mg, 1mg, 1.5mg</i> | 2 | |
| <i>pramipexole dihydrochloride TB24 .375mg, .75mg, 1.5mg, 2.25mg, 3mg, 3.75mg, 4.5mg</i> | 4 | |
| <i>rasagiline mesylate TABS .5mg, 1mg</i> | 4 | QL (30 tabs / 30 days) |
| <i>ropinirole hydrochloride TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg, 5mg</i> | 2 | |
| <i>ropinirole hydrochloride TB24 2mg, 4mg, 6mg, 8mg, 12mg</i> | 4 | |
| <i>selegiline hcl CAPS 5mg; TABS 5mg</i> | 3 | |
| <i>trihexyphenidyl hcl SOLN .4mg/ml</i> | 3 | |
| <i>trihexyphenidyl hcl TABS 2mg, 5mg</i> | 2 | |
| ANTIPSYCHOTICS | | |
| <i>ABILIFY ASIMTUFII PRSY 720mg/2.4ml, 960mg/3.2ml</i> | 5 | NDS, QL (1 syringe / 56 days) |
| <i>ABILIFY MAINTENA PRSY 300mg, 400mg</i> | 5 | NDS, QL (1 syringe / 28 days) |
| <i>ABILIFY MAINTENA SRER 300mg, 400mg</i> | 5 | NDS, QL (1 injection / 28 days) |
| <i>aripiprazole SOLN 1mg/ml</i> | 4 | QL (900 mL / 30 days) |
| <i>aripiprazole TABS 2mg, 5mg, 10mg, 15mg, 20mg, 30mg</i> | 4 | QL (30 tabs / 30 days) |
| <i>aripiprazole TBDP 10mg, 15mg</i> | 4 | QL (60 tabs / 30 days), ST |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| ARISTADA PRSY 441mg/1.6ml, 662mg/2.4ml, 882mg/3.2ml | 5 | NDS, QL (1 syringe / 28 days) |
| ARISTADA PRSY 1064mg/3.9ml | 5 | NDS, QL (1 syringe / 56 days) |
| ARISTADA INITIO PRSY 675mg/2.4ml | 5 | NDS |
| <i>asenapine maleate</i> SUBL 2.5mg, 5mg, 10mg | 4 | QL (60 tabs / 30 days) |
| CAPLYTA CAPS 10.5mg, 21mg, 42mg | 5 | NDS, QL (30 caps / 30 days) |
| <i>chlorpromazine hcl</i> CONC 30mg/ml, 100mg/ml; SOLN 25mg/ml, 50mg/2ml; TABS 10mg, 25mg, 50mg, 100mg, 200mg | 4 | |
| <i>clozapine</i> TABS 25mg, 50mg | 3 | |
| <i>clozapine</i> TABS 100mg | 3 | QL (270 tabs / 30 days) |
| <i>clozapine</i> TABS 200mg | 3 | QL (120 tabs / 30 days) |
| <i>clozapine</i> TBDP 12.5mg, 25mg | 4 | PA |
| <i>clozapine</i> TBDP 100mg | 4 | QL (270 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 150mg | 4 | QL (180 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 200mg | 4 | QL (120 tabs / 30 days), PA |
| COBENFY CAP 50-20MG | 5 | NDS, QL (60 caps / 30 days) |
| COBENFY CAP 100-20MG | 5 | NDS, QL (60 caps / 30 days) |
| COBENFY CAP 125-30MG | 5 | NDS, QL (60 caps / 30 days) |
| COBENFY STRT CAP PACK | 5 | NDS, QL (2 packs / year) |
| ERZOFRI SUSY 39mg/0.25ml | 4 | QL (1 syringe / 28 days) |
| ERZOFRI SUSY 78mg/0.5ml, 117mg/0.75ml, 156mg/ml, 234mg/1.5ml | 5 | NDS, QL (1 syringe / 28 days) |
| ERZOFRI SUSY 351mg/2.25ml | 5 | NDS, QL (2 syringes / year) |
| FANAPT TABS 1mg, 2mg, 4mg, 6mg, 8mg, 10mg, 12mg | 5 | NDS, QL (60 tabs / 30 days), PA |
| FANAPT PAK PACK A | 4 | QL (2 packs / year), PA |
| FANAPT PAK PACK B | 4 | QL (2 packs / year), PA |
| FANAPT PAK PACK C | 4 | QL (2 packs / year), PA |
| <i>fluphenazine decanoate</i> SOLN 25mg/ml | 4 | |
| <i>fluphenazine hcl</i> CONC 5mg/ml; ELIX 2.5mg/5ml; SOLN 2.5mg/ml; TABS 1mg, 2.5mg, 5mg, 10mg | 4 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------|------------------|-------------------------------------|
| <i>haloperidol</i> TABS .5mg, 1mg, 2mg, 5mg, 10mg, 20mg | 3 | |
| <i>haloperidol decanoate</i> SOLN 50mg/ml, 100mg/ml | 3 | |
| <i>haloperidol lactate</i> CONC 2mg/ml; SOLN 5mg/ml | 3 | |
| INVEGA HAFYERA SUSY 1092mg/3.5ml, 1560mg/5ml | 5 | NDS, QL (1 injection / 180 days) |
| INVEGA SUSTENNA SUSY 39mg/0.25ml | 4 | QL (1 syringe / 28 days) |
| INVEGA SUSTENNA SUSY 78mg/0.5ml, 117mg/0.75ml, 156mg/ml, 234mg/1.5ml | 5 | NDS, QL (1 syringe / 28 days) |
| INVEGA TRINZA SUSY 273mg/0.88ml, 410mg/1.32ml, 546mg/1.75ml, 819mg/2.63ml | 5 | NDS, QL (1 syringe / 90 days) |
| <i>loxapine succinate</i> CAPS 5mg, 10mg, 25mg, 50mg | 3 | |
| <i>lurasidone hcl</i> TABS 20mg, 40mg, 60mg, 120mg | 4 | QL (30 tabs / 30 days) |
| <i>lurasidone hcl</i> TABS 80mg | 4 | QL (60 tabs / 30 days) |
| LYBALVI TAB 5-10MG | 5 | NDS, QL (30 tabs / 30 days) |
| LYBALVI TAB 10-10MG | 5 | NDS, QL (30 tabs / 30 days) |
| LYBALVI TAB 15-10MG | 5 | NDS, QL (30 tabs / 30 days) |
| LYBALVI TAB 20-10MG | 5 | NDS, QL (30 tabs / 30 days) |
| <i>molindone hcl</i> TABS 5mg, 10mg, 25mg | 4 | |
| NUPLAZID CAPS 34mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |
| NUPLAZID TABS 10mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>olanzapine</i> SOLR 10mg | 4 | QL (3 vials / 1 day) |
| <i>olanzapine</i> TABS 2.5mg, 5mg, 10mg | 2 | QL (60 tabs / 30 days) |
| <i>olanzapine</i> TABS 7.5mg, 15mg, 20mg | 2 | QL (30 tabs / 30 days) |
| <i>olanzapine</i> TBDP 5mg, 15mg, 20mg | 4 | QL (30 tabs / 30 days), ST |
| <i>olanzapine</i> TBDP 10mg | 4 | QL (60 tabs / 30 days), ST |
| OPIPZA FILM 2mg, 5mg | 5 | NDS, QL (30 films / 30 days), PA |
| OPIPZA FILM 10mg | 5 | NDS, QL (90 films / 30 days), PA |
| <i>paliperidone</i> TB24 1.5mg, 3mg, 9mg | 4 | QL (30 tabs / 30 days) |
| <i>paliperidone</i> TB24 6mg | 4 | QL (60 tabs / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------|------------------|----------------------------------|
| <i>perphenazine</i> TABS 2mg, 4mg, 8mg, 16mg | 3 | |
| <i>pimozide</i> TABS 1mg, 2mg | 4 | |
| <i>quetiapine fumarate</i> TABS 25mg | 2 | QL (180 tabs / 30 days) |
| <i>quetiapine fumarate</i> TABS 50mg, 100mg, 150mg, 200mg | 2 | QL (90 tabs / 30 days) |
| <i>quetiapine fumarate</i> TABS 300mg, 400mg | 2 | QL (60 tabs / 30 days) |
| <i>quetiapine fumarate</i> TB24 50mg, 300mg, 400mg | 4 | QL (60 tabs / 30 days), PA |
| <i>quetiapine fumarate</i> TB24 150mg, 200mg | 4 | QL (30 tabs / 30 days), PA |
| REXULTI TABS 3mg, 4mg | 5 | NDS, QL (30 tabs / 30 days) |
| REXULTI TABS .25mg, .5mg, 1mg, 2mg | 5 | NDS, QL (60 tabs / 30 days) |
| <i>risperidone</i> SOLN 1mg/ml | 3 | QL (240 mL / 30 days) |
| <i>risperidone</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg | 2 | |
| <i>risperidone</i> TBDP 1mg, 2mg, 3mg | 4 | QL (60 tabs / 30 days), ST |
| <i>risperidone</i> TBDP 4mg | 4 | QL (120 tabs / 30 days), ST |
| <i>risperidone</i> TBDP .25mg, .5mg | 4 | QL (90 tabs / 30 days), ST |
| <i>risperidone microspheres</i> SRER 12.5mg, 25mg | 4 | QL (2 injections / 28 days) |
| <i>risperidone microspheres</i> SRER 37.5mg, 50mg | 5 | NDS, QL (2 injections / 28 days) |
| SECUADO PT24 3.8mg/24hr, 5.7mg/24hr, 7.6mg/24hr | 5 | NDS, QL (30 patches / 30 days) |
| <i>thioridazine hcl</i> TABS 10mg, 25mg, 50mg, 100mg | 3 | |
| <i>thiothixene</i> CAPS 1mg, 2mg, 5mg, 10mg | 4 | |
| <i>trifluoperazine hcl</i> TABS 1mg, 2mg, 5mg, 10mg | 3 | |
| VERSACLOZ SUSP 50mg/ml | 5 | NDS, QL (600 mL / 30 days), PA |
| VRAYLAR CAPS 1.5mg | 5 | NDS, QL (60 caps / 30 days) |
| VRAYLAR CAPS .5mg, .75mg, 3mg, 4.5mg, 6mg | 5 | NDS, QL (30 caps / 30 days) |
| <i>ziprasidone hcl</i> CAPS 20mg, 40mg, 60mg, 80mg | 4 | QL (60 caps / 30 days) |
| <i>ziprasidone mesylate</i> SOLR 20mg | 4 | QL (6 injections / 3 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------|------------------|---------------------------------------------------------------------------------------------|
| ZYPREXA RELPREVV SUSR 210mg | 4 | QL (2 vials / 28 days), NM, PA |
| ZYPREXA RELPREVV SUSR 300mg | 5 | NDS, QL (2 vials / 28 days), NM, PA |
| ZYPREXA RELPREVV SUSR 405mg | 5 | NDS, QL (1 vial / 28 days), NM, PA |
| ANTISEIZURE AGENTS | | |
| APTIOM TABS 200mg, 400mg | 5 | NDS, QL (30 tabs / 30 days) |
| APTIOM TABS 600mg, 800mg | 5 | NDS, QL (60 tabs / 30 days) |
| BRIVIACT SOLN 10mg/ml | 5 | NDS, QL (600 mL / 30 days), PA |
| BRIVIACT TABS 10mg, 25mg, 50mg, 75mg, 100mg | 5 | NDS, QL (60 tabs / 30 days), PA |
| <i>carbamazepine</i> CHEW 100mg; TABS 200mg | 3 | |
| <i>carbamazepine</i> CHEW 200mg; CP12 100mg, 200mg, 300mg; SUSP 100mg/5ml; TB12 100mg, 200mg, 400mg | 4 | |
| <i>clobazam</i> SUSP 2.5mg/ml | 4 | QL (480 mL / 30 days), PA |
| <i>clobazam</i> TABS 10mg, 20mg | 4 | QL (60 tabs / 30 days), PA |
| <i>clonazepam</i> TABS 2mg | 2 | QL (300 tabs / 30 days) |
| <i>clonazepam</i> TABS .5mg, 1mg | 2 | QL (90 tabs / 30 days) |
| <i>clonazepam</i> TBDP 2mg | 3 | QL (300 tabs / 30 days) |
| <i>clonazepam</i> TBDP .125mg, .25mg, .5mg, 1mg | 3 | QL (90 tabs / 30 days) |
| <i>clorazepate dipotassium</i> TABS 3.75mg, 7.5mg, 15mg | 4 | QL (180 tabs / 30 days), PA; PA applies if 65 years and older |
| DIACOMIT CAPS 250mg | 5 | NDS, QL (360 caps / 30 days), NM, PA |
| DIACOMIT CAPS 500mg | 5 | NDS, QL (180 caps / 30 days), NM, PA |
| DIACOMIT PACK 250mg | 5 | NDS, QL (360 packets / 30 days), NM, PA |
| DIACOMIT PACK 500mg | 5 | NDS, QL (180 packets / 30 days), NM, PA |
| <i>diazepam</i> SOLN 5mg/5ml | 3 | QL (1200 mL / 30 days), PA; PA applies if 65 years and older when greater than 5 day supply |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|--------------------------------------------------------|------------------|----------------------------------------------------------------------------------------------|
| <i>diazepam</i> TABS 2mg, 5mg, 10mg | 2 | QL (120 tabs / 30 days), PA; PA applies if 65 years and older when greater than 5 day supply |
| <i>diazepam (anticonvulsant)</i> GEL 2.5mg, 10mg, 20mg | 4 | |
| <i>diazepam inj</i> SOLN 5mg/ml | 4 | |
| <i>diazepam intensol</i> CONC 5mg/ml | 3 | QL (240 mL / 30 days), PA; PA applies if 65 years and older when greater than 5 day supply |
| DILANTIN CAPS 30mg | 4 | |
| <i>divalproex sodium</i> CSDR 125mg | 4 | |
| <i>divalproex sodium</i> TB24 250mg, 500mg | 3 | |
| <i>divalproex sodium</i> TBEC 125mg, 250mg, 500mg | 2 | |
| EPIDIOLEX SOLN 100mg/ml | 5 | NDS, QL (600 mL / 30 days), NM, PA |
| <i>eslicarbazepine acetate</i> TABS 200mg, 400mg | 4 | QL (30 tabs / 30 days) |
| <i>eslicarbazepine acetate</i> TABS 600mg, 800mg | 4 | QL (60 tabs / 30 days) |
| <i>ethosuximide</i> CAPS 250mg; SOLN 250mg/5ml | 3 | |
| <i>felbamate</i> SUSP 600mg/5ml; TABS 400mg, 600mg | 4 | |
| FINTEPLA SOLN 2.2mg/ml | 5 | NDS, QL (360 mL / 30 days), NM, PA |
| FYCOMPA SUSP .5mg/ml | 5 | NDS, QL (680 mL / 28 days), PA |
| FYCOMPA TABS 2mg | 4 | QL (60 tabs / 30 days), PA |
| FYCOMPA TABS 4mg, 6mg, 8mg, 10mg, 12mg | 5 | NDS, QL (30 tabs / 30 days), PA |
| <i>gabapentin</i> CAPS 100mg, 300mg | 2 | QL (360 caps / 30 days) |
| <i>gabapentin</i> CAPS 400mg | 2 | QL (270 caps / 30 days) |
| <i>gabapentin</i> SOLN 250mg/5ml, 300mg/6ml | 3 | QL (2160 mL / 30 days) |
| <i>gabapentin</i> TABS 600mg | 2 | QL (180 tabs / 30 days) |
| <i>gabapentin</i> TABS 800mg | 2 | QL (120 tabs / 30 days) |
| <i>lacosamide</i> SOLN 200mg/20ml | 4 | |
| <i>lacosamide</i> TABS 50mg | 4 | QL (120 tabs / 30 days) |
| <i>lacosamide</i> TABS 100mg, 150mg, 200mg | 4 | QL (60 tabs / 30 days) |
| <i>lacosamide oral</i> SOLN 10mg/ml | 4 | QL (1200 mL / 30 days) |
| <i>lamotrigine</i> CHEW 5mg, 25mg | 3 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------|------------------|---------------------------------------------------------------|
| <i>lamotrigine</i> TABS 25mg, 100mg, 150mg, 200mg | 1 | |
| <i>lamotrigine</i> TB24 25mg, 50mg, 100mg, 200mg, 250mg, 300mg; TBDP 25mg, 50mg, 100mg, 200mg | 4 | ST |
| <i>levetiracetam</i> SOLN 100mg/ml; TB24 500mg, 750mg | 3 | |
| <i>levetiracetam</i> SOLN 500mg/5ml | 4 | |
| <i>levetiracetam</i> TABS 250mg, 500mg, 750mg, 1000mg | 2 | |
| <i>levetiracetam</i> TB3D 250mg | 4 | QL (360 tabs / 30 days) |
| <i>levetiracetam</i> TB3D 500mg | 4 | QL (180 tabs / 30 days) |
| <i>levetiracetam in sodium chloride iv soln 500 mg/100ml</i> | 4 | |
| <i>levetiracetam in sodium chloride iv soln 1000 mg/100ml</i> | 4 | |
| <i>levetiracetam in sodium chloride iv soln 1500 mg/100ml</i> | 4 | |
| <i>methsuximide</i> CAPS 300mg | 4 | |
| NAYZILAM SOLN 5mg/0.1ml | 4 | QL (10 nasal units / 30 days) |
| <i>oxcarbazepine</i> SUSP 300mg/5ml | 4 | |
| <i>oxcarbazepine</i> TABS 150mg, 300mg, 600mg | 3 | |
| <i>perampanel</i> SUSP .5mg/ml | 5 | NDS, QL (680 mL / 28 days), PA |
| <i>perampanel</i> TABS 2mg | 4 | QL (60 tabs / 30 days), PA |
| <i>perampanel</i> TABS 4mg, 6mg, 8mg, 10mg, 12mg | 4 | QL (30 tabs / 30 days), PA |
| <i>phenobarbital</i> ELIX 20mg/5ml | 4 | QL (1500 mL / 30 days), PA; PA applies if 65 years and older |
| <i>phenobarbital</i> TABS 15mg, 16.2mg, 30mg, 32.4mg, 60mg, 64.8mg, 97.2mg, 100mg | 3 | QL (120 tabs / 30 days), PA; PA applies if 65 years and older |
| <i>phenobarbital sodium</i> SOLN 65mg/ml, 130mg/ml | 4 | PA; PA applies if 65 years and older |
| <i>phenytek</i> CAPS 200mg, 300mg | 3 | |
| <i>phenytoin</i> CHEW 50mg; SUSP 125mg/5ml | 3 | |
| <i>phenytoin sodium</i> SOLN 50mg/ml | 4 | |
| <i>phenytoin sodium extended</i> CAPS 100mg, 200mg, 300mg | 3 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------|------------------|---------------------------------------------------------------|
| <i>pregabalin</i> CAPS 25mg, 50mg, 75mg, 100mg, 150mg | 3 | QL (120 caps / 30 days), PA; PA applies if 65 years and older |
| <i>pregabalin</i> CAPS 200mg | 3 | QL (90 caps / 30 days), PA; PA applies if 65 years and older |
| <i>pregabalin</i> CAPS 225mg, 300mg | 3 | QL (60 caps / 30 days), PA; PA applies if 65 years and older |
| <i>pregabalin</i> SOLN 20mg/ml | 4 | QL (900 mL / 30 days), PA; PA applies if 65 years and older |
| <i>primidone</i> TABS 50mg, 125mg, 250mg | 2 | |
| <i>roweepra</i> TABS 500mg | 2 | |
| <i>rufinamide</i> SUSP 40mg/ml | 5 | NDS, QL (2400 mL / 30 days), PA |
| <i>rufinamide</i> TABS 200mg | 4 | QL (480 tabs / 30 days), PA |
| <i>rufinamide</i> TABS 400mg | 5 | NDS, QL (240 tabs / 30 days), PA |
| SPRITAM TB3D 250mg | 4 | QL (360 tabs / 30 days) |
| SPRITAM TB3D 500mg | 4 | QL (180 tabs / 30 days) |
| SPRITAM TB3D 750mg | 4 | QL (120 tabs / 30 days) |
| SPRITAM TB3D 1000mg | 4 | QL (90 tabs / 30 days) |
| SUBVENITE SUSP 10mg/ml | 5 | NDS, ST |
| <i>subvenite</i> TABS 25mg, 100mg, 150mg, 200mg | 1 | |
| SYMPAZAN FILM 5mg, 10mg, 20mg | 5 | NDS, QL (60 films / 30 days), PA |
| <i>tiagabine hcl</i> TABS 2mg, 4mg, 12mg, 16mg | 4 | |
| <i>topiramate</i> CPSP 15mg, 25mg | 3 | |
| <i>topiramate</i> CPSP 50mg | 4 | |
| <i>topiramate</i> SOLN 25mg/ml | 4 | QL (480 mL / 30 days), PA |
| <i>topiramate</i> TABS 25mg, 50mg, 100mg, 200mg | 2 | |
| <i>valproate sodium</i> SOLN 100mg/ml | 4 | |
| <i>valproate sodium</i> SOLN 250mg/5ml | 3 | |
| <i>valproic acid</i> CAPS 250mg | 2 | |
| VALTOCO 5 MG DOSE LIQD 5mg/0.1ml | 4 | QL (10 blister packs / 30 days) |
| VALTOCO 10 MG DOSE LIQD 10mg/0.1ml | 4 | QL (10 blister packs / 30 days) |
| VALTOCO 15 MG DOSE LQPK 7.5mg/0.1ml | 4 | QL (10 blister packs / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|--------------------------------------------------------|------------------|-----------------------------------------|
| VALTOCO 20 MG DOSE LQPK 10mg/0.1ml | 4 | QL (10 blister packs / 30 days) |
| <i>vigabatrin</i> PACK 500mg | 5 | NDS, QL (180 packets / 30 days), NM, PA |
| <i>vigabatrin</i> TABS 500mg | 5 | NDS, QL (180 tabs / 30 days), NM, PA |
| <i>vigadrone</i> PACK 500mg | 5 | NDS, QL (180 packets / 30 days), NM, PA |
| <i>vigadrone</i> TABS 500mg | 5 | NDS, QL (180 tabs / 30 days), NM, PA |
| VIGAFYDE SOLN 100mg/ml | 5 | NDS, QL (900 mL / 30 days), NM, PA |
| XCOPRI TABS 25mg, 50mg, 100mg | 5 | NDS, QL (30 tabs / 30 days) |
| XCOPRI TABS 150mg, 200mg | 5 | NDS, QL (60 tabs / 30 days) |
| XCOPRI PAK 12.5-25 | 4 | QL (28 tabs / 28 days) |
| XCOPRI PAK 50-100MG | 5 | NDS, QL (28 tabs / 28 days) |
| XCOPRI PAK 100-150 | 5 | NDS, QL (56 tabs / 28 days) |
| XCOPRI PAK 150-200MG (MAINTENANCE) | 5 | NDS, QL (56 tabs / 28 days) |
| XCOPRI PAK 150-200MG (TITRATION) | 5 | NDS, QL (28 tabs / 28 days) |
| ZONISADE SUSP 100mg/5ml | 5 | NDS, QL (900 mL / 30 days), PA |
| <i>zonisamide</i> CAPS 25mg, 50mg, 100mg | 2 | |
| ZTALMY SUSP 50mg/ml | 5 | NDS, QL (1100 mL / 30 days), NM, PA |
| ATTENTION DEFICIT HYPERACTIVITY DISORDER | | |
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 15 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 20 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 25 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 30 mg</i> | 4 | QL (30 caps / 30 days), PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------|------------------|--------------------------------------------------------------|
| <i>amphetamine-dextroamphetamine tab 5 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 7.5 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 10 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 12.5 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 15 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 20 mg</i> | 3 | QL (90 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 30 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>atomoxetine hcl CAPS 10mg, 18mg, 25mg</i> | 4 | QL (120 caps / 30 days) |
| <i>atomoxetine hcl CAPS 40mg</i> | 4 | QL (60 caps / 30 days) |
| <i>atomoxetine hcl CAPS 60mg, 80mg, 100mg</i> | 4 | QL (30 caps / 30 days) |
| <i>dexmethylphenidate hcl TABS 2.5mg, 5mg</i> | 3 | QL (120 tabs / 30 days), PA |
| <i>dexmethylphenidate hcl TABS 10mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>guanfacine hcl (adhd) TB24 1mg, 2mg, 4mg</i> | 3 | QL (30 tabs / 30 days), PA; PA applies if 65 years and older |
| <i>guanfacine hcl (adhd) TB24 3mg</i> | 3 | QL (60 tabs / 30 days), PA; PA applies if 65 years and older |
| <i>lisdexamfetamine dimesylate CAPS 10mg, 20mg, 30mg</i> | 4 | QL (60 caps / 30 days), PA |
| <i>lisdexamfetamine dimesylate CAPS 40mg, 50mg, 60mg, 70mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>lisdexamfetamine dimesylate CHEW 10mg, 20mg, 30mg</i> | 4 | QL (60 tabs / 30 days), PA |
| <i>lisdexamfetamine dimesylate CHEW 40mg, 50mg, 60mg</i> | 4 | QL (30 tabs / 30 days), PA |
| <i>methylphenidate hcl CHEW 2.5mg, 5mg, 10mg</i> | 4 | QL (180 tabs / 30 days), PA |
| <i>methylphenidate hcl SOLN 5mg/5ml</i> | 4 | QL (1800 mL / 30 days), PA |
| <i>methylphenidate hcl SOLN 10mg/5ml</i> | 4 | QL (900 mL / 30 days), PA |
| <i>methylphenidate hcl TABS 5mg, 10mg</i> | 3 | QL (180 tabs / 30 days), PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------------------------|
| <i>methylphenidate hcl</i> TABS 20mg | 3 | QL (90 tabs / 30 days), PA |
| <i>methylphenidate hcl</i> TBCR 10mg, 20mg | 4 | QL (90 tabs / 30 days), PA |
| HYPNOTICS | | |
| DAYVIGO TABS 5mg, 10mg | 3 | QL (30 tabs / 30 days) |
| <i>doxepin hcl (sleep)</i> TABS 3mg, 6mg | 3 | QL (30 tabs / 30 days) |
| <i>ramelteon</i> TABS 8mg | 3 | QL (30 tabs / 30 days) |
| <i>tasimelteon</i> CAPS 20mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |
| <i>temazepam</i> CAPS 7.5mg, 30mg | 4 | QL (30 caps / 30 days), PA; PA applies if 65 years and older |
| <i>temazepam</i> CAPS 15mg | 4 | QL (60 caps / 30 days), PA; PA applies if 65 years and older |
| <i>zolpidem tartrate</i> TABS 5mg, 10mg | 2 | QL (30 tabs / 30 days), PA; PA applies if 65 years and older after a 90 day supply in a calendar year |
| MIGRAINE | | |
| AIMOVIG SOAJ 70mg/ml, 140mg/ml | 3 | QL (1 pen / 30 days), NM, PA |
| <i>dihydroergotamine mesylate</i> SOLN 4mg/ml | 5 | NDS, QL (8 mL / 30 days), PA |
| EMGALITY SOAJ 120mg/ml | 3 | QL (2 pens / 30 days), NM, PA |
| EMGALITY SOSY 100mg/ml | 3 | QL (3 syringes / 30 days), NM, PA |
| EMGALITY SOSY 120mg/ml | 3 | QL (2 syringes / 30 days), NM, PA |
| <i>ergotamine w/ caffeine tab 1-100 mg</i> | 3 | QL (40 tabs / 28 days), PA |
| <i>naratriptan hcl</i> TABS 1mg, 2.5mg | 3 | QL (12 tabs / 30 days) |
| NURTEC TBDP 75mg | 3 | QL (16 tabs / 30 days), PA |
| QULIPTA TABS 10mg, 30mg, 60mg | 3 | QL (30 tabs / 30 days), PA |
| <i>rizatriptan benzoate</i> TABS 5mg, 10mg; TBDP 5mg, 10mg | 3 | QL (18 tabs / 30 days) |
| <i>sumatriptan</i> SOLN 5mg/act | 4 | QL (24 units / 30 days) |
| <i>sumatriptan</i> SOLN 20mg/act | 4 | QL (12 units / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------|------------------|-----------------------------------------|
| <i>sumatriptan succinate</i> SOAJ 6mg/0.5ml; SOLN 6mg/0.5ml | 4 | QL (12 injections / 30 days) |
| <i>sumatriptan succinate</i> TABS 25mg, 50mg, 100mg | 2 | QL (12 tabs / 30 days) |
| UBRELVY TABS 50mg, 100mg | 3 | QL (16 tabs / 30 days), PA |
| MISCELLANEOUS | | |
| AUSTEDO TABS 6mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| AUSTEDO TABS 9mg, 12mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 6mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 12mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 18mg, 30mg, 36mg, 42mg, 48mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 24mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| AUSTEDO XR TAB TITR KIT | 5 | NDS, QL (2 packs / year), NM, PA |
| <i>lithium</i> SOLN 8meq/5ml | 4 | |
| <i>lithium carbonate</i> CAPS 150mg, 300mg, 600mg; TABS 300mg | 1 | |
| <i>lithium carbonate</i> TBCR 300mg, 450mg | 2 | |
| NUEDEXTA CAP 20-10MG | 5 | NDS, QL (60 caps / 30 days), PA |
| <i>pyridostigmine bromide</i> TABS 60mg | 3 | |
| <i>riluzole</i> TABS 50mg | 4 | |
| <i>tetrabenazine</i> TABS 12.5mg | 4 | QL (90 tabs / 30 days), NM, PA |
| <i>tetrabenazine</i> TABS 25mg | 5 | NDS, QL (120 tabs / 30 days), NM, PA |
| MULTIPLE SCLEROSIS AGENTS | | |
| BAFIERTAM CPDR 95mg | 5 | NDS, QL (120 caps / 30 days), NM, PA |
| BETASERON KIT .3mg | 5 | NDS, QL (14 kits / 28 days), NM, PA |
| COPAXONE SOSY 20mg/ml | 5 | NDS, QL (30 syringes / 30 days), NM, PA |
| COPAXONE SOSY 40mg/ml | 5 | NDS, QL (12 syringes / 28 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|--------------------------------------------------|------------------|--------------------------------------------------------------------------------------------------------|
| <i>dalfampridine</i> TB12 10mg | 3 | QL (60 tabs / 30 days), NM, PA |
| <i> fingolimod hcl</i> CAPS .5mg | 5 | NDS, QL (30 caps / 30 days), NM, PA |
| <i> glatiramer acetate</i> SOSY 20mg/ml | 5 | NDS, QL (30 syringes / 30 days), NM, PA |
| <i> glatiramer acetate</i> SOSY 40mg/ml | 5 | NDS, QL (12 syringes / 28 days), NM, PA |
| <i> glatopa</i> SOSY 20mg/ml | 5 | NDS, QL (30 syringes / 30 days), NM, PA |
| <i> glatopa</i> SOSY 40mg/ml | 5 | NDS, QL (12 syringes / 28 days), NM, PA |
| KESIMPTA SOAJ 20mg/0.4ml | 5 | NDS, QL (16 pens / 365 days), NM, PA |
| MUSCULOSKELETAL THERAPY AGENTS | | |
| <i> baclofen</i> TABS 5mg | 2 | QL (90 tabs / 30 days) |
| <i> baclofen</i> TABS 10mg, 20mg | 2 | |
| <i> carisoprodol</i> TABS 350mg | 3 | QL (120 tabs / 30 days), PA; PA applies if 65 years and older after a 90 day supply in a calendar year |
| <i> cyclobenzaprine hcl</i> TABS 5mg, 10mg | 3 | QL (90 tabs / 30 days), PA; PA applies if 65 years and older after a 90 day supply in a calendar year |
| <i> dantrolene sodium</i> CAPS 25mg, 50mg, 100mg | 4 | |
| <i> methocarbamol</i> TABS 500mg | 3 | QL (360 tabs / 30 days), PA; PA applies if 65 years and older after a 90 day supply in a calendar year |
| <i> methocarbamol</i> TABS 750mg | 3 | QL (240 tabs / 30 days), PA; PA applies if 65 years and older after a 90 day supply in a calendar year |
| <i> tizanidine hcl</i> TABS 2mg, 4mg | 2 | |
| NARCOLEPSY/CATAPLEXY | | |
| <i> armodafinil</i> TABS 50mg | 4 | QL (60 tabs / 30 days), PA |
| <i> armodafinil</i> TABS 150mg, 200mg, 250mg | 4 | QL (30 tabs / 30 days), PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|------------------|------------------------------------|
| <i>modafinil</i> TABS 100mg | 3 | QL (30 tabs / 30 days), PA |
| <i>modafinil</i> TABS 200mg | 3 | QL (60 tabs / 30 days), PA |
| <i>sodium oxybate</i> SOLN 500mg/ml | 5 | NDS, QL (540 mL / 30 days), NM, PA |
| PSYCHOTHERAPEUTIC-MISC | | |
| <i>acamprosate calcium</i> TBEC 333mg | 4 | |
| <i>buprenorphine hcl</i> SUBL 2mg | 3 | QL (180 tabs / 30 days) |
| <i>buprenorphine hcl</i> SUBL 8mg | 3 | QL (120 tabs / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 4 | QL (180 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | 4 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | 4 | QL (120 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | 4 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 2 | QL (180 tabs / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 2 | QL (120 tabs / 30 days) |
| <i>bupropion hcl (smoking deterrent)</i> TB12 150mg | 2 | QL (60 tabs / 30 days) |
| <i>disulfiram</i> TABS 250mg, 500mg | 3 | |
| KLOXXADO LIQD 8mg/0.1ml | 3 | |
| <i>naloxone hcl</i> LIQD 4mg/0.1ml | 3 | |
| <i>naloxone hcl</i> SOCT .4mg/ml; SOLN .4mg/ml, 4mg/10ml; SOSY .4mg/ml, 2mg/2ml | 2 | |
| <i>naltrexone hcl</i> TABS 50mg | 3 | |
| NICOTROL NS SOLN 10mg/ml | 4 | |
| <i>varenicline tartrate</i> TABS .5mg, 1mg | 4 | QL (56 tabs / 28 days) |
| <i>varenicline tartrate tab 11 x 0.5 mg & 42 x 1 mg start pack</i> | 4 | QL (2 packs / year) |
| VIVITROL SUSR 380mg | 5 | NDS, NM |
| ENDOCRINE AND METABOLIC | | |
| ANDROGENS | | |
| <i>danazol</i> CAPS 50mg, 100mg, 200mg | 4 | |
| <i>depo-testosterone</i> SOLN 100mg/ml, 200mg/ml | 3 | PA |
| <i>testosterone</i> GEL 1%, 25mg/2.5gm, 50mg/5gm | 4 | QL (300 gm / 30 days), PA |
| <i>testosterone cypionate</i> SOLN 100mg/ml, 200mg/ml | 3 | PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------|------------------|-----------------------------------------------------------|
| <i>testosterone enanthate</i> SOLN 200mg/ml | 3 | PA |
| <i>testosterone pump</i> GEL 1.62% | 4 | QL (150 gm / 30 days), PA |
| ANTIDIABETICS | | |
| <i>acarbose</i> TABS 25mg, 50mg, 100mg | 6 | |
| <i>dapagliflozin propanediol</i> TABS 5mg, 10mg | 3 | QL (30 tabs / 30 days) |
| FARXIGA TABS 5mg, 10mg | 3 | QL (30 tabs / 30 days) |
| <i>glimepiride</i> TABS 1mg, 2mg | 6 | QL (90 tabs / 30 days) |
| <i>glimepiride</i> TABS 4mg | 6 | QL (60 tabs / 30 days) |
| <i>glipizide</i> TABS 5mg | 6 | QL (240 tabs / 30 days) |
| <i>glipizide</i> TABS 10mg | 6 | QL (120 tabs / 30 days) |
| <i>glipizide</i> TB24 2.5mg, 5mg | 6 | QL (90 tabs / 30 days) |
| <i>glipizide</i> TB24 10mg | 6 | QL (60 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 2.5-250 mg</i> | 6 | QL (240 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 2.5-500 mg</i> | 6 | QL (120 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 5-500 mg</i> | 6 | QL (120 tabs / 30 days) |
| GLYXAMBI TAB 10-5 MG | 3 | QL (30 tabs / 30 days) |
| GLYXAMBI TAB 25-5 MG | 3 | QL (30 tabs / 30 days) |
| JANUMET TAB 50-500MG | 3 | QL (60 tabs / 30 days) |
| JANUMET TAB 50-1000 | 3 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-500MG | 3 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-1000 | 3 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 100-1000 | 3 | QL (30 tabs / 30 days) |
| JANUVIA TABS 25mg, 50mg, 100mg | 3 | QL (30 tabs / 30 days) |
| JARDIANCE TABS 10mg, 25mg | 3 | QL (30 tabs / 30 days) |
| JENTADUETO TAB 2.5-500 | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-850 | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-1000 | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 2.5-1000MG | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 5-1000MG | 3 | QL (30 tabs / 30 days) |
| <i>metformin hcl</i> TABS 500mg | 6 | QL (150 tabs / 30 days) |
| <i>metformin hcl</i> TABS 850mg | 6 | QL (90 tabs / 30 days) |
| <i>metformin hcl</i> TABS 1000mg | 6 | QL (75 tabs / 30 days) |
| <i>metformin hcl</i> TB24 500mg | 6 | QL (120 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| <i>metformin hcl</i> TB24 750mg | 6 | QL (60 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| MOUNJARO SOAJ 2.5mg/0.5ml, 5mg/0.5ml, 7.5mg/0.5ml, 10mg/0.5ml, 12.5mg/0.5ml, 15mg/0.5ml | 3 | QL (4 pens / 28 days), PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|------------------|-------------------------------|
| <i>nateglinide</i> TABS 60mg, 120mg | 6 | QL (90 tabs / 30 days) |
| OZEMPIC (0.25 OR 0.5MG/DOSE) SOPN 2mg/3ml | 3 | QL (1 pen / 28 days), PA |
| OZEMPIC (1MG/DOSE) SOPN 4mg/3ml | 3 | QL (1 pen / 28 days), PA |
| OZEMPIC (2MG/DOSE) SOPN 8mg/3ml | 3 | QL (1 pen / 28 days), PA |
| <i>pioglitazone hcl</i> TABS 15mg, 30mg, 45mg | 6 | QL (30 tabs / 30 days) |
| <i>pioglitazone hcl-metformin hcl tab 15-500 mg</i> | 6 | QL (90 tabs / 30 days) |
| <i>pioglitazone hcl-metformin hcl tab 15-850 mg</i> | 6 | QL (90 tabs / 30 days) |
| <i>repaglinide</i> TABS 2mg | 6 | QL (240 tabs / 30 days) |
| <i>repaglinide</i> TABS .5mg, 1mg | 6 | QL (120 tabs / 30 days) |
| RYBELSUS TABS 3mg, 7mg, 14mg | 3 | QL (30 tabs / 30 days), PA |
| TRADJENTA TABS 5mg | 3 | QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 5-2.5-1000MG | 3 | QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 10-5-1000MG | 3 | QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 12.5-2.5-1000MG | 3 | QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 25-5-1000MG | 3 | QL (30 tabs / 30 days) |
| TRULICITY SOAJ .75mg/0.5ml, 1.5mg/0.5ml, 3mg/0.5ml, 4.5mg/0.5ml | 3 | QL (4 pens / 28 days), PA |
| XIGDUO XR TAB 2.5-1000 | 3 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-500MG | 3 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-1000MG | 3 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 10-500MG | 3 | QL (30 tabs / 30 days) |
| XIGDUO XR TAB 10-1000 | 3 | QL (30 tabs / 30 days) |
| ANTIDIABETICS, INSULINS | | |
| ADMELOG SOLN 100unit/ml | 3 | B/D |
| ADMELOG SOLOSTAR SOPN 100unit/ml | 3 | |
| ALCOHOL SWABS: EMBECTA-BD/MHC/RUGBY | 3 | PA |
| CEQR SIMPL KIT PATCH 2U (3-DAY) | 4 | QL (10 patches / 30 days), PA |
| CEQR SIMPL KIT PATCH 2U (4-DAY) | 4 | QL (8 patches / 24 days), PA |
| CEQR SIMPL MIS INSERTER | 4 | QL (2 inserters / year), PA |
| FIASP SOLN 100unit/ml | 3 | B/D |
| FIASP FLEXTOUCH SOPN 100unit/ml | 3 | |
| FIASP PENFILL SOCT 100unit/ml | 3 | |
| FIASP PUMPCART SOCT 100unit/ml | 3 | B/D |
| GAUZE PADS 2" X 2" | 3 | PA |
| HUMULIN R U-500 (CONCENTR SOLN 500unit/ml | 5 | NDS, B/D |
| HUMULIN R U-500 KWIKPEN SOPN 500unit/ml | 5 | NDS |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------|------------------|---------------------------------|
| INSULIN PEN NEEDLES: EMBECTA-BD | 3 | PA |
| INSULIN SAFETY NEEDLES: EMBECTA-BD | 3 | PA |
| INSULIN SYRINGES: EMBECTA-BD | 3 | PA |
| LANTUS SOLN 100unit/ml | 3 | |
| LANTUS SOLOSTAR SOPN 100unit/ml | 3 | |
| NOVOLIN INJ 70/30 | 3 | (brand RELION not covered) |
| NOVOLIN INJ 70/30 FP | 3 | (brand RELION not covered) |
| NOVOLIN N SUSP 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLIN N FLEXPEN SUPN 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLIN R SOLN 100unit/ml | 3 | B/D; (brand RELION not covered) |
| NOVOLIN R FLEXPEN SOPN 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLOG SOLN 100unit/ml | 3 | B/D |
| NOVOLOG FLEXPEN SOPN 100unit/ml | 3 | |
| NOVOLOG FLEXPEN RELION SOPN 100unit/ml | 3 | |
| NOVOLOG MIX INJ 70/30 | 3 | (brand RELION not covered) |
| NOVOLOG MIX INJ FLEXPEN | 3 | (brand RELION not covered) |
| NOVOLOG PENFILL SOCT 100unit/ml | 3 | |
| NOVOLOG RELION SOLN 100unit/ml | 3 | B/D |
| OMNIPOD 5 DX KIT INT G7G6 | 4 | QL (1 kit / year), PA |
| OMNIPOD 5 DX MIS POD G7G6 | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD 5 L2 KIT INTRO G6 | 4 | QL (1 kit / year), PA |
| OMNIPOD 5 L2 MIS PODS G6 | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD DASH KIT INTRO | 4 | QL (1 kit / year), PA |
| OMNIPOD DASH MIS PODS | 4 | QL (15 pods / 30 days), PA |
| SOLIQUA INJ 100/33 | 3 | QL (5 pens / 25 days) |
| TOUJEO MAX SOLOSTAR SOPN 300unit/ml | 3 | |
| TOUJEO SOLOSTAR SOPN 300unit/ml | 3 | |
| XULTOPHY INJ 100/3.6 | 3 | QL (5 pens / 30 days) |
| CALCIUM REGULATORS | | |
| <i>alendronate sodium</i> SOLN 70mg/75ml | 4 | ST |
| <i>alendronate sodium</i> TABS 10mg, 35mg, 70mg | 6 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------|------------------|---------------------------------------------------------|
| BILDYOS SOSY 60mg/ml | 4 | QL (1 syringe / 180 days), NM |
| BONSITY SOPN 560mcg/2.24ml | 5 | NDS, QL (1 pen / 28 days), NM, PA |
| <i>calcitonin (salmon) spray</i> SOLN 200unit/act | 3 | B/D |
| <i>ibandronate sodium</i> SOLN 3mg/3ml | 4 | B/D, QL (1 injection / 90 days) |
| <i>ibandronate sodium</i> TABS 150mg | 2 | B/D |
| OSPOMYV SOSY 60mg/ml | 4 | QL (1 syringe / 180 days), NM |
| PAMIDRONATE DISODIUM SOLN 6mg/ml | 3 | B/D |
| <i>pamidronate disodium</i> SOLN 30mg/10ml, 90mg/10ml | 3 | B/D |
| PROLIA SOSY 60mg/ml | 4 | QL (1 syringe / 180 days), NM |
| <i>risedronate sodium</i> TABS 5mg, 35mg, 150mg | 3 | |
| <i>risedronate sodium</i> TABS 30mg | 4 | |
| <i>risedronate sodium</i> TBEC 35mg | 4 | ST |
| <i>teriparatide</i> SOPN 560mcg/2.24ml | 5 | NDS, QL (1 pen / 28 days), NM, PA |
| TERIPARATIDE SOPN 560mcg/2.24ml | 5 | NDS, QL (1 pen / 28 days), NM, PA; (ALVOGEN product) |
| WYOST SOLN 120mg/1.7ml | 5 | NDS, NM, PA |
| XTRENBO SOLN 120mg/1.7ml | 4 | NM, PA |
| <i>zoledronic acid</i> CONC 4mg/5ml; SOLN 5mg/100ml | 4 | B/D, NM |
| CHELATING AGENTS | | |
| CHEMET CAPS 100mg | 5 | NDS |
| <i>deferasirox</i> PACK 90mg, 180mg, 360mg; TBSO 250mg, 500mg | 5 | NDS, NM, PA |
| <i>deferasirox</i> TABS 90mg | 3 | NM, PA |
| <i>deferasirox</i> TABS 180mg, 360mg; TBSO 125mg | 4 | NM, PA |
| <i>kionex</i> SUSP 15gm/60ml | 4 | |
| LOKELMA PACK 5gm, 10gm | 3 | |
| <i>penicillamine</i> TABS 250mg | 5 | NDS, NM |
| <i>sodium polystyrene sulfonate</i> SUSP 15gm/60ml | 4 | |
| <i>sodium polystyrene sulfonate powder</i> | 3 | |
| <i>sps</i> SUSP 15gm/60ml | 4 | |
| <i>sps rectal</i> SUSP 15gm/60ml | 4 | |
| <i>trientine hcl</i> CAPS 250mg | 5 | NDS, NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------|------------------|----------------------------|
| CONTRACEPTIVES | | |
| <i>afirmelle</i> | 2 | |
| <i>altavera</i> | 2 | |
| <i>alyacen 1/35</i> | 2 | |
| <i>alyacen 7/7/7</i> | 2 | |
| <i>amethyst</i> | 2 | |
| <i>apri</i> | 2 | |
| <i>aranelle</i> | 2 | |
| <i>ashlyna</i> | 2 | |
| <i>aubra eq</i> | 2 | |
| <i>aurovela 1/20</i> | 2 | |
| <i>aurovela 24 fe</i> | 2 | |
| <i>aurovela fe 1.5/30</i> | 2 | |
| <i>aurovela fe 1/20</i> | 2 | |
| <i>aviane</i> | 2 | |
| <i>ayuna</i> | 2 | |
| <i>azurette</i> | 2 | |
| <i>balziva</i> | 2 | |
| <i>blisovi 24 fe</i> | 2 | |
| <i>blisovi fe 1.5/30</i> | 2 | |
| <i>blisovi fe 1/20</i> | 2 | |
| <i>briellyn</i> | 2 | |
| <i>camila TABS .35mg</i> | 2 | |
| <i>camrese</i> | 2 | |
| <i>camrese lo</i> | 2 | |
| <i>chateal eq</i> | 2 | |
| <i>cryselle</i> | 2 | |
| <i>cyred eq</i> | 2 | |
| <i>dasetta 1/35</i> | 2 | |
| <i>dasetta 7/7/7</i> | 2 | |
| <i>daysee</i> | 2 | |
| <i>deblitane TABS .35mg</i> | 2 | |
| DEPO-SUBQ PROVERA 104 SUSY 104mg/0.65ml | 3 | |
| <i>desogest-eth estrad & eth estrad tab 0.15- 0.02/0.01 mg(21/5)</i> | 2 | |
| <i>dolishale</i> | 2 | |
| <i>drospirenone-ethinyl estrad-levomefolate tab 3- 0.02-0.451 mg</i> | 2 | |
| <i>drospirenone-ethinyl estrad-levomefolate tab 3- 0.03-0.451 mg</i> | 2 | |
| <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 2 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|------------------|----------------------------|
| <i>drospirenone-ethinyl estradiol tab 3-0.03 mg</i> | 2 | |
| <i>elinest</i> | 2 | |
| <i>eluryng</i> | 3 | |
| <i>emzahh TABS .35mg</i> | 2 | |
| <i>enilloring</i> | 3 | |
| <i>enskyce</i> | 2 | |
| <i>errin TABS .35mg</i> | 2 | |
| <i>estarylla</i> | 2 | |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 2 | |
| <i>etonogestrel-ethinyl estradiol va ring 0.12-0.015 mg/24hr</i> | 3 | |
| <i>falmina</i> | 2 | |
| <i>feirza 1.5/30</i> | 2 | |
| <i>feirza 1/20</i> | 2 | |
| <i>finzala</i> | 2 | |
| <i>galbriela</i> | 2 | |
| <i>hailey 1.5/30</i> | 2 | |
| <i>hailey 24 fe</i> | 2 | |
| <i>hailey fe 1/20</i> | 2 | |
| <i>heather TABS .35mg</i> | 2 | |
| <i>iclevia</i> | 2 | |
| <i>incassia TABS .35mg</i> | 2 | |
| <i>introvale</i> | 2 | |
| <i>isibloom</i> | 2 | |
| <i>jaimiess</i> | 2 | |
| <i>jasmiel</i> | 2 | |
| <i>jencycla TABS .35mg</i> | 2 | |
| <i>jolessa</i> | 2 | |
| <i>juleber</i> | 2 | |
| <i>junel 1.5/30</i> | 2 | |
| <i>junel 1/20</i> | 2 | |
| <i>junel fe 1.5/30</i> | 2 | |
| <i>junel fe 1/20</i> | 2 | |
| <i>junel fe 24</i> | 2 | |
| <i>kaitlib fe</i> | 2 | |
| <i>kariva</i> | 2 | |
| <i>kelnor 1/35</i> | 2 | |
| <i>kurvelo</i> | 2 | |
| <i>larin 1.5/30</i> | 2 | |
| <i>larin 1/20</i> | 2 | |
| <i>larin 24 fe</i> | 2 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|------------------|----------------------------|
| <i>larin fe 1.5/30</i> | 2 | |
| <i>larin fe 1/20</i> | 2 | |
| <i>lessina</i> | 2 | |
| <i>levonest</i> | 2 | |
| <i>levonor-eth est tab 0.15-0.02/0.025/0.03 mg &eth est 0.01 mg</i> | 2 | |
| <i>levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7)</i> | 2 | |
| <i>levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 2 | |
| <i>levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 2 | |
| <i>levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 2 | |
| <i>levonorgestrel-ethinyl estradiol (continuous) tab 90-20 mcg</i> | 2 | |
| <i>levora 0.15/30-28</i> | 2 | |
| LILETTA IUD 20.1mcg/day | 3 | NM |
| <i>loestrin 1.5/30-21</i> | 2 | |
| <i>loestrin 1/20-21</i> | 2 | |
| <i>loestrin fe 1.5/30</i> | 2 | |
| <i>loestrin fe 1/20</i> | 2 | |
| <i>lojaimiess</i> | 2 | |
| <i>loryna</i> | 2 | |
| <i>low-ogestrel</i> | 2 | |
| <i>luizza 1.5/30</i> | 2 | |
| <i>luizza 1/20</i> | 2 | |
| <i>lutra</i> | 2 | |
| <i>lyleq TABS .35mg</i> | 2 | |
| <i>lyza TABS .35mg</i> | 2 | |
| <i>marlissa</i> | 2 | |
| <i>medroxyprogesterone acetate (contraceptive) SUSP 150mg/ml; SUSY 150mg/ml</i> | 3 | |
| <i>meleya TABS .35mg</i> | 2 | |
| <i>mibelas 24 fe</i> | 2 | |
| <i>microgestin 1.5/30</i> | 2 | |
| <i>microgestin 1/20</i> | 2 | |
| <i>microgestin fe 1.5/30</i> | 2 | |
| <i>microgestin fe 1/20</i> | 2 | |
| <i>mili</i> | 2 | |
| <i>mono-lynyah</i> | 2 | |
| <i>necon 0.5/35-28</i> | 2 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|------------------|----------------------------|
| NEXPLANON IMPL 68mg | 3 | NM |
| <i>nikki</i> | 2 | |
| <i>nora-be</i> TABS .35mg | 2 | |
| <i>norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 3 | |
| <i>norethindrone (contraceptive) TABS .35mg</i> | 2 | |
| <i>norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 2 | |
| <i>norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 2 | |
| <i>norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 2 | |
| <i>norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 2 | |
| <i>norethindrone ace-eth estradiol-fe chew tab 1 mg-20 mcg (24)</i> | 2 | |
| <i>norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 2 | |
| <i>norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 2 | |
| <i>norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 2 | |
| <i>norlyroc</i> TABS .35mg | 2 | |
| <i>nortrel 0.5/35 (28)</i> | 2 | |
| <i>nortrel 1/35 (21)</i> | 2 | |
| <i>nortrel 1/35 (28)</i> | 2 | |
| <i>nortrel 7/7/7</i> | 2 | |
| <i>nylia 1/35</i> | 2 | |
| <i>nylia 7/7/7</i> | 2 | |
| <i>orquidea</i> TABS .35mg | 2 | |
| <i>philith</i> | 2 | |
| <i>pimtrea</i> | 2 | |
| <i>portia-28</i> | 2 | |
| <i>reclipsen</i> | 2 | |
| <i>rivelsa</i> | 2 | |
| <i>rosyrah</i> | 2 | |
| <i>setlakin</i> | 2 | |
| <i>sharobel</i> TABS .35mg | 2 | |
| <i>simliya</i> | 2 | |
| <i>simpesse</i> | 2 | |
| <i>sprintec 28</i> | 2 | |
| <i>sronyx</i> | 2 | |
| <i>syeda</i> | 2 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>tarina 24 fe</i> | 2 | |
| <i>tarina fe 1/20 eq</i> | 2 | |
| <i>tilia fe</i> | 2 | |
| <i>tri-estarylla</i> | 2 | |
| <i>tri-legest fe</i> | 2 | |
| <i>tri-linyah</i> | 2 | |
| <i>tri-lo-estarylla</i> | 2 | |
| <i>tri-lo-marzia</i> | 2 | |
| <i>tri-lo-mili</i> | 2 | |
| <i>tri-lo-sprintec</i> | 2 | |
| <i>tri-mili</i> | 2 | |
| <i>tri-sprintec</i> | 2 | |
| <i>tri-vylibra</i> | 2 | |
| <i>tri-vylibra lo</i> | 2 | |
| <i>turqoz</i> | 2 | |
| <i>tydemy</i> | 2 | |
| <i>valtya 1/35</i> | 2 | |
| <i>valtya 1/50</i> | 2 | |
| <i>velivet</i> | 2 | |
| <i>vestura</i> | 2 | |
| <i>vienva</i> | 2 | |
| <i>viorele</i> | 2 | |
| <i>vyfemla</i> | 2 | |
| <i>vylibra</i> | 2 | |
| <i>wera</i> | 2 | |
| <i>wymzya fe</i> | 2 | |
| <i>xarah fe</i> | 2 | |
| <i>xelria fe</i> | 2 | |
| <i>xulane</i> | 3 | |
| <i>zafemy</i> | 3 | |
| <i>zovia 1/35</i> | 2 | |
| <i>zumandimine</i> | 2 | |
| ESTROGENS | | |
| <i>abigale</i> | 3 | |
| <i>abigale lo</i> | 3 | |
| <i>dotti</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr | 3 | |
| <i>estradiol</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr; PTWK .025mg/24hr, .05mg/24hr, .06mg/24hr, .075mg/24hr, .1mg/24hr, 37.5mcg/24hr | 3 | |
| <i>estradiol</i> TABS .5mg, 1mg, 2mg | 2 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>estradiol & norethindrone acetate tab 0.5-0.1 mg</i> | 3 | |
| <i>estradiol & norethindrone acetate tab 1-0.5 mg</i> | 3 | |
| <i>estradiol vaginal</i> CREA .1mg/gm | 3 | |
| <i>estradiol vaginal</i> TABS 10mcg | 4 | |
| <i>estradiol valerate</i> OIL 10mg/ml, 20mg/ml, 40mg/ml | 4 | |
| <i>fyavolv tab 0.5mg-2.5mcg</i> | 3 | |
| <i>fyavolv tab 1mg-5mcg</i> | 3 | |
| <i>jinteli</i> | 3 | |
| <i>lyllana</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr | 3 | |
| <i>mimvey</i> | 3 | |
| <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 3 | |
| <i>norethindrone acetate-ethinyl estradiol tab 1 mg-5 mcg</i> | 3 | |
| <i>yuvaferm</i> TABS 10mcg | 4 | |
| GLUCOCORTICOIDS | | |
| <i>dexamethasone</i> ELIX .5mg/5ml; SOLN .5mg/5ml; TABS .5mg, .75mg, 1mg, 1.5mg, 2mg, 4mg, 6mg | 3 | |
| DEXAMETHASONE INTENSOL CONC 1mg/ml | 4 | |
| <i>dexamethasone sodium phosphate</i> SOLN 4mg/ml, 10mg/ml, 20mg/5ml, 100mg/10ml, 120mg/30ml; SOSY 4mg/ml, 10mg/ml | 3 | |
| <i>fludrocortisone acetate</i> TABS .1mg | 2 | |
| <i>hydrocortisone</i> TABS 5mg, 10mg, 20mg | 3 | |
| <i>hydrocortisone sod succinate</i> SOLR 100mg | 4 | |
| <i>methylprednisolone</i> TABS 4mg, 8mg, 16mg, 32mg | 3 | B/D |
| <i>methylprednisolone</i> TBPK 4mg | 2 | |
| <i>methylprednisolone acetate</i> SUSP 40mg/ml, 80mg/ml | 3 | B/D |
| <i>methylprednisolone sod succ</i> SOLR 40mg, 125mg, 500mg, 1000mg | 3 | B/D |
| <i>prednisolone</i> SOLN 15mg/5ml | 2 | B/D |
| <i>prednisolone sodium phosphate</i> SOLN 5mg/5ml, 25mg/5ml | 4 | B/D |
| <i>prednisolone sodium phosphate</i> SOLN 15mg/5ml | 2 | B/D |
| <i>prednisone</i> SOLN 5mg/5ml | 4 | B/D |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>prednisone</i> TABS 1mg, 2.5mg, 5mg, 10mg, 20mg, 50mg | 1 | B/D |
| <i>prednisone</i> TBPK 5mg, 10mg | 2 | |
| PREDNISONE INTENSOL CONC 5mg/ml | 4 | B/D |
| SOLU-CORTEF SOLR 250mg, 500mg, 1000mg | 4 | |
| GLUCOSE ELEVATING AGENTS | | |
| <i>diazoxide</i> SUSP 50mg/ml | 5 | NDS |
| ZEGALOGUE SOAJ .6mg/0.6ml; SOSY .6mg/0.6ml | 3 | |
| MISCELLANEOUS | | |
| ALDURAZYME SOLN 2.9mg/5ml | 5 | NDS, NM, PA |
| <i>betaine powder for oral solution</i> | 5 | NDS, NM |
| <i>cabergoline</i> TABS .5mg | 3 | |
| <i>carglumic acid</i> TBSO 200mg | 5 | NDS, NM, PA |
| CERDELGA CAPS 84mg | 5 | NDS, NM, PA |
| CEREZYME SOLR 400unit | 5 | NDS, NM, PA |
| <i>cinacalcet hcl</i> TABS 30mg, 60mg | 4 | B/D, QL (60 tabs / 30 days), NM |
| <i>cinacalcet hcl</i> TABS 90mg | 4 | B/D, QL (120 tabs / 30 days), NM |
| CYSTAGON CAPS 50mg, 150mg | 4 | NM, PA |
| <i>desmopressin acetate</i> SOLN 4mcg/ml | 5 | NDS |
| <i>desmopressin acetate</i> TABS .1mg, .2mg | 3 | |
| <i>desmopressin acetate spray</i> SOLN .01% | 4 | |
| <i>desmopressin acetate spray refrigerated</i> SOLN .01% | 4 | |
| FABRAZYME SOLR 5mg, 35mg | 5 | NDS, NM, PA |
| GENOTROPIN CART 5mg, 12mg | 5 | NDS, NM, PA |
| GENOTROPIN MINIQUICK PRSY .2mg | 3 | NM, PA |
| GENOTROPIN MINIQUICK PRSY .4mg, .6mg, .8mg, 1mg, 1.2mg, 1.4mg, 1.6mg, 1.8mg, 2mg | 5 | NDS, NM, PA |
| INCRELEX SOLN 40mg/4ml | 5 | NDS, NM, PA |
| <i>javygtor</i> PACK 100mg, 500mg; TABS 100mg | 5 | NDS, NM, PA |
| <i>lanreotide acetate</i> SOLN 120mg/0.5ml | 5 | NDS, NM, PA |
| <i>levocarnitine (metabolic modifiers)</i> SOLN 1gm/10ml; TABS 330mg | 4 | B/D |
| LUMIZYME SOLR 50mg | 5 | NDS, NM, PA |
| LUPRON DEPOT-PED (1-MONTH KIT 7.5mg, 11.25mg, 15mg) | 5 | NDS, NM, PA |
| LUPRON DEPOT-PED (3-MONTH KIT 11.25mg, 30mg) | 5 | NDS, NM, PA |
| LUPRON DEPOT-PED (6-MONTH KIT 45mg) | 5 | NDS, NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------------------------------------|------------------|-------------------------------------|
| <i>mifepristone (hyperglycemia)</i> TABS 300mg | 5 | NDS, NM, PA |
| NAGLAZYME SOLN 1mg/ml | 5 | NDS, NM, PA |
| <i>nitisinone</i> CAPS 2mg, 5mg, 10mg, 20mg | 5 | NDS, NM, PA |
| <i>octreotide acetate</i> SOLN 50mcg/ml, 100mcg/ml, 200mcg/ml; SOSY 50mcg/ml, 100mcg/ml | 4 | NM, PA |
| <i>octreotide acetate</i> SOLN 500mcg/ml, 1000mcg/ml; SOSY 500mcg/ml | 5 | NDS, NM, PA |
| <i>raloxifene hcl</i> TABS 60mg | 3 | |
| REVCOVI SOLN 2.4mg/1.5ml | 5 | NDS, NM, PA |
| REZDIFFRA TABS 60mg, 80mg, 100mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>sapropterin dihydrochloride</i> PACK 100mg, 500mg; TABS 100mg | 5 | NDS, NM, PA |
| SIGNIFOR SOLN .3mg/ml, .6mg/ml, .9mg/ml | 5 | NDS, NM, PA |
| <i>sodium phenylbutyrate</i> POWD 3gm/tsp; TABS 500mg | 5 | NDS, NM, PA |
| SOMATULINE DEPOT SOLN 60mg/0.2ml, 90mg/0.3ml | 5 | NDS, NM, PA |
| SOMAVERT SOLR 10mg, 15mg, 20mg, 25mg, 30mg | 5 | NDS, NM, PA |
| SYNAREL SOLN 2mg/ml | 5 | NDS, PA |
| <i>tolvaptan</i> TABS 15mg, 30mg | 5 | NDS, NM, PA; (generic of JYNARQUE) |
| <i>tolvaptan</i> TBPK 15mg | 5 | NDS, NM, PA |
| <i>tolvaptan tab therapy pack 30 & 15 mg</i> | 5 | NDS, NM, PA |
| <i>tolvaptan tab therapy pack 45 & 15 mg</i> | 5 | NDS, NM, PA |
| <i>tolvaptan tab therapy pack 60 & 30 mg</i> | 5 | NDS, NM, PA |
| <i>tolvaptan tab therapy pack 90 & 30 mg</i> | 5 | NDS, NM, PA |
| <i>zelvysia</i> PACK 100mg, 500mg | 5 | NDS, NM, PA |
| PROGESTINS | | |
| <i>gallifrey</i> TABS 5mg | 3 | |
| <i>medroxyprogesterone acetate</i> TABS 2.5mg, 5mg, 10mg | 1 | |
| <i>megestrol acetate</i> SUSP 40mg/ml | 3 | |
| <i>megestrol acetate (appetite)</i> SUSP 625mg/5ml | 4 | PA |
| <i>norethindrone acetate</i> TABS 5mg | 3 | |
| <i>progesterone</i> CAPS 100mg, 200mg | 3 | |
| THYROID AGENTS | | |
| <i>levo-t</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|
| <i>levothyroxine sodium</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |
| <i>levoxyl</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | 1 | |
| <i>liomny</i> TABS 5mcg, 25mcg, 50mcg | 3 | |
| <i>liothyronine sodium</i> TABS 5mcg, 25mcg, 50mcg | 3 | |
| <i>methimazole</i> TABS 5mg, 10mg | 1 | |
| <i>propylthiouracil</i> TABS 50mg | 3 | |
| SYNTHROID TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 4 | |
| <i>unithroid</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |
| VITAMIN D ANALOGS | | |
| <i>calcitriol</i> CAPS .25mcg, .5mcg | 2 | B/D |
| <i>calcitriol (oral)</i> SOLN 1mcg/ml | 4 | B/D |
| <i>doxercalciferol</i> CAPS .5mcg, 1mcg, 2.5mcg | 4 | B/D |
| <i>paricalcitol</i> CAPS 1mcg, 2mcg, 4mcg | 4 | B/D |
| GASTROINTESTINAL | | |
| ANTIEMETICS | | |
| <i>aprepitant</i> CAPS 40mg, 80mg, 125mg | 4 | B/D |
| <i>aprepitant capsule therapy pack 80 & 125 mg</i> | 4 | B/D |
| <i>compro</i> SUPP 25mg | 4 | |
| <i>dronabinol</i> CAPS 2.5mg, 5mg, 10mg | 4 | B/D, QL (60 caps / 30 days) |
| <i>granisetron hcl</i> SOLN 1mg/ml, 4mg/4ml | 4 | |
| <i>granisetron hcl</i> TABS 1mg | 4 | B/D |
| <i>meclizine hcl</i> TABS 12.5mg, 25mg | 2 | PA; PA applies if 65 years and older after a 30 day supply in a calendar year |
| <i>metoclopramide hcl</i> SOLN 5mg/5ml, 5mg/ml | 3 | |
| <i>metoclopramide hcl</i> TABS 5mg, 10mg | 1 | |
| <i>ondansetron</i> TBDP 4mg, 8mg | 3 | B/D |
| <i>ondansetron hcl</i> SOLN 4mg/2ml, 40mg/20ml; SOSY 4mg/2ml | 3 | |
| <i>ondansetron hcl</i> SOLN 4mg/5ml | 4 | B/D |
| <i>ondansetron hcl</i> TABS 4mg, 8mg | 3 | B/D |
| <i>prochlorperazine</i> SUPP 25mg | 4 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|
| <i>prochlorperazine edisylate</i> SOLN 10mg/2ml | 4 | |
| <i>prochlorperazine maleate</i> TABS 5mg, 10mg | 2 | |
| <i>promethazine hcl</i> SOLN 6.25mg/5ml, 25mg/ml, 50mg/ml; TABS 12.5mg, 25mg, 50mg | 3 | PA; PA applies if 65 years and older after a 30 day supply in a calendar year |
| <i>scopolamine</i> PT72 1mg/3days | 4 | QL (10 patches / 30 days) |
| ANTISPASMODICS | | |
| <i>dicyclomine hcl</i> CAPS 10mg; TABS 20mg | 3 | PA; PA applies if 65 years and older |
| <i>dicyclomine hcl</i> SOLN 10mg/5ml | 4 | PA; PA applies if 65 years and older |
| <i>glycopyrrolate</i> TABS 1mg | 3 | QL (90 tabs / 30 days) |
| <i>glycopyrrolate</i> TABS 2mg | 3 | QL (120 tabs / 30 days) |
| H2-RECEPTOR ANTAGONISTS | | |
| <i>famotidine</i> SOLN 20mg/2ml, 40mg/4ml, 200mg/20ml | 3 | |
| <i>famotidine</i> SUSR 40mg/5ml | 4 | |
| <i>famotidine</i> TABS 20mg, 40mg | 1 | |
| <i>famotidine in nacl 0.9% iv soln 20 mg/50ml</i> | 3 | |
| <i>nizatidine</i> CAPS 150mg, 300mg | 4 | |
| INFLAMMATORY BOWEL DISEASE | | |
| <i>balsalazide disodium</i> CAPS 750mg | 3 | |
| <i>budesonide</i> CPEP 3mg | 4 | QL (90 caps / 30 days) |
| <i>budesonide</i> TB24 9mg | 5 | NDS, QL (30 tabs / 30 days), PA |
| <i>hydrocortisone (intrarectal)</i> ENEM 100mg/60ml | 4 | |
| <i>mesalamine</i> CP24 .375gm | 4 | QL (120 caps / 30 days) |
| <i>mesalamine</i> CPDR 400mg | 4 | QL (180 caps / 30 days) |
| <i>mesalamine</i> ENEM 4gm | 4 | QL (1680 mL / 28 days) |
| <i>mesalamine</i> SUPP 1000mg | 4 | QL (30 suppositories / 30 days) |
| <i>mesalamine</i> TBEC 1.2gm | 4 | QL (120 tabs / 30 days) |
| <i>mesalamine w/ cleanser</i> KIT 4gm | 4 | QL (28 bottles / 28 days) |
| <i>sulfasalazine</i> TABS 500mg | 2 | |
| <i>sulfasalazine</i> TBEC 500mg | 3 | |
| LAXATIVES | | |
| <i>constulose</i> SOLN 10gm/15ml | 2 | |
| <i>enulose</i> SOLN 10gm/15ml | 2 | |
| <i>gavilyte-c</i> | 2 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|------------------|-------------------------------------|
| <i>gavilyte-g</i> | 2 | |
| <i>gavilyte-n/ flavor pack</i> | 2 | |
| <i>generlac</i> SOLN 10gm/15ml | 2 | |
| <i>lactulose</i> SOLN 10gm/15ml | 2 | |
| <i>lactulose (encephalopathy)</i> SOLN 10gm/15ml | 2 | |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for soln 236 gm</i> | 2 | |
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420 gm</i> | 2 | |
| PLENVU SOL | 4 | |
| <i>sod sulfate-pot sulf-mg sulf oral sol 17.5-3.13-1.6 gm/177ml</i> | 3 | |
| MISCELLANEOUS | | |
| <i>alose tron hcl</i> TABS 1mg | 5 | NDS, QL (60 tabs / 30 days), PA |
| <i>alose tron hcl</i> TABS .5mg | 4 | QL (60 tabs / 30 days), PA |
| CREON CAP 3000UNIT | 3 | |
| CREON CAP 6000UNIT | 3 | |
| CREON CAP 12000UNT | 3 | |
| CREON CAP 24000UNT | 3 | |
| CREON CAP 36000UNT | 3 | |
| <i>cromolyn sodium (mastocytosis)</i> CONC 100mg/5ml | 4 | |
| <i>diphenoxylate w/ atropine tab 2.5-0.025 mg</i> | 4 | |
| GATTEX KIT 5mg | 5 | NDS, NM, PA |
| LINZESS CAPS 72mcg, 145mcg, 290mcg | 3 | QL (30 caps / 30 days) |
| <i>loperamide hcl</i> CAPS 2mg | 2 | |
| <i>misoprostol</i> TABS 100mcg, 200mcg | 3 | |
| MOVANTIK TABS 12.5mg, 25mg | 3 | QL (30 tabs / 30 days) |
| RELISTOR SOLN 12mg/0.6ml | 5 | NDS, QL (28 vials / 28 days), PA |
| RELISTOR SOSY 8mg/0.4ml, 12mg/0.6ml | 5 | NDS, QL (28 syringes / 28 days), PA |
| <i>sucralfate</i> TABS 1gm | 3 | |
| <i>ursodiol</i> CAPS 300mg | 4 | |
| <i>ursodiol</i> TABS 250mg, 500mg | 3 | |
| VOQUEZNA PAK DUAL PAK | 3 | QL (2 kits / year), PA |
| VOQUEZNA PAK TRIP PK | 3 | QL (2 kits / year), PA |
| VOWST CAP | 5 | NDS, QL (12 caps / 30 days), NM, PA |
| XERMELO TABS 250mg | 5 | NDS, QL (84 tabs / 28 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|------------------|-------------------------------|
| XIFAXAN TABS 550mg | 5 | NDS, PA |
| ZENPEP CAP 3000UNIT | 4 | |
| ZENPEP CAP 5000UNIT | 4 | |
| ZENPEP CAP 10000UNT | 4 | |
| ZENPEP CAP 15000UNT | 4 | |
| ZENPEP CAP 20000UNT | 4 | |
| ZENPEP CAP 25000UNT | 4 | |
| ZENPEP CAP 40000UNT | 4 | |
| ZENPEP CAP 60000UNT | 4 | |
| PROTON PUMP INHIBITORS | | |
| <i>esomeprazole magnesium</i> CPDR 20mg, 40mg | 3 | QL (30 caps / 30 days), ST |
| <i>lansoprazole</i> CPDR 15mg, 30mg | 3 | QL (60 caps / 30 days) |
| <i>lansoprazole</i> TBDD 15mg, 30mg | 4 | QL (60 tabs / 30 days), ST |
| <i>omeprazole</i> CPDR 10mg, 20mg, 40mg | 1 | |
| <i>pantoprazole sodium</i> SOLR 40mg | 4 | |
| <i>pantoprazole sodium</i> TBEC 20mg, 40mg | 1 | |
| <i>rabeprazole sodium</i> TBEC 20mg | 3 | QL (30 tabs / 30 days) |
| GENITOURINARY | | |
| BENIGN PROSTATIC HYPERPLASIA | | |
| <i>alfuzosin hcl</i> TB24 10mg | 2 | QL (30 tabs / 30 days) |
| <i>dutasteride</i> CAPS .5mg | 3 | QL (30 caps / 30 days) |
| <i>dutasteride-tamsulosin hcl cap 0.5-0.4 mg</i> | 3 | QL (30 caps / 30 days) |
| <i>finasteride</i> TABS 5mg | 1 | QL (30 tabs / 30 days) |
| <i>silodosin</i> CAPS 4mg, 8mg | 3 | QL (30 caps / 30 days) |
| <i>tadalafil</i> TABS 5mg | 3 | QL (30 tabs / 30 days), PA |
| <i>tamsulosin hcl</i> CAPS .4mg | 1 | QL (60 caps / 30 days) |
| MISCELLANEOUS | | |
| <i>acetic acid</i> SOLN .25% | 2 | |
| <i>bethanechol chloride</i> TABS 5mg, 10mg, 25mg, 50mg | 3 | |
| <i>potassium citrate (alkalinizer)</i> TBCR 15meq, 540mg, 1080mg | 3 | |
| URINARY ANTISPASMODICS | | |
| <i>darifenacin hydrobromide</i> TB24 7.5mg, 15mg | 4 | QL (30 tabs / 30 days), ST |
| <i>fesoterodine fumarate</i> TB24 4mg, 8mg | 4 | QL (30 tabs / 30 days) |
| GEMTESA TABS 75mg | 3 | QL (30 tabs / 30 days) |
| MYRBETRIQ SRER 8mg/ml | 3 | QL (300 mL / 28 days) |
| MYRBETRIQ TB24 25mg, 50mg | 3 | QL (30 tabs / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>oxybutynin chloride</i> SOLN 5mg/5ml | 3 | QL (600 mL / 30 days) |
| <i>oxybutynin chloride</i> TABS 5mg | 3 | QL (120 tabs / 30 days) |
| <i>oxybutynin chloride</i> TB24 5mg | 3 | QL (30 tabs / 30 days) |
| <i>oxybutynin chloride</i> TB24 10mg, 15mg | 3 | QL (60 tabs / 30 days) |
| <i>solifenacin succinate</i> TABS 5mg, 10mg | 4 | QL (30 tabs / 30 days) |
| <i>tolterodine tartrate</i> CP24 2mg, 4mg | 4 | QL (30 caps / 30 days) |
| <i>tolterodine tartrate</i> TABS 1mg, 2mg | 4 | QL (60 tabs / 30 days) |
| <i>tropium chloride</i> CP24 60mg | 4 | QL (30 caps / 30 days) |
| <i>tropium chloride</i> TABS 20mg | 3 | QL (60 tabs / 30 days) |
| VAGINAL ANTI-INFECTIVES | | |
| <i>clindamycin phosphate vaginal</i> CREA 2% | 3 | |
| <i>metronidazole vaginal</i> GEL .75% | 3 | |
| <i>terconazole vaginal</i> CREA .4%, .8%; SUPP 80mg | 3 | |
| HEMATOLOGIC | | |
| ANTICOAGULANTS | | |
| <i>dabigatran etexilate mesylate</i> CAPS 75mg, 150mg | 3 | QL (60 caps / 30 days) |
| <i>dabigatran etexilate mesylate</i> CAPS 110mg | 3 | QL (120 caps / 30 days) |
| ELIQUIS CPSP .15mg | 3 | QL (56 caps / 21 days) |
| ELIQUIS TABS 2.5mg | 3 | QL (60 tabs / 30 days) |
| ELIQUIS TABS 5mg | 3 | QL (74 tabs / 30 days) |
| ELIQUIS TBSO .5mg | 3 | QL (588 tabs / 29 days) |
| ELIQUIS (1.5MG PACK) 3 X TBSO .5mg | 3 | QL (591 tabs / 29 days) |
| ELIQUIS (2MG PACK) 4 X TBSO .5mg | 3 | QL (592 tabs / 30 days) |
| ELIQUIS STARTER PACK TBPK 5mg | 3 | QL (74 tabs / 30 days) |
| <i>enoxaparin sodium</i> SOLN 300mg/3ml; SOSY 30mg/0.3ml, 40mg/0.4ml, 60mg/0.6ml, 80mg/0.8ml, 100mg/ml, 120mg/0.8ml, 150mg/ml | 4 | |
| <i>fondaparinux sodium</i> SOLN 2.5mg/0.5ml | 4 | |
| <i>fondaparinux sodium</i> SOLN 5mg/0.4ml, 7.5mg/0.6ml, 10mg/0.8ml | 5 | NDS |
| HEP SOD/NAACL INJ 25000UNT | 3 | |
| <i>heparin sodium (porcine)</i> SOLN 1000unit/ml, 5000unit/ml, 10000unit/ml, 20000unit/ml | 3 | B/D |
| <i>jantoven</i> TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg | 1 | |
| <i>rivaroxaban</i> SUSR 1mg/ml | 3 | QL (620 mL / 30 days) |
| <i>rivaroxaban</i> TABS 2.5mg | 3 | QL (60 tabs / 30 days) |
| <i>warfarin sodium</i> TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg | 1 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------|------------------|----------------------------------------|
| XARELTO TABS 2.5mg | 3 | QL (60 tabs / 30 days) |
| XARELTO TABS 10mg, 15mg, 20mg | 3 | QL (30 tabs / 30 days) |
| XARELTO STAR TAB 15/20MG | 3 | QL (51 tabs / 30 days) |
| HEMATOPOIETIC GROWTH FACTORS | | |
| FULPHILA SOSY 6mg/0.6ml | 5 | NDS, QL (2 syringes / 28 days), NM, PA |
| PROCRIT SOLN 2000unit/ml, 3000unit/ml, 4000unit/ml, 10000unit/ml | 3 | NM, PA |
| PROCRIT SOLN 20000unit/ml, 40000unit/ml | 5 | NDS, NM, PA |
| ZARXIO SOSY 300mcg/0.5ml, 480mcg/0.8ml | 5 | NDS, NM, PA |
| MISCELLANEOUS | | |
| ALVAIZ TABS 9mg, 54mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| ALVAIZ TABS 18mg, 36mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| <i>anagrelide hcl</i> CAPS .5mg, 1mg | 4 | |
| BERINERT KIT 500unit | 5 | NDS, QL (24 boxes / 30 days), NM, PA |
| <i>cilostazol</i> TABS 50mg, 100mg | 2 | |
| DOPTELET TABS 20mg | 5 | NDS, NM, PA |
| DOPTELET SPRINKLE CPSP 10mg | 5 | NDS, NM, PA |
| DROXIA CAPS 200mg, 300mg, 400mg | 4 | |
| HAEGARDA SOLR 2000unit | 5 | NDS, QL (30 vials / 30 days), NM, PA |
| HAEGARDA SOLR 3000unit | 5 | NDS, QL (20 vials / 30 days), NM, PA |
| <i>icatibant acetate</i> SOSY 30mg/3ml | 5 | NDS, QL (9 syringes / 30 days), NM, PA |
| <i>l-glutamine (sickle cell)</i> PACK 5gm | 5 | NDS, NM, PA |
| <i>pentoxifylline</i> TBCR 400mg | 2 | |
| <i>sajazir</i> SOSY 30mg/3ml | 5 | NDS, QL (9 syringes / 30 days), NM, PA |
| SIKLOS TABS 100mg | 4 | |
| SIKLOS TABS 1000mg | 5 | NDS |
| TAVNEOS CAPS 10mg | 5 | NDS, QL (180 caps / 30 days), NM, PA |
| <i>tranexamic acid</i> SOLN 1000mg/10ml | 4 | |
| <i>tranexamic acid</i> TABS 650mg | 3 | |
| PLATELET AGGREGATION INHIBITORS | | |
| <i>aspirin-dipyridamole cap er 12hr 25-200 mg</i> | 4 | |
| <i>clopidogrel bisulfate</i> TABS 75mg | 1 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------|------------------|---------------------------------------------|
| <i>dipyridamole</i> TABS 25mg, 50mg, 75mg | 3 | PA; PA applies if 65 years and older |
| <i>prasugrel hcl</i> TABS 5mg, 10mg | 3 | |
| <i>ticagrelor</i> TABS 60mg, 90mg | 3 | |
| IMMUNOLOGIC AGENTS | | |
| AUTOIMMUNE AGENTS | | |
| ADALIMUMAB-BWWD SOAJ 40mg/0.4ml | 5 | NDS, QL (6 autoinjectors / 28 days), NM, PA |
| ADALIMUMAB-BWWD SOSY 40mg/0.4ml | 5 | NDS, QL (6 syringes / 28 days), NM, PA |
| BIMZELX SOAJ 160mg/ml, 320mg/2ml | 5 | NDS, QL (2 pens / 28 days), NM, PA |
| BIMZELX SOSY 160mg/ml, 320mg/2ml | 5 | NDS, QL (2 syringes / 28 days), NM, PA |
| DUPIXENT SOAJ 200mg/1.14ml, 300mg/2ml | 5 | NDS, QL (4 pens / 28 days), NM, PA |
| DUPIXENT SOSY 200mg/1.14ml, 300mg/2ml | 5 | NDS, QL (4 syringes / 28 days), NM, PA |
| ENBREL SOLN 25mg/0.5ml | 5 | NDS, QL (16 vials / 28 days), NM, PA |
| ENBREL SOSY 25mg/0.5ml | 5 | NDS, QL (16 syringes / 28 days), NM, PA |
| ENBREL SOSY 50mg/ml | 5 | NDS, QL (8 syringes / 28 days), NM, PA |
| ENBREL MINI SOCT 50mg/ml | 5 | NDS, QL (8 cartridges / 28 days), NM, PA |
| ENBREL SURECLICK SOAJ 50mg/ml | 5 | NDS, QL (8 pens / 28 days), NM, PA |
| HADLIMA SOSY 40mg/0.4ml, 40mg/0.8ml | 5 | NDS, QL (6 syringes / 28 days), NM, PA |
| HADLIMA PUSH TOUCH SOAJ 40mg/0.4ml, 40mg/0.8ml | 5 | NDS, QL (6 autoinjectors / 28 days), NM, PA |
| HUMIRA PSKT 10mg/0.1ml | 5 | NDS, QL (2 syringes / 28 days), NM, PA |
| HUMIRA PSKT 20mg/0.2ml | 5 | NDS, QL (4 syringes / 28 days), NM, PA |
| HUMIRA PSKT 40mg/0.4ml, 40mg/0.8ml | 5 | NDS, QL (6 syringes / 28 days), NM, PA |
| HUMIRA PEN AJKT 40mg/0.4ml, 40mg/0.8ml | 5 | NDS, QL (6 pens / 28 days), NM, PA |
| HUMIRA PEN AJKT 80mg/0.8ml | 5 | NDS, QL (4 pens / 28 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------|------------------|-----------------------------------------|
| HUMIRA PEN KIT PS/UV | 5 | NDS, QL (3 pens / 28 days), NM, PA |
| HUMIRA PEN-CD/UC/HS START AJKT 80mg/0.8ml | 5 | NDS, QL (3 pens / 28 days), NM, PA |
| INFLIXIMAB SOLR 100mg | 5 | NDS, NM, PA |
| KINERET SOSY 100mg/0.67ml | 5 | NDS, QL (28 syringes / 28 days), NM, PA |
| PYZCHIVA SOAJ 45mg/0.5ml | 3 | QL (1 pen / 28 days), NM, PA |
| PYZCHIVA SOAJ 90mg/ml | 5 | NDS, QL (1 pen / 28 days), NM, PA |
| PYZCHIVA SOLN 45mg/0.5ml | 3 | QL (1 vial / 28 days), NM, PA |
| PYZCHIVA SOLN 130mg/26ml | 5 | NDS, NM, PA |
| PYZCHIVA SOSY 45mg/0.5ml | 3 | QL (1 syringe / 28 days), NM, PA |
| PYZCHIVA SOSY 90mg/ml | 5 | NDS, QL (1 syringe / 28 days), NM, PA |
| REMICADE SOLR 100mg | 5 | NDS, NM, PA |
| RENFLEXIS SOLR 100mg | 5 | NDS, NM, PA |
| RINVOQ TB24 15mg, 30mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| RINVOQ TB24 45mg | 5 | NDS, QL (168 tabs / year), NM, PA |
| RINVOQ LQ SOLN 1mg/ml | 5 | NDS, QL (360 mL / 30 days), NM, PA |
| SKYRIZI SOCT 180mg/1.2ml, 360mg/2.4ml | 5 | NDS, QL (1 cartridge / 56 days), NM, PA |
| SKYRIZI SOLN 600mg/10ml | 5 | NDS, NM, PA |
| SKYRIZI SOSY 150mg/ml | 5 | NDS, QL (6 syringes / 365 days), NM, PA |
| SKYRIZI PEN SOAJ 150mg/ml | 5 | NDS, QL (6 pens / 365 days), NM, PA |
| SOTYKTU TABS 6mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| STELARA SOLN 45mg/0.5ml | 5 | NDS, QL (1 vial / 28 days), NM, PA |
| STELARA SOLN 130mg/26ml | 5 | NDS, NM, PA |
| STELARA SOSY 45mg/0.5ml, 90mg/ml | 5 | NDS, QL (1 syringe / 28 days), NM, PA |
| TREMFYA SOAJ 200mg/2ml | 5 | NDS, QL (2 pens / 28 days), NM, PA |
| TREMFYA SOLN 200mg/20ml | 5 | NDS, NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------|------------------|----------------------------------------|
| TREMFYA SOPN 100mg/ml | 5 | NDS, QL (1 pen / 28 days), NM, PA |
| TREMFYA SOSY 100mg/ml | 5 | NDS, QL (1 syringe / 28 days), NM, PA |
| TREMFYA SOSY 200mg/2ml | 5 | NDS, QL (2 syringes / 28 days), NM, PA |
| TREMFYA INDUCTION PACK FO SOAJ 200mg/2ml | 5 | NDS, QL (2 pens / 28 days), NM, PA |
| TREMFYA PEN SOAJ 100mg/ml | 5 | NDS, QL (1 pen / 28 days), NM, PA |
| TYENNE SOAJ 162mg/0.9ml | 5 | NDS, QL (4 pens / 28 days), NM, PA |
| TYENNE SOLN 80mg/4ml, 200mg/10ml, 400mg/20ml | 5 | NDS, NM, PA |
| TYENNE SOSY 162mg/0.9ml | 5 | NDS, QL (4 syringes / 28 days), NM, PA |
| USTEKINUMAB SOLN 45mg/0.5ml | 5 | NDS, QL (1 vial / 28 days), NM, PA |
| USTEKINUMAB SOLN 130mg/26ml | 5 | NDS, NM, PA |
| USTEKINUMAB SOSY 45mg/0.5ml, 90mg/ml | 5 | NDS, QL (1 syringe / 28 days), NM, PA |
| VELSIPITY TABS 2mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| XELJANZ SOLN 1mg/ml | 5 | NDS, QL (480 mL / 24 days), NM, PA |
| XELJANZ TABS 5mg, 10mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| XELJANZ XR TB24 11mg, 22mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| YESINTEK SOLN 45mg/0.5ml | 3 | QL (1 vial / 28 days), NM, PA |
| YESINTEK SOLN 130mg/26ml | 3 | NM, PA |
| YESINTEK SOSY 45mg/0.5ml | 3 | QL (1 syringe / 28 days), NM, PA |
| YESINTEK SOSY 90mg/ml | 5 | NDS, QL (1 syringe / 28 days), NM, PA |
| <i>DISEASE-MODIFYING ANTI-RHEUMATIC DRUGS (DMARDS)</i> | | |
| <i>hydroxychloroquine sulfate</i> TABS 200mg | 3 | |
| JYLAMVO SOLN 2mg/ml | 4 | B/D |
| <i>leflunomide</i> TABS 10mg, 20mg | 3 | QL (30 tabs / 30 days) |
| <i>methotrexate sodium</i> TABS 2.5mg | 3 | |
| XATMEP SOLN 2.5mg/ml | 4 | B/D |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------------|
| IMMUNOGLOBULINS | | |
| ALYGLO SOLN 5gm/50ml, 10gm/100ml, 20gm/200ml | 5 | NDS, NM, PA |
| BIVIGAM SOLN 5gm/50ml, 10% | 5 | NDS, NM, PA |
| FLEBOGAMMA DIF SOLN 5gm/100ml, 10gm/200ml, 20gm/400ml | 5 | NDS, NM, PA |
| GAMASTAN INJ | 4 | B/D, NM |
| GAMMAGARD LIQUID SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | 5 | NDS, NM, PA |
| GAMMAGARD LIQUID ERC SOLN 5gm/50ml, 10gm/100ml | 5 | NDS, NM, PA |
| GAMMAGARD S/D IGA LESS TH SOLR 5gm, 10gm | 5 | NDS, NM, PA |
| GAMMAKED SOLN 1gm/10ml, 5gm/50ml, 10gm/100ml, 20gm/200ml | 5 | NDS, NM, PA |
| GAMMAPLEX SOLN 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 20gm/400ml | 5 | NDS, NM, PA |
| GAMUNEX-C SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | 5 | NDS, NM, PA |
| OCTAGAM SOLN 1gm/20ml, 2gm/20ml, 2.5gm/50ml, 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 30gm/300ml | 5 | NDS, NM, PA |
| PANZYGA SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | 5 | NDS, NM, PA |
| PRIVIGEN SOLN 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | 5 | NDS, NM, PA |
| IMMUNOMODULATORS | | |
| ACTIMMUNE SOLN 100mcg/0.5ml | 5 | NDS, NM, PA |
| ARCALYST SOLR 220mg | 5 | NDS, NM, PA |
| IMMUNOSUPPRESSANTS | | |
| ASTAGRAF XL CP24 5mg | 5 | NDS, B/D |
| ASTAGRAF XL CP24 .5mg, 1mg | 4 | B/D |
| azathioprine TABS 50mg | 3 | B/D |
| BENLYSTA SOAJ 200mg/ml | 5 | NDS, QL (8 pens / 28 days), NM, PA |
| BENLYSTA SOLR 120mg, 400mg | 5 | NDS, NM, PA |
| BENLYSTA SOSY 200mg/ml | 5 | NDS, QL (8 syringes / 28 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------|------------------|----------------------------------------|
| <i>cyclosporine</i> CAPS 25mg, 100mg | 4 | B/D |
| <i>cyclosporine modified (for microemulsion)</i> CAPS 25mg, 50mg, 100mg; SOLN 100mg/ml | 4 | B/D |
| <i>everolimus (immunosuppressant)</i> TABS .5mg, .75mg, 1mg | 5 | NDS, B/D |
| <i>everolimus (immunosuppressant)</i> TABS .25mg | 4 | B/D |
| <i>gengraf</i> CAPS 25mg, 100mg | 4 | B/D |
| <i>mycophenolate mofetil</i> CAPS 250mg; TABS 500mg | 3 | B/D |
| <i>mycophenolate mofetil</i> SUSR 200mg/ml | 5 | NDS, B/D |
| <i>mycophenolate sodium</i> TBEC 180mg, 360mg | 4 | B/D |
| NULOJIX SOLR 250mg | 5 | NDS, B/D |
| PROGRAF PACK .2mg, 1mg | 4 | B/D |
| REZUROCK TABS 200mg | 5 | NDS, QL (30 tabs / 30 days), NM, PA |
| <i>sirolimus</i> SOLN 1mg/ml; TABS .5mg, 1mg, 2mg | 4 | B/D |
| <i>tacrolimus</i> CAPS .5mg, 1mg, 5mg | 4 | B/D |
| VACCINES | | |
| ABRYSVO SOLR 120mcg/0.5ml | 1 | PA |
| ACTHIB INJ | 1 | |
| ADACEL INJ | 1 | |
| AREXVY SUSR 120mcg/0.5ml | 1 | PA |
| BCG VACCINE SOLR 50mg | 1 | |
| BEXSERO SUSY .5ml | 1 | |
| BOOSTRIX INJ | 1 | |
| DAPTACEL INJ | 1 | |
| DENGVAXIA SUS | 1 | |
| ENGERIX-B SUSP 20mcg/ml; SUSY 10mcg/0.5ml, 20mcg/ml | 1 | B/D |
| GARDASIL 9 SUSP .5ml; SUSY .5ml | 1 | |
| HAVRIX SUSY 720elu/0.5ml, 1440unit/ml | 1 | |
| HEPLISAV-B SOSY 20mcg/0.5ml | 1 | B/D |
| HIBERIX SOLR 10mcg | 1 | |
| IMOVAX RABIES (H.D.C.V.) SUSR 2.5unit/ml | 1 | B/D |
| INFANRIX INJ | 1 | |
| IPOL INJ INACTIVE | 1 | |
| IXIARO INJ | 1 | |
| JYNNEOS SUSP .5ml | 1 | B/D |
| KINRIX INJ | 1 | |
| M-M-R II INJ | 1 | |
| MENQUADFI SOLN .5ml | 1 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------|------------------|------------------------------|
| MENVEO INJ | 1 | |
| MENVEO SOL | 1 | |
| MRESVIA SUSY 50mcg/0.5ml | 1 | PA |
| PEDIARIX INJ 0.5ML | 1 | |
| PEDVAX HIB SUSP 7.5mcg/0.5ml | 1 | |
| PENBRAYA INJ | 1 | |
| PENMENVY INJ | 1 | |
| PENTACEL INJ | 1 | |
| PRIORIX INJ | 1 | |
| PROQUAD INJ | 1 | |
| QUADRACEL INJ 0.5ML | 1 | |
| RABAVERT INJ | 1 | B/D |
| RECOMBIVAX HB SUSP 5mcg/0.5ml, 10mcg/ml, 40mcg/ml; SUSY 5mcg/0.5ml, 10mcg/ml | 1 | B/D |
| ROTARIX SUS | 1 | |
| ROTATEQ SOL | 1 | |
| SHINGRIX SUSR 50mcg/0.5ml | 1 | QL (2 vials per lifetime) |
| SHINGRIX SUSY 50mcg/0.5ml | 1 | QL (2 syringes per lifetime) |
| TENIVAC INJ 5-2LF | 1 | B/D |
| TICOVAC SUSY 1.2mcg/0.25ml, 2.4mcg/0.5ml | 1 | |
| TRUMENBA SUSY .5ml | 1 | |
| TWINRIX INJ | 1 | |
| TYPHIM VI SOLN 25mcg/0.5ml; SOSY 25mcg/0.5ml | 1 | |
| VAQTA SUSP 25unit/0.5ml, 50unit/ml; SUSY 25unit/0.5ml, 50unit/ml | 1 | |
| VARIVAX SUSR 1350pfu/0.5ml | 1 | |
| VAXCHORA SUS | 1 | |
| VIMKUNYA SUSY 40mcg/0.8ml | 1 | |
| VIVOTIF CAP EC | 1 | |
| YF-VAX INJ | 1 | |
| NUTRITIONAL/SUPPLEMENTS | | |
| <i>ELECTROLYTES/MINERALS, INJECTABLE</i> | | |
| D2.5W/NACL INJ 0.45% | 4 | |
| D5W/NACL INJ 0.2% | 3 | |
| D5W/NACL INJ 0.45% | 3 | |
| D10W/NACL INJ 0.2% | 3 | |
| D10W/NACL INJ 0.45% | 3 | |
| <i>dextrose 2.5% w/ sodium chloride 0.45%</i> | 3 | |
| <i>dextrose 5% in lactated ringers</i> | 3 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>dextrose 5% w/ sodium chloride 0.3%</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.9%</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.45%</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.225%</i> | 3 | |
| ISOLYTE-P INJ /D5W | 4 | |
| ISOLYTE-S INJ PH 7.4 | 4 | |
| <i>kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.9% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.9% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.149%) in nacl 0.9% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.149%) in nacl 0.45% inj</i> | 3 | |
| <i>kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.9% inj</i> | 3 | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| <i>kcl 40 meq/l (0.3%) in nacl 0.9% inj</i> | 3 | |
| <i>kcl 40 meq/l (0.298%) in nacl 0.9% inj</i> | 3 | |
| KCL/D5W/NACL INJ 0.3/0.9% | 4 | |
| KCL/D5W/NACL INJ 0.15/0.2 | 3 | |
| LACTATED RIN INJ | 4 | |
| <i>lactated ringer's solution</i> | 3 | |
| <i>magnesium sulfate SOLN 2gm/50ml, 3gm/100ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml, 50%</i> | 3 | |
| <i>MAGNESIUM SULFATE SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml</i> | 3 | |
| <i>magnesium sulfate in dextrose 5% iv soln 1 gm/100ml</i> | 3 | |
| <i>multiple electrolytes ph 5.5</i> | 4 | |
| POT CHL 20MEQ/L IN NACL 0.9% INJ | 4 | |
| POT CHL 20MEQ/L IN NACL 0.45% INJ | 4 | |
| POT CHL 40MEQ/L IN NACL 0.9% INJ | 4 | |
| <i>potassium chloride SOLN 2meq/ml, 10meq/100ml, 10meq/50ml, 20meq/100ml, 20meq/50ml, 40meq/100ml</i> | 3 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------|------------------|----------------------------|
| <i>potassium chloride 20 meq/l (0.15%) in dextrose 5% inj</i> | 3 | |
| <i>sodium chloride SOLN .45%, .9%, 2.5meq/ml, 3%, 5%</i> | 3 | |
| TPN ELECTROL INJ | 4 | B/D |
| <i>ELECTROLYTES/MINERALS/VITAMINS, ORAL</i> | | |
| <i>klor-con PACK 20meq</i> | 4 | |
| KLOR-CON 8 TBCR 8meq | 2 | |
| <i>klor-con 10 TBCR 10meq</i> | 2 | |
| KLOR-CON 10 TBCR 10meq | 2 | |
| <i>klor-con m10 TBCR 10meq</i> | 2 | |
| <i>klor-con m15 TBCR 15meq</i> | 2 | |
| <i>klor-con m20 TBCR 20meq</i> | 2 | |
| M-NATAL PLUS TAB | 3 | |
| <i>potassium chloride CPCR 8meq, 10meq; TBCR 8meq, 10meq, 20meq</i> | 2 | |
| <i>potassium chloride PACK 20meq; SOLN 10%, 20%</i> | 4 | |
| <i>potassium chloride microencapsulated crystals er TBCR 10meq, 15meq, 20meq</i> | 2 | |
| PRENATAL TAB 27-1MG | 3 | |
| PRENATAL TAB PLUS | 3 | |
| <i>sodium fluoride chew; tab; 1.1 (0.5 f) mg/ml soln</i> | 2 | |
| WESTAB PLUS TAB 27-1MG | 3 | |
| <i>IV NUTRITION</i> | | |
| <i>aminosyn ii soln 15%</i> | 4 | B/D |
| AMINOSYN INJ 10% | 4 | B/D |
| AMINOSYN-PF INJ 10% | 4 | B/D |
| CLINIMIX INJ 4.25/D5W | 4 | B/D |
| CLINIMIX INJ 4.25/D10 | 4 | B/D |
| CLINIMIX INJ 5%/D15W | 4 | B/D |
| CLINIMIX INJ 5%/D20W | 4 | B/D |
| CLINIMIX INJ 6/5 | 4 | B/D |
| CLINIMIX INJ 8/10 | 4 | B/D |
| CLINIMIX INJ 8/14 | 4 | B/D |
| <i>clinisol sf 15%</i> | 4 | B/D |
| CLINOLIPID EMU 20% | 4 | B/D |
| <i>dextrose SOLN 5%, 10%</i> | 3 | |
| <i>dextrose SOLN 50%</i> | 3 | B/D |
| DEXTROSE 10% SOLN 10% | 3 | |
| DEXTROSE 70% SOLN 70% | 3 | B/D |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|------------------|----------------------------|
| INTRALIPID EMUL 20gm/100ml, 30gm/100ml | 4 | B/D |
| NUTRILIPID EMUL 20gm/100ml | 4 | B/D |
| <i>plenamine</i> | 4 | B/D |
| PREMASOL SOL 10% | 5 | NDS, B/D |
| PROSOL INJ 20% | 4 | B/D |
| TRAVASOL INJ 10% | 4 | B/D |
| TROPHAMINE INJ 10% | 4 | B/D |
| OPHTHALMIC | | |
| ANTI-INFECTIVE/ANTI-INFLAMMATORY | | |
| <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | 3 | |
| <i>loteprednol etabonate-tobramycin ophth susp 0.5-0.3%</i> | 3 | |
| <i>neomycin-polymyxin-dexamethasone ophth oint 0.1%</i> | 2 | |
| <i>neomycin-polymyxin-dexamethasone ophth susp 0.1%</i> | 2 | |
| <i>neomycin-polymyxin-hc ophth susp</i> | 4 | |
| <i>sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)%</i> | 2 | |
| TOBRADEX OIN 0.3-0.1% | 3 | |
| <i>tobramycin-dexamethasone ophth susp 0.3-0.1%</i> | 3 | |
| ZYLET SUS 0.5-0.3% | 3 | |
| ANTI-INFECTIVES | | |
| <i>bacitracin (ophthalmic) OINT 500unit/gm</i> | 3 | |
| <i>bacitracin-polymyxin b ophth oint</i> | 2 | |
| <i>besifloxacin hcl SUSP .6%</i> | 3 | |
| BESIVANCE SUSP .6% | 3 | |
| CILOXAN OINT .3% | 3 | |
| <i>ciprofloxacin hcl (ophth) SOLN .3%</i> | 2 | |
| <i>erythromycin (ophth) OINT 5mg/gm</i> | 2 | |
| <i>gatifloxacin (ophth) SOLN .5%</i> | 3 | |
| <i>gentamicin sulfate (ophth) SOLN .3%</i> | 2 | |
| <i>moxifloxacin hcl (ophth) SOLN .5%</i> | 3 | QL (12 mL / 30 days) |
| NATACYN SUSP 5% | 4 | |
| <i>neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin</i> | 3 | |
| <i>neomycin-polymy-gramicid op sol 1.75-10000-0.025mg-unt-mg/ml</i> | 3 | |
| <i>ofloxacin (ophth) SOLN .3%</i> | 2 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------|------------------|----------------------------|
| <i>polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1%</i> | 1 | |
| <i>sulfacetamide sodium (ophth) SOLN 10%</i> | 3 | |
| <i>tobramycin (ophth) SOLN .3%</i> | 1 | |
| <i>trifluridine SOLN 1%</i> | 4 | |
| XDEMVI SOLN .25% | 5 | NDS, NM, PA |
| ZIRGAN GEL .15% | 4 | |
| ANTI-INFLAMMATORIES | | |
| <i>dexamethasone sodium phosphate (ophth) SOLN .1%</i> | 3 | |
| <i>diclofenac sodium (ophth) SOLN .1%</i> | 2 | |
| <i>difluprednate EMUL .05%</i> | 4 | |
| <i>fluorometholone (ophth) SUSP .1%</i> | 3 | |
| <i>flurbiprofen sodium SOLN .03%</i> | 3 | |
| <i>ketorolac tromethamine (ophth) SOLN .4%</i> | 3 | |
| <i>ketorolac tromethamine (ophth) SOLN .5%</i> | 2 | |
| LOTEMAX OINT .5% | 3 | |
| <i>prednisolone acetate (ophth) SUSP 1%</i> | 3 | |
| PREDNISOLONE SODIUM PHOSP SOLN 1% | 3 | |
| ANTIALLERGICS | | |
| <i>azelastine hcl (ophth) SOLN .05%</i> | 2 | |
| <i>cromolyn sodium (ophth) SOLN 4%</i> | 2 | |
| ZERVIAE SOLN .24% | 4 | |
| ANTI GLAUCOMA | | |
| <i>betaxolol hcl (ophth) SOLN .5%</i> | 3 | |
| <i>brimonidine tartrate SOLN .2%</i> | 1 | |
| <i>brinzolamide SUSP 1%</i> | 4 | ST |
| <i>carteolol hcl (ophth) SOLN 1%</i> | 2 | |
| COMBIGAN SOL 0.2/0.5% | 3 | |
| <i>dorzolamide hcl SOLN 2%</i> | 2 | |
| <i>dorzolamide hcl-timolol maleate ophth soln 2-0.5%</i> | 2 | |
| <i>latanoprost SOLN .005%</i> | 1 | |
| <i>levobunolol hcl SOLN .5%</i> | 2 | |
| LUMIGAN SOLN .01% | 3 | |
| <i>pilocarpine hcl SOLN 1%, 2%, 4%</i> | 3 | |
| RHOPRESSA SOLN .02% | 4 | |
| ROCKLATAN DRO | 4 | |
| SIMBRINZA SUS 1-0.2% | 4 | |
| <i>timolol maleate (ophth) SOLG .25%, .5%</i> | 3 | |
| <i>timolol maleate (ophth) SOLN .25%, .5%</i> | 1 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------|------------------|----------------------------|
| <i>travoprost</i> SOLN .004% | 4 | |
| VYZULTA SOLN .024% | 4 | |
| MISCELLANEOUS | | |
| ATROPINE SULFATE SOLN 1% | 3 | |
| <i>atropine sulfate (ophthalmic)</i> SOLN 1% | 3 | |
| CYSTADROPS SOLN .37% | 5 | NDS, NM, PA |
| CYSTARAN SOLN .44% | 5 | NDS, NM, PA |
| EYSUVIS SUSP .25% | 4 | |
| MIEBO SOLN 1.338gm/ml | 3 | |
| <i>proparacaine hcl</i> SOLN .5% | 3 | |
| RESTASIS EMUL .05% | 3 | |
| RESTASIS MULTIDOSE EMUL .05% | 3 | |
| XIIDRA SOLN 5% | 3 | |
| OTIC | | |
| OTIC AGENTS | | |
| <i>acetic acid (otic)</i> SOLN 2% | 3 | |
| <i>ciprofloxacin-dexamethasone otic susp 0.3-0.1%</i> | 4 | |
| <i>flac</i> OIL .01% | 3 | |
| <i>fluocinolone acetonide (otic)</i> OIL .01% | 3 | |
| <i>hydrocortisone w/ acetic acid otic soln 1-2%</i> | 4 | |
| <i>neomycin-polymyxin-hc otic soln 1%</i> | 3 | |
| <i>neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%</i> | 3 | |
| <i>ofloxacin (otic)</i> SOLN .3% | 4 | |
| RESPIRATORY | | |
| ANTICHOLINERGIC/BETA AGONIST COMBINATIONS | | |
| ANORO ELLIPT AER 62.5-25 | 3 | QL (60 blisters / 30 days) |
| BEVESPI AER 9-4.8MCG | 3 | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE | 3 | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK) | 3 | QL (4 inhalers / 28 days) |
| COMBIVENT AER 20-100 | 4 | QL (2 inhalers / 30 days) |
| <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | 3 | B/D |
| TRELEGY AER ELLIPTA 100-62.5-25 MCG | 3 | QL (60 blisters / 30 days) |
| TRELEGY AER ELLIPTA 200-62.5-25 MCG | 3 | QL (60 blisters / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------|
| ANTICHOLINERGICS | | |
| ATROVENT HFA AERS 17mcg/act | 4 | QL (2 inhalers / 30 days) |
| INCRUSE ELLIPTA AEPB 62.5mcg/inh | 3 | QL (30 blisters / 30 days) |
| <i>ipratropium bromide</i> SOLN .02% | 2 | B/D |
| <i>ipratropium bromide (nasal)</i> SOLN .03%, .06% | 3 | |
| SPIRIVA RESPIMAT AERS 1.25mcg/act | 4 | QL (1 inhaler / 30 days) |
| ANTI HISTAMINES | | |
| <i>azelastine hcl</i> SOLN .1% | 2 | |
| <i>cetirizine hcl</i> SOLN 5mg/5ml | 2 | QL (300 mL / 30 days) |
| <i>cyproheptadine hcl</i> SYRP 2mg/5ml; TABS 4mg | 3 | PA; PA applies if 65 years and older after a 30 day supply in a calendar year |
| <i>desloratadine</i> TABS 5mg | 3 | QL (30 tabs / 30 days) |
| <i>diphenhydramine hcl</i> SOLN 50mg/ml | 3 | |
| <i>hydroxyzine hcl</i> SOLN 25mg/ml, 50mg/ml | 4 | PA; PA applies if 65 years and older |
| <i>hydroxyzine hcl</i> SYRP 10mg/5ml; TABS 10mg, 25mg, 50mg | 3 | PA; PA applies if 65 years and older after a 30 day supply in a calendar year |
| <i>hydroxyzine pamoate</i> CAPS 25mg, 50mg | 3 | PA; PA applies if 65 years and older after a 30 day supply in a calendar year |
| <i>levocetirizine dihydrochloride</i> SOLN 2.5mg/5ml | 4 | QL (300 mL / 30 days) |
| <i>levocetirizine dihydrochloride</i> TABS 5mg | 2 | QL (30 tabs / 30 days) |
| <i>olopatadine hcl (nasal)</i> SOLN .6% | 4 | |
| BETA AGONISTS | | |
| <i>albuterol sulfate</i> AERS 108mcg/act | 3 | QL (2 inhalers / 30 days); (generic of Proair HFA) |
| <i>albuterol sulfate</i> AERS 108mcg/act | 3 | QL (2 inhalers / 30 days); (generic of Proventil HFA) |
| <i>albuterol sulfate</i> AERS 108mcg/act | 3 | QL (2 inhalers / 30 days); (generic of Ventolin HFA) |
| <i>albuterol sulfate</i> NEBU .63mg/3ml, 1.25mg/3ml, 2.5mg/0.5ml | 3 | B/D |
| <i>albuterol sulfate</i> NEBU .083% | 2 | B/D |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------|------------------|----------------------------------------|
| <i>albuterol sulfate</i> SYRP 2mg/5ml | 3 | |
| <i>albuterol sulfate</i> TABS 2mg, 4mg | 4 | |
| <i>arformoterol tartrate</i> NEBU 15mcg/2ml | 4 | B/D |
| <i>formoterol fumarate</i> NEBU 20mcg/2ml | 4 | B/D |
| <i>levalbuterol hcl</i> NEBU .31mg/3ml, .63mg/3ml, 1.25mg/0.5ml, 1.25mg/3ml | 4 | B/D |
| <i>levalbuterol tartrate</i> AERO 45mcg/act | 3 | QL (2 inhalers / 30 days), ST |
| SEREVENT DISKUS AEPB 50mcg/dose | 3 | QL (60 inhalations / 30 days) |
| <i>terbutaline sulfate</i> TABS 2.5mg, 5mg | 4 | |
| VENTOLIN HFA AERS 108mcg/act | 3 | QL (2 inhalers / 30 days) |
| VENTOLIN HFA (INSTITUTIONAL PACK) AERS 108mcg/act | 3 | QL (6 inhalers / 30 days) |
| LEUKOTRIENE MODULATORS | | |
| <i>montelukast sodium</i> CHEW 4mg, 5mg | 2 | |
| <i>montelukast sodium</i> PACK 4mg | 4 | |
| <i>montelukast sodium</i> TABS 10mg | 1 | |
| <i>zafirlukast</i> TABS 10mg, 20mg | 3 | |
| MISCELLANEOUS | | |
| <i>acetylcysteine</i> SOLN 10%, 20% | 4 | B/D |
| ALYFTREK TAB 4-20-50 | 5 | NDS, QL (84 tabs / 28 days), NM, PA |
| ALYFTREK TAB 10-50-125 | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| ARALAST NP SOLR 500mg, 1000mg | 5 | NDS, NM, PA |
| <i>cromolyn sodium</i> NEBU 20mg/2ml | 3 | B/D |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.3ml, .3mg/0.3ml | 3 | (generic of EpiPen) |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.15ml, .3mg/0.3ml | 3 | (generic of Adrenaclick) |
| FASENRA SOSY 10mg/0.5ml, 30mg/ml | 5 | NDS, QL (1 syringe / 28 days), NM, PA |
| FASENRA PEN SOAJ 30mg/ml | 5 | NDS, QL (1 pen / 28 days), NM, PA |
| KALYDECO PACK 5.8mg, 13.4mg, 25mg, 50mg, 75mg | 5 | NDS, QL (56 packets / 28 days), NM, PA |
| KALYDECO TABS 150mg | 5 | NDS, QL (60 tabs / 30 days), NM, PA |
| OFEV CAPS 100mg, 150mg | 5 | NDS, QL (60 caps / 30 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------|------------------|----------------------------------------|
| ORKAMBI GRA 75-94MG | 5 | NDS, QL (56 packets / 28 days), NM, PA |
| ORKAMBI GRA 100-125 | 5 | NDS, QL (56 packets / 28 days), NM, PA |
| ORKAMBI GRA 150-188 | 5 | NDS, QL (56 packets / 28 days), NM, PA |
| ORKAMBI TAB 100-125 | 5 | NDS, QL (112 tabs / 28 days), NM, PA |
| ORKAMBI TAB 200-125 | 5 | NDS, QL (112 tabs / 28 days), NM, PA |
| <i>pirfenidone</i> CAPS 267mg | 5 | NDS, QL (270 caps / 30 days), NM, PA |
| <i>pirfenidone</i> TABS 267mg | 5 | NDS, QL (270 tabs / 30 days), NM, PA |
| <i>pirfenidone</i> TABS 534mg, 801mg | 5 | NDS, QL (90 tabs / 30 days), NM, PA |
| PROLASTIN-C SOLN 1000mg/20ml | 5 | NDS, NM, PA |
| PULMOZYME SOLN 2.5mg/2.5ml | 5 | NDS, NM, PA |
| <i>roflumilast</i> TABS 250mcg | 4 | QL (56 tabs / year) |
| <i>roflumilast</i> TABS 500mcg | 4 | QL (30 tabs / 30 days) |
| SYMDEKO TAB 50-75MG | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| SYMDEKO TAB 100-150 | 5 | NDS, QL (56 tabs / 28 days), NM, PA |
| <i>theophylline</i> ELIX 80mg/15ml; SOLN 80mg/15ml; TB12 100mg, 200mg, 300mg, 450mg | 4 | |
| <i>theophylline</i> TB24 400mg, 600mg | 3 | |
| TRIKAFTA PAK 59.5MG | 5 | NDS, QL (56 packs / 28 days), NM, PA |
| TRIKAFTA PAK 75MG | 5 | NDS, QL (56 packs / 28 days), NM, PA |
| TRIKAFTA TAB 50-25-37.5MG & 75MG | 5 | NDS, QL (84 tabs / 28 days), NM, PA |
| TRIKAFTA TAB 100-50-75MG & 150MG | 5 | NDS, QL (84 tabs / 28 days), NM, PA |
| XOLAIR SOAJ 75mg/0.5ml, 300mg/2ml | 5 | NDS, QL (4 pens / 28 days), NM, PA |
| XOLAIR SOAJ 150mg/ml | 5 | NDS, QL (8 pens / 28 days), NM, PA |
| XOLAIR SOLR 150mg | 5 | NDS, QL (8 vials / 28 days), NM, PA |
| XOLAIR SOSY 75mg/0.5ml, 300mg/2ml | 5 | NDS, QL (4 syringes / 28 days), NM, PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|------------------|----------------------------------------|
| XOLAIR SOSY 150mg/ml | 5 | NDS, QL (8 syringes / 28 days), NM, PA |
| ZEMAIRA SOLR 1000mg, 4000mg, 5000mg | 5 | NDS, NM, PA |
| NASAL STEROIDS | | |
| <i>flunisolide (nasal)</i> SOLN .025% | 3 | QL (3 bottles / 30 days) |
| <i>fluticasone propionate (nasal)</i> SUSP 50mcg/act | 2 | QL (1 bottle / 30 days) |
| <i>mometasone furoate (nasal)</i> SUSP 50mcg/act | 4 | QL (2 bottles / 30 days) |
| XHANCE EXHU 93mcg/act | 4 | QL (32 mL / 30 days), PA |
| STEROID INHALANTS | | |
| ALVESCO AERS 80mcg/act | 4 | QL (3 inhalers / 30 days) |
| ALVESCO AERS 160mcg/act | 4 | QL (2 inhalers / 30 days) |
| ARNUITY ELLIPTA AEPB 50mcg/act, 100mcg/act, 200mcg/act | 3 | QL (30 inhalations / 30 days) |
| <i>budesonide (inhalation)</i> SUSP .25mg/2ml, .5mg/2ml | 4 | B/D |
| STEROID/BETA-AGONIST COMBINATIONS | | |
| ADVAIR HFA AER 45/21 | 3 | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 115/21 | 3 | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 230/21 | 3 | QL (1 inhaler / 30 days) |
| AIRSUPRA AER 90-80MCG | 3 | QL (3 inhalers / 30 days) |
| BREO ELLIPTA INH 50-25MCG | 3 | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 100-25 | 3 | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 200-25 | 3 | QL (60 blisters / 30 days) |
| <i>breyna</i> | 3 | QL (3 inhalers / 30 days) |
| <i>budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act</i> | 3 | QL (3 inhalers / 30 days) |
| <i>budesonide-formoterol fumarate dihyd aerosol 160-4.5 mcg/act</i> | 3 | QL (3 inhalers / 30 days) |
| DULERA AER 50-5MCG | 4 | QL (3 inhalers / 30 days) |
| DULERA AER 100-5MCG | 4 | QL (3 inhalers / 30 days) |
| DULERA AER 200-5MCG | 4 | QL (3 inhalers / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|------------------|-------------------------------------------------------------|
| <i>fluticasone-salmeterol aer powder ba 100-50 mcg/act</i> | 3 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>fluticasone-salmeterol aer powder ba 250-50 mcg/act</i> | 3 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>fluticasone-salmeterol aer powder ba 500-50 mcg/act</i> | 3 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>wixela inhub</i> | 3 | QL (60 inhalations / 30 days) |

TOPICAL

DERMATOLOGY, ACNE

| | | |
|--------------------------------------------------------------------|---|----------------------------|
| <i>accutane CAPS 10mg, 20mg, 30mg, 40mg</i> | 4 | PA |
| <i>amnestem CAPS 10mg, 20mg, 30mg, 40mg</i> | 4 | PA |
| <i>benzoyl peroxide-erythromycin gel 5-3%</i> | 4 | QL (46.6 gm / 30 days) |
| <i>claravis CAPS 10mg, 20mg, 30mg, 40mg</i> | 4 | PA |
| <i>clindamycin phosph-benzoyl peroxide (refrig) gel 1.2 (1)-5%</i> | 3 | QL (45 gm / 30 days) |
| <i>clindamycin phosphate (topical) GEL 1%</i> | 3 | QL (75 mL / 30 days), PA |
| <i>clindamycin phosphate (topical) LOTN 1%; SOLN 1%</i> | 3 | QL (60 mL / 30 days) |
| <i>ery PADS 2%</i> | 3 | QL (60 pledgets / 30 days) |
| <i>erythromycin (acne aid) GEL 2%</i> | 3 | QL (60 gm / 30 days) |
| <i>erythromycin (acne aid) SOLN 2%</i> | 3 | QL (60 mL / 30 days) |
| <i>isotretinoin CAPS 10mg, 20mg, 30mg, 40mg</i> | 4 | PA |
| <i>neuac</i> | 3 | QL (45 gm / 30 days) |
| <i>sulfacetamide sodium (acne) LOTN 10%</i> | 4 | QL (118 mL / 30 days) |
| <i>tretinoin CREA .025%, .05%, .1%; GEL .01%, .025%</i> | 4 | QL (45 gm / 30 days), PA |
| <i>twice-daily clindamycin phosphate (topical) GEL 1%</i> | 3 | QL (60 gm / 30 days) |
| <i>zenatane CAPS 10mg, 20mg, 30mg, 40mg</i> | 4 | PA |

DERMATOLOGY, ANTIBIOTICS

| | | |
|--------------------------------------------------------|---|-------------------------|
| <i>gentamicin sulfate (topical) CREA .1%; OINT .1%</i> | 3 | QL (30 gm / 30 days) |
| <i>mupirocin OINT 2%</i> | 2 | QL (220 gm / 30 days) |
| <i>silver sulfadiazine CREA 1%</i> | 2 | |
| <i>ssd CREA 1%</i> | 2 | |
| <i>SULFAMYLON CREA 85mg/gm</i> | 4 | QL (453.6 gm / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------|------------------|-----------------------------------|
| <i>DERMATOLOGY, ANTIFUNGALS</i> | | |
| <i>ciclopirox GEL .77%</i> | 3 | QL (100 gm / 30 days) |
| <i>ciclopirox SHAM 1%</i> | 3 | QL (120 mL / 30 days) |
| <i>ciclopirox olamine CREA .77%</i> | 3 | QL (90 gm / 30 days) |
| <i>ciclopirox olamine SUSP .77%</i> | 3 | QL (60 mL / 30 days) |
| <i>clotrimazole (topical) CREA 1%</i> | 2 | QL (45 gm / 30 days) |
| <i>clotrimazole (topical) SOLN 1%</i> | 3 | QL (60 mL / 30 days) |
| <i>clotrimazole w/ betamethasone cream 1-0.05%</i> | 3 | QL (45 gm / 30 days) |
| <i>econazole nitrate CREA 1%</i> | 3 | QL (85 gm / 30 days) |
| <i>ketconazole (topical) CREA 2%</i> | 3 | QL (60 gm / 30 days) |
| <i>ketconazole (topical) SHAM 2%</i> | 2 | QL (120 mL / 30 days) |
| <i>klayesta POWD 100000unit/gm</i> | 3 | QL (60 gm / 30 days) |
| <i>nyamyc POWD 100000unit/gm</i> | 3 | QL (60 gm / 30 days) |
| <i>nystatin (topical) CREA 100000unit/gm; OINT 100000unit/gm</i> | 2 | QL (30 gm / 30 days) |
| <i>nystatin (topical) POWD 100000unit/gm</i> | 3 | QL (60 gm / 30 days) |
| <i>nystop POWD 100000unit/gm</i> | 3 | QL (60 gm / 30 days) |
| <i>selenium sulfide LOTN 2.5%</i> | 2 | |
| <i>DERMATOLOGY, ANTIPSORIATICS</i> | | |
| <i>acitretin CAPS 10mg, 17.5mg, 25mg</i> | 4 | PA |
| <i>calcipotriene CREA .005%; OINT .005%</i> | 4 | QL (120 gm / 30 days), PA |
| <i>calcipotriene SOLN .005%</i> | 3 | QL (120 mL / 30 days), PA |
| <i>calcitrene OINT .005%</i> | 4 | QL (120 gm / 30 days), PA |
| ENSTILAR AER | 5 | NDS, QL (120 gm / 30 days), PA |
| <i>methoxsalen rapid CAPS 10mg</i> | 5 | NDS |
| <i>tazarotene CREA .05%, .1%</i> | 3 | QL (60 gm / 30 days), PA |
| <i>DERMATOLOGY, CORTICOSTEROIDS</i> | | |
| <i>ala-cort CREA 1%</i> | 1 | |
| <i>alclometasone dipropionate CREA .05%; OINT .05%</i> | 3 | QL (60 gm / 30 days) |
| <i>betamethasone dipropionate (topical) CREA .05%</i> | 3 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate (topical) LOTN .05%</i> | 3 | QL (120 mL / 30 days) |
| <i>betamethasone dipropionate (topical) OINT .05%</i> | 4 | QL (120 gm / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|------------------|----------------------------|
| <i>betamethasone dipropionate augmented</i> CREA .05% | 2 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate augmented</i> GEL .05%; OINT .05% | 4 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate augmented</i> LOTN .05% | 4 | QL (120 mL / 30 days) |
| <i>betamethasone valerate</i> CREA .1%; OINT .1% | 3 | QL (120 gm / 30 days) |
| <i>betamethasone valerate</i> LOTN .1% | 3 | QL (120 mL / 30 days) |
| <i>clobetasol propionate</i> CREA .05%; GEL .05%; OINT .05% | 4 | QL (120 gm / 30 days) |
| <i>clobetasol propionate</i> SHAM .05% | 4 | QL (236 mL / 30 days) |
| <i>clobetasol propionate</i> SOLN .05% | 4 | QL (100 mL / 30 days) |
| <i>clobetasol propionate e</i> CREA .05% | 4 | QL (120 gm / 30 days) |
| <i>clodan</i> SHAM .05% | 4 | QL (236 mL / 30 days) |
| <i>fluocinolone acetonide</i> CREA .01% | 4 | QL (60 gm / 30 days) |
| <i>fluocinolone acetonide</i> CREA .025% | 4 | QL (120 gm / 30 days) |
| <i>fluocinolone acetonide</i> OIL .01% | 3 | QL (118.28 mL / 30 days) |
| <i>fluocinolone acetonide</i> OINT .025% | 3 | QL (120 gm / 30 days) |
| <i>fluocinolone acetonide</i> SOLN .01% | 4 | QL (60 mL / 30 days) |
| <i>fluocinonide</i> CREA .05%, .1% | 3 | QL (120 gm / 30 days) |
| <i>fluocinonide</i> GEL .05%; OINT .05% | 4 | QL (60 gm / 30 days) |
| <i>fluocinonide</i> SOLN .05% | 3 | QL (60 mL / 30 days) |
| <i>fluocinonide emulsified base</i> CREA .05% | 4 | QL (120 gm / 30 days) |
| <i>fluticasone propionate</i> CREA .05%; OINT .005% | 3 | |
| <i>halobetasol propionate</i> CREA .05%; OINT .05% | 4 | QL (50 gm / 30 days) |
| <i>hydrocortisone (topical)</i> CREA 1% | 1 | |
| <i>hydrocortisone (topical)</i> CREA 2.5%; LOTN 2.5%; OINT 2.5% | 2 | |
| <i>hydrocortisone (topical)</i> OINT 1% | 2 | QL (30 gm / 30 days) |
| <i>hydrocortisone valerate</i> CREA .2% | 3 | QL (60 gm / 30 days) |
| <i>mometasone furoate</i> CREA .1%; OINT .1%; SOLN .1% | 3 | |
| <i>triamcinolone acetonide (topical)</i> CREA .025%, .1%, .5% | 2 | QL (454 gm / 30 days) |
| <i>triamcinolone acetonide (topical)</i> LOTN .025%, .1% | 3 | |
| <i>triamcinolone acetonide (topical)</i> OINT .025%, .1%, .5% | 2 | |
| <i>triderm</i> CREA .5% | 2 | QL (454 gm / 30 days) |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|------------------|-----------------------------------|
| DERMATOLOGY, LOCAL ANESTHETICS | | |
| <i>glydo</i> PRSY 2% | 3 | QL (60 mL / 30 days), PA |
| <i>lidocaine</i> OINT 5% | 4 | QL (50 gm / 30 days), PA |
| <i>lidocaine</i> PTCH 5% | 4 | QL (3 patches / 1 day), PA |
| <i>lidocaine hcl</i> SOLN 4% | 3 | QL (50 mL / 30 days), PA |
| <i>lidocaine-prilocaine cream 2.5-2.5%</i> | 2 | B/D, QL (30 gm / 30 days) |
| <i>lidocan</i> PTCH 5% | 4 | QL (3 patches / 1 day), PA |
| <i>tridacaine ii</i> PTCH 5% | 4 | QL (3 patches / 1 day), PA |
| DERMATOLOGY, MISCELLANEOUS SKIN AND MUCOUS MEMBRANE | | |
| <i>azelaic acid</i> GEL 15% | 4 | QL (50 gm / 30 days) |
| <i>bexarotene (topical)</i> GEL 1% | 5 | NDS, QL (60 gm / 30 days), NM, PA |
| <i>diclofenac sodium (topical)</i> SOLN 1.5% | 3 | QL (300 mL / 28 days) |
| <i>EUCRISA</i> OINT 2% | 4 | QL (120 gm / 30 days), PA |
| <i>fluorouracil (topical)</i> CREA 5% | 4 | QL (40 gm / 30 days) |
| <i>fluorouracil (topical)</i> SOLN 2%, 5% | 3 | QL (10 mL / 30 days) |
| <i>hydrocortisone (rectal)</i> CREA 1%, 2.5% | 3 | |
| <i>imiquimod</i> CREA 5% | 3 | QL (24 packets / 30 days) |
| <i>lactic acid (ammonium lactate)</i> CREA 12%; LOTN 12% | 2 | |
| <i>metronidazole (topical)</i> CREA .75%; GEL .75% | 3 | QL (45 gm / 30 days) |
| <i>metronidazole (topical)</i> LOTN .75% | 4 | QL (59 mL / 30 days) |
| <i>nitroglycerin (intra-anal)</i> OINT .4% | 4 | QL (30 gm / 30 days) |
| <i>PANRETIN</i> GEL .1% | 5 | NDS, QL (60 gm / 30 days), PA |
| <i>pimecrolimus</i> CREA 1% | 4 | QL (100 gm / 30 days), PA |
| <i>podofilox</i> SOLN .5% | 3 | QL (7 mL / 28 days) |
| <i>procto-med hc</i> CREA 2.5% | 3 | |
| <i>proctocort</i> CREA 1% | 3 | |
| <i>proctosol hc</i> CREA 2.5% | 3 | |
| <i>proctozone-hc</i> CREA 2.5% | 3 | |
| <i>tacrolimus (topical)</i> OINT .03%, .1% | 4 | QL (100 gm / 30 days), PA |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------------------------------------|------------------|-----------------------------------|
| VALCHLOR GEL .016% | 5 | NDS, QL (60 gm / 30 days), NM, PA |
| DERMATOLOGY, SCABICIDES AND PEDICULIDES | | |
| <i>malathion</i> LOTN .5% | 4 | QL (59 mL / 30 days) |
| <i>permethrin</i> CREA 5% | 3 | QL (60 gm / 30 days) |
| DERMATOLOGY, WOUND CARE AGENTS | | |
| SANTYL OINT 250unit/gm | 4 | QL (180 gm / 30 days), PA |
| <i>sodium chloride (gu irrigant)</i> SOLN .9% | 3 | |
| <i>water for irrigation, sterile irrigation soln</i> | 2 | |
| MOUTH/THROAT/DENTAL AGENTS | | |
| <i>cevimeline hcl</i> CAPS 30mg | 4 | |
| <i>chlorhexidine gluconate (mouth-throat)</i> SOLN .12% | 1 | |
| <i>clotrimazole</i> TROC 10mg | 3 | QL (150 lozenges / 30 days) |
| <i>kourzeq</i> PSTE .1% | 3 | |
| <i>lidocaine hcl (mouth-throat)</i> SOLN 2% | 2 | |
| <i>nystatin (mouth-throat)</i> SUSP 100000unit/ml | 2 | |
| <i>periogard</i> SOLN .12% | 1 | |
| <i>pilocarpine hcl (oral)</i> TABS 5mg, 7.5mg | 3 | |
| <i>triamcinolone acetonide (mouth)</i> PSTE .1% | 3 | |
| _PART B | | |
| DIABETIC METERS AND TEST STRIPS | | |
| DEXCOM G6 MIS RECEIVER | 0 | PA |
| DEXCOM G6 MIS SENSOR | 0 | PA |
| DEXCOM G6 MIS TRANSMIT | 0 | PA |
| DEXCOM G7 MIS RECEIVER | 0 | PA |
| DEXCOM G7 MIS SENSOR | 0 | PA |
| FREESTYLE LB KIT 2/SENSOR | 0 | PA |
| FREESTYLE LB KIT 3/SENSOR | 0 | PA |
| FREESTYLE LB KIT 14D/SEN | 0 | PA |
| FREESTYLE LB MIS 2/READER | 0 | PA |
| FREESTYLE LB MIS 3/READER | 0 | PA |
| FREESTYLE MIS READER | 0 | PA |
| TRUE METRIX KIT AIR | 0 | |
| TRUE METRIX KIT METER | 0 | |
| TRUE METRIX STRIPS | 0 | |

如需瞭解本表格中符號和縮寫的詳細含義，請查閱第 5 頁。

藥物索引

- abacavir sulfate*, 12
abacavir sulfate-lamivudine tab 600-300 mg, 13
abigale, 65
abigale lo, 65
ABILIFY ASIMTUFII, 43
ABILIFY MAINTENA, 43
abiraterone acetate, 19
abirtega, 19
ABRYSVO, 79
acamprosate calcium, 56
acarbose, 57
accutane, 90
acebutolol hcl, 36
acetaminophen w/codeine soln 120-12 mg/5ml, 8
acetaminophen w/codeine tab 300-15 mg, 8
acetaminophen w/codeine tab 300-30 mg, 8
acetaminophen w/codeine tab 300-60 mg, 8
acetazolamide, 37
acetic acid, 72
acetic acid (otic), 85
acetylcysteine, 87
acitretin, 91
ACTHIB INJ, 79
ACTIMMUNE, 78
acyclovir, 14
acyclovir sodium, 14
ADACEL INJ, 79
ADALIMUMAB-BWWD, 75
adefovir dipivoxil, 14
ADEMPAS, 39
ADMELOG, 58
ADMELOG SOLOSTAR, 58
ADVAIR HFA AER 115/21, 89
ADVAIR HFA AER 230/21, 89
ADVAIR HFA AER 45/21, 89
afirmelle, 61
AIMOVIG, 53
AIRSUPRA AER 90-80MCG, 89
AKEEGA TAB 100/500, 20
AKEEGA TAB 50/500MG, 20
ala-cort, 91
albendazole, 9
albuterol sulfate, 86, 87
alclometasone dipropionate, 91
ALCOHOL SWABS: EMBECTA-BD/MHC/RUGBY, 58
ALDURAZYME, 67
ALECENSA, 22
alendronate sodium, 59
alfuzosin hcl, 72
aliskiren fumarate, 37
allopurinol, 7
alose tron hcl, 71
alprazolam, 40
altavera, 61
ALUNBRIG, 22
ALUNBRIG PAK, 22
ALVAIZ, 74
ALVESCO, 89
alyacen 1/35, 61
alyacen 7/7/7, 61
ALYFTREK TAB 10-50-125, 87
ALYFTREK TAB 4-20-50, 87
ALYGLO, 78
alyq, 39
amantadine hcl, 42
ambrisentan, 39
amethyst, 61
amikacin sulfate, 9
amiloride & hydrochlorothiazide tab 5-50 mg, 37
amiloride hcl, 37
aminosyn ii soln 15%, 82
AMINOSYN INJ 10%, 82
AMINOSYN-PF INJ 10%, 82
amiodarone hcl, 34
amitriptyline hcl, 40
amlodipine besylate, 36
amlodipine besylate-atorvastatin calcium tab 10-10 mg, 38
amlodipine besylate-atorvastatin calcium tab 10-20 mg, 38
amlodipine besylate-atorvastatin calcium tab 10-40 mg, 38
amlodipine besylate-atorvastatin calcium tab 10-80 mg, 38
amlodipine besylate-atorvastatin calcium tab 2.5-10 mg, 37
amlodipine besylate-atorvastatin calcium tab 2.5-20 mg, 37

amlodipine besylate-atorvastatin calcium tab 2.5-40 mg, 37
amlodipine besylate-atorvastatin calcium tab 5-10 mg, 38
amlodipine besylate-atorvastatin calcium tab 5-20 mg, 38
amlodipine besylate-atorvastatin calcium tab 5-40 mg, 38
amlodipine besylate-atorvastatin calcium tab 5-80 mg, 38
amlodipine besylate-benazepril hcl cap 10-20 mg, 31
amlodipine besylate-benazepril hcl cap 10-40 mg, 31
amlodipine besylate-benazepril hcl cap 2.5-10 mg, 31
amlodipine besylate-benazepril hcl cap 5-10 mg, 31
amlodipine besylate-benazepril hcl cap 5-20 mg, 31
amlodipine besylate-benazepril hcl cap 5-40 mg, 31
amlodipine besylate-olmesartan medoxomil tab 10-20 mg, 32
amlodipine besylate-olmesartan medoxomil tab 10-40 mg, 32
amlodipine besylate-olmesartan medoxomil tab 5-20 mg, 32
amlodipine besylate-olmesartan medoxomil tab 5-40 mg, 32
amlodipine besylate-valsartan tab 10-160 mg, 32
amlodipine besylate-valsartan tab 10-320 mg, 32
amlodipine besylate-valsartan tab 5-160 mg, 32
amlodipine besylate-valsartan tab 5-320 mg, 32
amnestem, 90
amoxapine, 40
amoxicillin, 17
amoxicillin & k clavulanate for susp 200-28.5 mg/5ml, 17
amoxicillin & k clavulanate for susp 250-62.5 mg/5ml, 17
amoxicillin & k clavulanate for susp 400-57 mg/5ml, 17
amoxicillin & k clavulanate for susp 600-42.9 mg/5ml, 17
amoxicillin & k clavulanate tab 250-125 mg, 17
amoxicillin & k clavulanate tab 500-125 mg, 17
amoxicillin & k clavulanate tab 875-125 mg, 17
amphetamine-dextroamphetamine cap er 24hr 10 mg, 51
amphetamine-dextroamphetamine cap er 24hr 15 mg, 51
amphetamine-dextroamphetamine cap er 24hr 20 mg, 51
amphetamine-dextroamphetamine cap er 24hr 25 mg, 51
amphetamine-dextroamphetamine cap er 24hr 30 mg, 51
amphetamine-dextroamphetamine cap er 24hr 5 mg, 51
amphetamine-dextroamphetamine tab 10 mg, 52
amphetamine-dextroamphetamine tab 12.5 mg, 52
amphetamine-dextroamphetamine tab 15 mg, 52
amphetamine-dextroamphetamine tab 20 mg, 52
amphetamine-dextroamphetamine tab 30 mg, 52
amphetamine-dextroamphetamine tab 5 mg, 52
amphetamine-dextroamphetamine tab 7.5 mg, 52
amphotericin b, 11
amphotericin b liposome, 11
ampicillin, 17
ampicillin & sulbactam sodium for inj 1.5 (1-0.5) gm, 17

ampicillin & sulbactam sodium for inj 3 (2-1) gm, 17
ampicillin & sulbactam sodium for iv soln 1.5 (1-0.5) gm, 17
ampicillin & sulbactam sodium for iv soln 15 (10-5) gm, 17
ampicillin & sulbactam sodium for iv soln 3 (2-1) gm, 17
ampicillin sodium, 17
anagrelide hcl, 74
anastrozole, 20
 ANORO ELLIPT AER
 62.5-25, 85
aprepitant, 69
aprepitant capsule therapy pack 80 & 125 mg, 69
apri, 61
 APTIOM, 47
 APTIVUS, 12
 ARALAST NP, 87
aranelle, 61
 ARCALYST, 78
 AREXVY, 79
arformoterol tartrate, 87
 ARIKAYCE, 9
aripiprazole, 43
 ARISTADA, 44
 ARISTADA INITIO, 44
armodafinil, 55
 ARNUITY ELLIPTA, 89
asenapine maleate, 44
ashlyna, 61
aspirin-dipyridamole cap er 12hr 25-200 mg, 74
 ASTAGRAF XL, 78
atazanavir sulfate, 12
atenolol, 36
atenolol & chlorthalidone tab 100-25 mg, 35
atenolol & chlorthalidone tab 50-25 mg, 35
atomoxetine hcl, 52
atorvastatin calcium, 34
atovaquone, 9
atovaquone-proguanil hcl tab 250-100 mg, 12
atovaquone-proguanil hcl tab 62.5-25 mg, 12
 ATROPINE SULFATE, 85
atropine sulfate (ophthalmic), 85
 ATROVENT HFA, 86
abra eq, 61
 AUGTYRO, 22
aurovela 1/20, 61
aurovela 24 fe, 61
aurovela fe 1.5/30, 61
aurovela fe 1/20, 61
 AUSTEDO, 54
 AUSTEDO XR, 54
 AUSTEDO XR TAB TITR KIT, 54
 AUVELITY TAB 45-105MG, 40
aviane, 61
 AVMAPKI PAK FAKZYNJA, 22
ayuna, 61
 AYVAKIT, 22
azacitidine, 19
azathioprine, 78
azelaic acid, 93
azelastine hcl, 86
azelastine hcl (ophth), 84
azithromycin, 16
aztreonam, 9
azurette, 61
bacitracin (ophthalmic), 83
bacitracin-polymyxin b ophth oint, 83
bacitracin-polymyxin-neomycin-hc ophth oint 1%, 83
baclofen, 55
 BAFIERTAM, 54
balsalazide disodium, 70
 BALVERSA, 22
balziva, 61
 BARACLUDGE, 14
 BCG VACCINE, 79
benazepril & hydrochlorothiazide tab 10-12.5 mg, 31
benazepril & hydrochlorothiazide tab 20-12.5 mg, 31
benazepril & hydrochlorothiazide tab 20-25 mg, 31
benazepril & hydrochlorothiazide tab 5-6.25mg, 31
benazepril hcl, 31
 BENDAMUSTINE HYDROCHLORID, 18
 BENDEKA, 18
 BENLYSTA, 78
benzoyl peroxide-erythromycin gel 5-3%, 90
benztropine mesylate, 42
 BERINERT, 74
besifloxacin hcl, 83
 BESIVANCE, 83
 BESREMI, 21
betaine powder for oral solution, 67

betamethasone dipropionate (topical), 91
betamethasone dipropionate augmented, 92
betamethasone valerate, 92
 BETASERON, 54
betaxolol hcl (ophth), 84
bethanechol chloride, 72
 BEVESPI AER 9-4.8MCG, 85
bexarotene, 21
bexarotene (topical), 93
 BEXSERO, 79
bicalutamide, 20
 BICILLIN L-A, 17
 BIKTARVY TAB 30-120-15 MG, 13
 BIKTARVY TAB 50-200-25 MG, 13
 BILDYOS, 60
 BIMZELX, 75
bisoprolol & hydrochlorothiazide tab 10-6.25 mg, 35
bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg, 35
bisoprolol & hydrochlorothiazide tab 5-6.25 mg, 35
bisoprolol fumarate, 36
 BIVIGAM, 78
blisovi 24 fe, 61
blisovi fe 1.5/30, 61
blisovi fe 1/20, 61
 BLUJEP, 9
 BONSITY, 60
 BOOSTRIX INJ, 79
bortezomib, 22
 BORTEZOMIB, 22
bosentan, 39
 BOSULIF, 22
 BRAFTOVI, 22
 BREO ELLIPTA INH 100-25, 89
 BREO ELLIPTA INH 200-25, 89
 BREO ELLIPTA INH 50-25MCG, 89
breynd, 89
 BREZTRI AERO AER SPHERE, 85
 BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK), 85
briellyn, 61
brimonidine tartrate, 84
brinzolamide, 84
 BRIVIACT, 47
bromocriptine mesylate, 42
 BRUKINSA, 22, 23
budesonide, 70
budesonide (inhalation), 89
budesonide-formoterol fumarate dihyd aerosol 160-4.5 mcg/act, 89
budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act, 89
bumetanide, 37
buprenorphine, 7
buprenorphine hcl, 56
buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv), 56
buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv), 56
buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv), 56
buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv), 56
buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv), 56
buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv), 56
bupropion hcl, 40, 41
bupropion hcl (smoking deterrent), 56
buspirone hcl, 40
butorphanol tartrate, 8
cabergoline, 67
 CABOMETYX, 23
calcipotriene, 91
calcitonin (salmon) spray, 60
calcitrene, 91
calcitriol, 69
calcitriol (oral), 69
 CALQUENCE, 23
camila, 61
camrese, 61
camrese lo, 61
candesartan cilexetil, 33, 34
candesartan cilexetil-hydrochlorothiazide tab 16-12.5 mg, 32
candesartan cilexetil-hydrochlorothiazide tab 32-12.5 mg, 32
candesartan cilexetil-hydrochlorothiazide tab 32-25 mg, 32
 CAPLYTA, 44
 CAPRELSA, 23
captopril, 31

captopril & hydrochlorothiazide tab 25-15 mg, 31
captopril & hydrochlorothiazide tab 25-25 mg, 31
captopril & hydrochlorothiazide tab 50-15 mg, 31
captopril & hydrochlorothiazide tab 50-25 mg, 31
carb/levo orally disintegrating tab 10-100mg, 42
carb/levo orally disintegrating tab 25-100mg, 42
carb/levo orally disintegrating tab 25-250mg, 42
carbamazepine, 47
carbidopa, 42
carbidopa & levodopa tab 10-100 mg, 42
carbidopa & levodopa tab 25-100 mg, 42
carbidopa & levodopa tab 25-250 mg, 43
carbidopa & levodopa tab er 25-100 mg, 43
carbidopa & levodopa tab er 50-200 mg, 43
carbidopa-levodopa-entacapone tabs 12.5-50-200 mg, 43
carbidopa-levodopa-entacapone tabs 18.75-75-200 mg, 43
carbidopa-levodopa-entacapone tabs 25-100-200 mg, 43
carbidopa-levodopa-entacapone tabs 31.25-125-200 mg, 43
carbidopa-levodopa-entacapone tabs 37.5-150-200 mg, 43
carbidopa-levodopa-entacapone tabs 50-200-200 mg, 43
carboplatin, 18
carglumic acid, 67
carisoprodol, 55
carteolol hcl (ophth), 84
cartia xt, 36
carvedilol, 36
casprofungin acetate, 11
 CAYSTON, 9
cefaclor, 15
cefadroxil, 15
 CEFAZOLIN, 15
 CEFAZOLIN INJ 1GM/50ML, 15
cefazolin sodium, 15
 CEFAZOLIN SOLN 2GM/100ML-4%, 15
 CEFAZOLIN/DEX SOL 1GM/50ML-4%, 15
 CEFAZOLIN/DEX SOL 2GM/50ML-3%, 15
 CEFAZOLIN/DEX SOL 3GM/150ML-4%, 15
 CEFAZOLIN/DEX SOL 3GM/50ML-2%, 15
cefdinir, 15
cefepime hcl, 15
cefixime, 15
cefotetan disodium, 15
cefoxitin sodium, 15
cefpodoxime proxetil, 15
cefprozil, 16
ceftaroline fosamil, 16
ceftazidime, 16
ceftriaxone sodium, 16
cefuroxime axetil, 16
cefuroxime sodium, 16
celecoxib, 7
cephalexin, 16
 CEQUR SIMPL KIT PATCH 2U (3-DAY), 58
 CEQUR SIMPL KIT PATCH 2U (4-DAY), 58
 CEQUR SIMPL MIS INSERTER, 58
 CERDELGA, 67
 CEREZYME, 67
cetirizine hcl, 86
cevimeline hcl, 94
chateal eq, 61
 CHEMET, 60
chlorhexidine gluconate (mouth-throat), 94
chloroquine phosphate, 12
chlorpromazine hcl, 44
chlorthalidone, 37
cholestyramine, 35
cholestyramine light, 35
choline fenofibrate, 34
ciclopirox, 91
ciclopirox olamine, 91
cilostazol, 74
 CILOXAN, 83
 CIMDUO TAB 300-300, 13
cinacalcet hcl, 67
 CIPRO, 16
ciprofloxacin 200 mg/100ml in d5w, 16
ciprofloxacin 400 mg/200ml in d5w, 16
ciprofloxacin hcl, 16
ciprofloxacin hcl (ophth), 83
ciprofloxacin-dexamethasone otic susp 0.3-0.1%, 85
cisplatin, 18

citalopram hydrobromide, 41
claravis, 90
clarithromycin, 16
clindamycin hcl, 9
clindamycin palmitate hydrochloride, 9
clindamycin phosphate, 9
clindamycin phosphate (topical), 90
clindamycin phosphate in d5w iv soln 300 mg/50ml, 9
clindamycin phosphate in d5w iv soln 600 mg/50ml, 9
clindamycin phosphate in d5w iv soln 900 mg/50ml, 9
clindamycin phosphate vaginal, 73
clindamycin phosph-benzoyl peroxide (refrig) gel 1.2 (1)-5%, 90
 CLINDMYC/NAC INJ 300/50ML, 9
 CLINDMYC/NAC INJ 600/50ML, 9
 CLINDMYC/NAC INJ 900/50ML, 9
 CLINIMIX INJ 4.25/D10, 82
 CLINIMIX INJ 4.25/D5W, 82
 CLINIMIX INJ 5%/D15W, 82
 CLINIMIX INJ 5%/D20W, 82
 CLINIMIX INJ 6/5, 82
 CLINIMIX INJ 8/10, 82
 CLINIMIX INJ 8/14, 82
clinisol sf 15%, 82
 CLINOLIPID EMU 20%, 82
clobazam, 47
clobetasol propionate, 92
clobetasol propionate e, 92
clodan, 92
clomipramine hcl, 41
clonazepam, 47
clonidine, 38
clonidine hcl, 38
clopidogrel bisulfate, 74
clorazepate dipotassium, 47
clotrimazole, 94
clotrimazole (topical), 91
clotrimazole w/ betamethasone cream 1-0.05%, 91
clozapine, 44
 COARTEM TAB 20-120MG, 12
 COBENFY CAP 100-20MG, 44
 COBENFY CAP 125-30MG, 44
 COBENFY CAP 50-20MG, 44
 COBENFY STRT CAP PACK, 44
colchicine, 7
colchicine w/ probenecid tab 0.5-500 mg, 7
colesevelam hcl, 35
colestipol hcl, 35
colistimethate sodium, 9
 COMBIGAN SOL 0.2/0.5%, 84
 COMBIVENT AER 20-100, 85
 COMETRIQ (60MG DOSE), 23
 COMETRIQ KIT 100MG, 23
 COMETRIQ KIT 140MG, 23
compro, 69
constulose, 70
 COPAXONE, 54
 COPIKTRA, 23
 CORLANOR, 38
 COTELLIC, 23
 CREON CAP 12000UNT, 71
 CREON CAP 24000UNT, 71
 CREON CAP 3000UNIT, 71
 CREON CAP 36000UNT, 71
 CREON CAP 6000UNIT, 71
 CRESEMBA, 11
cromolyn sodium, 87
cromolyn sodium (mastocytosis), 71
cromolyn sodium (ophth), 84
cryselle, 61
cyclobenzaprine hcl, 55
cyclophosphamide, 18
 CYCLOPHOSPHAMIDE, 18
 CYCLOPHOSPHAMIDE MONOHYDR, 19
cycloserine, 14
cyclosporine, 79
cyclosporine modified (for microemulsion), 79
cyproheptadine hcl, 86
cyred eq, 61
 CYSTADROPS, 85
 CYSTAGON, 67
 CYSTARAN, 85
cytarabine, 19

D10W/NAACL INJ 0.2%,
80
D10W/NAACL INJ 0.45%,
80
D2.5W/NAACL INJ 0.45%,
80
D5W/NAACL INJ 0.2%, 80
D5W/NAACL INJ 0.45%,
80
*dabigatran etexilate
mesylate*, 73
dalfampridine, 55
danazol, 56
dantrolene sodium, 55
DANZITEN, 23
*dapagliflozin
propanediol*, 57
dapsone, 9
DAPTACEL INJ, 79
daptomycin, 9
DAPTOMYCIN, 9
*darifenacin
hydrobromide*, 72
darunavir, 12
dasatinib, 23
dasetta 1/35, 61
dasetta 7/7/7, 61
DAURISMO, 23
daysee, 61
DAYVIGO, 53
deblitane, 61
deferasirox, 60
DELSTRIGO TAB, 13
DENG VAXIA SUS, 79
DEPO-SUBQ PROVERA
104, 61
depo-testosterone, 56
DESCOVY TAB 120-
15MG, 13
DESCOVY TAB
200/25MG, 13
desipramine hcl, 41
desloratadine, 86
desmopressin acetate,
67
*desmopressin acetate
spray*, 67
*desmopressin acetate
spray refrigerated*, 67
*desogest-eth estrad &
eth estrad tab 0.15-
0.02/0.01 mg(21/5)*,
61
*desvenlafaxine
succinate*, 41
dexamethasone, 66
DEXAMETHASONE
INTENSOL, 66
*dexamethasone sodium
phosphate*, 66
*dexamethasone sodium
phosphate (ophth)*, 84
DEXCOM G6 MIS
RECEIVER, 94
DEXCOM G6 MIS
SENSOR, 94
DEXCOM G6 MIS
TRANSMIT, 94
DEXCOM G7 MIS
RECEIVER, 94
DEXCOM G7 MIS
SENSOR, 94
dexmethylphenidate hcl,
52
dextrose, 82
DEXTROSE 10%, 82
*dextrose 2.5% w/
sodium chloride
0.45%*, 80
*dextrose 5% in lactated
ringers*, 80
*dextrose 5% w/ sodium
chloride 0.225%*, 81
*dextrose 5% w/ sodium
chloride 0.3%*, 81
*dextrose 5% w/ sodium
chloride 0.45%*, 81
*dextrose 5% w/ sodium
chloride 0.9%*, 81
DEXTROSE 70%, 82
DIACOMIT, 47
diazepam, 47, 48
*diazepam
(anticonvulsant)*, 48
diazepam inj, 48
diazepam intensol, 48
diazoxide, 67
diclofenac potassium, 9
diclofenac sodium, 7
*diclofenac sodium
(ophth)*, 84
*diclofenac sodium
(topical)*, 93
*diclofenac w/
misoprostol tab
delayed release 50-0.2
mg*, 7
*diclofenac w/
misoprostol tab
delayed release 75-0.2
mg*, 7
dicloxacillin sodium, 17
dicyclomine hcl, 70
DIFICID, 16
diflunisal, 7
difluprednate, 84
digoxin, 38
*dihydroergotamine
mesylate*, 53
DILANTIN, 48
diltiazem hcl, 36
*diltiazem hcl coated
beads*, 36
*diltiazem hcl extended
release beads*, 36
dilt-xr, 36
diphenhydramine hcl, 86
*diphenoxylate w/
atropine tab 2.5-0.025
mg*, 71
dipyridamole, 75

disopyramide phosphate, 34
disulfiram, 56
divalproex sodium, 48
docetaxel, 21
 DOCETAXEL, 21
 DOCIVYX, 21
dofetilide, 34
dolishale, 61
donepezil hydrochloride, 40
 DOPTLET, 74
 DOPTLET SPRINKLE, 74
dorzolamide hcl, 84
dorzolamide hcl-timolol maleate ophth soln 2-0.5%, 84
dotti, 65
 DOVATO TAB 50-300MG, 13
doxazosin mesylate, 32
doxepin hcl, 41
doxepin hcl (sleep), 53
doxercalciferol, 69
doxorubicin hcl, 21
doxorubicin hcl liposomal, 21
doxy 100, 18
doxycycline (monohydrate), 18
doxycycline hyclate, 18
 DRIZALMA SPRINKLE, 41
dronabinol, 69
drospirenone-ethinyl estradiol tab 3-0.02 mg, 61
drospirenone-ethinyl estradiol tab 3-0.03 mg, 62
drospirenone-ethinyl estrad-levomefolate tab 3-0.02-0.451 mg, 61
drospirenone-ethinyl estrad-levomefolate tab 3-0.03-0.451 mg, 61
 DROXIA, 74
droxidopa, 38
 DULERA AER 100-5MCG, 89
 DULERA AER 200-5MCG, 89
 DULERA AER 50-5MCG, 89
duloxetine hcl, 41
 DUPIXENT, 75
dutasteride, 72
dutasteride-tamsulosin hcl cap 0.5-0.4 mg, 72
e.e.s. 400, 16
econazole nitrate, 91
 EDARBI, 34
 EDARBYCLOR TAB 40-12.5, 32
 EDARBYCLOR TAB 40-25MG, 32
 EDURANT, 12
 EDURANT PED, 12
efavirenz, 12
efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg, 13
efavirenz-lamivudine-tenofovir df tab 400-300-300 mg, 13
efavirenz-lamivudine-tenofovir df tab 600-300-300 mg, 13
 ELIGARD, 20
elinest, 62
 ELIQUIS, 73
 ELIQUIS (1.5MG PACK) 3 X, 73
 ELIQUIS (2MG PACK) 4 X, 73
 ELIQUIS STARTER PACK, 73
eluryng, 62
 EMGALITY, 53
 EMSAM, 41
emtricitabine, 12
emtricitabine-rilpivirine-tenofovir df tab 200-25-300 mg, 13
emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg, 13
emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg, 13
emtricitabine-tenofovir disoproxil fumarate tab 167-250 mg, 13
emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg, 13
 EMTRIVA, 12
 EMVERM, 9
emzahn, 62
enalapril maleate, 32
enalapril maleate & hydrochlorothiazide tab 10-25 mg, 31
enalapril maleate & hydrochlorothiazide tab 5-12.5 mg, 31
 ENBREL, 75
 ENBREL MINI, 75
 ENBREL SURECLICK, 75
endocet tab 10-325mg, 8
endocet tab 2.5-325mg, 8
endocet tab 5-325mg, 8
endocet tab 7.5-325mg, 8
 ENGERIX-B, 79
enilloring, 62
enoxaparin sodium, 73

ENSACOVE, 23
enskyce, 62
 ENSTILAR AER, 91
entacapone, 43
entecavir, 14
 ENTRESTO CAP 15-16MG, 33
 ENTRESTO CAP 6-6MG, 33
enulose, 70
 EPCLUSA PAK 150-37.5, 14
 EPCLUSA PAK 200-50MG, 14
 EPCLUSA TAB 200-50MG, 14
 EPCLUSA TAB 400-100, 14
 EPIDIOLEX, 48
epinephrine
(anaphylaxis), 38, 87
eplerenone, 32
ergotamine w/ caffeine
tab 1-100 mg, 53
 ERIVEDGE, 23
 ERLEADA, 20
erlotinib hcl, 23
errin, 62
ertapenem sodium, 9
ery, 90
 ERYTHROCIN
 LACTOBIONATE, 16
erythromycin (acne aid), 90
erythromycin (ophth), 83
erythromycin base, 16
erythromycin ethylsuccinate, 16
erythromycin lactobionate, 16
 ERZOFRI, 44
escitalopram oxalate, 41
eslicarbazepine acetate, 48
esomeprazole magnesium, 72
estarylla, 62
estradiol, 65
estradiol & norethindrone acetate
tab 0.5-0.1 mg, 66
estradiol & norethindrone acetate
tab 1-0.5 mg, 66
estradiol vaginal, 66
estradiol valerate, 66
ethambutol hcl, 14
ethosuximide, 48
ethynodiol diacetate & ethinyl estradiol
tab 1 mg-50 mcg, 62
etodolac, 7
etonogestrel-ethinyl estradiol va ring
0.12-0.015 mg/24hr, 62
etoposide, 22
etravirine, 12
 EUCRISA, 93
 EULEXIN, 20
everolimus, 23, 24
everolimus (immunosuppressant), 79
 EVOTAZ TAB 300-150, 13
exemestane, 20
 EXXUA, 41
 EXXUA TITRATION PACK, 41
 EYSUVIS, 85
 EZALLOR SPRINKLE, 34
ezetimibe, 35
ezetimibe-simvastatin
tab 10-10 mg, 35
ezetimibe-simvastatin
tab 10-20 mg, 35
ezetimibe-simvastatin
tab 10-40 mg, 35
ezetimibe-simvastatin
tab 10-80 mg, 35
 FABRAZYME, 67
falmina, 62
famciclovir, 14
famotidine, 70
famotidine in nacl 0.9% iv soln
20 mg/50ml, 70
 FANAPT, 44
 FANAPT PAK PACK A, 44
 FANAPT PAK PACK B, 44
 FANAPT PAK PACK C, 44
 FARXIGA, 57
 FASENRA, 87
 FASENRA PEN, 87
febuxostat, 7
feirza 1.5/30, 62
feirza 1/20, 62
felbamate, 48
felodipine, 36
fenofibrate, 34
fenofibrate micronized, 34
fentanyl, 7
fesoterodine fumarate, 72
 FETZIMA, 41
 FETZIMA CAP TITRATION, 41
 FIASP, 58
 FIASP FLEXTOUCH, 58
 FIASP PENFILL, 58
 FIASP PUMPCART, 58
fidaxomicin, 16
finasteride, 72
ingolimod hcl, 55
 FINTEPLA, 48
finzala, 62
 FIRMAGON, 20
flac, 85
 FLEBOGAMMA DIF, 78

flecainide acetate, 34
fluconazole, 11
fluconazole in nacl 0.9% inj 200 mg/100ml, 11
fluconazole in nacl 0.9% inj 400 mg/200ml, 11
flucytosine, 11
fludrocortisone acetate, 66
flunisolide (nasal), 89
fluocinolone acetonide, 92
fluocinolone acetonide (otic), 85
fluocinonide, 92
fluocinonide emulsified base, 92
fluorometholone (ophth), 84
fluorouracil, 19
fluorouracil (topical), 93
fluoxetine hcl, 41
fluphenazine decanoate, 44
fluphenazine hcl, 44
flurbiprofen, 7
flurbiprofen sodium, 84
fluticasone propionate, 92
fluticasone propionate (nasal), 89
fluticasone-salmeterol aer powder ba 100-50 mcg/act, 90
fluticasone-salmeterol aer powder ba 250-50 mcg/act, 90
fluticasone-salmeterol aer powder ba 500-50 mcg/act, 90
fluvastatin sodium, 34
flvoxamine maleate, 40
fondaparinux sodium, 73
formoterol fumarate, 87
fosamprenavir calcium, 12
fosfomycin tromethamine, 9
fosinopril sodium, 32
fosinopril sodium & hydrochlorothiazide tab 10-12.5 mg, 31
fosinopril sodium & hydrochlorothiazide tab 20-12.5 mg, 31
FOTIVDA, 24
FREESTYLE LB KIT 14D/SEN, 94
FREESTYLE LB KIT 2/SENSOR, 94
FREESTYLE LB KIT 3/SENSOR, 94
FREESTYLE LB MIS 2/READER, 94
FREESTYLE LB MIS 3/READER, 94
FREESTYLE MIS READER, 94
FRINDOVYX, 19
FRUZAQLA, 24
FULPHILA, 74
fulvestrant, 20
furosemide, 37
furosemide inj, 37
fyavolv tab 0.5mg-2.5mcg, 66
fyavolv tab 1mg-5mcg, 66
FYCOMPA, 48
gabapentin, 48
galantamine hydrobromide, 40
galbriela, 62
gallifrey, 68
GAMASTAN INJ, 78
GAMMAGARD LIQUID, 78
GAMMAGARD LIQUID ERC, 78
GAMMAGARD S/D IGA LESS TH, 78
GAMMAKED, 78
GAMMAPLEX, 78
GAMUNEX-C, 78
ganciclovir sodium, 14
GARDASIL 9, 79
gatifloxacin (ophth), 83
GATTEX, 71
GAUZE PADS 2, 58
gavilyte-c, 70
gavilyte-g, 71
gavilyte-n/flavor pack, 71
GAVRETO, 24
gefitinib, 24
gemcitabine hcl, 19
gemfibrozil, 34
GEMTESA, 72
generlac, 71
gengraf, 79
GENOTROPIN, 67
GENOTROPIN MINIQUICK, 67
gentamicin in saline inj 0.8 mg/ml, 9
gentamicin in saline inj 1 mg/ml, 9
gentamicin in saline inj 1.2 mg/ml, 10
gentamicin in saline inj 1.6 mg/ml, 10
gentamicin in saline inj 2 mg/ml, 10
gentamicin sulfate, 10
gentamicin sulfate (ophth), 83
gentamicin sulfate (topical), 90
GENVOYA TAB, 13
GILOTRIF, 24
glatiramer acetate, 55

glatopa, 55
 GLEOSTINE, 19
glimepiride, 57
glipizide, 57
glipizide-metformin hcl
tab 2.5-250 mg, 57
glipizide-metformin hcl
tab 2.5-500 mg, 57
glipizide-metformin hcl
tab 5-500 mg, 57
glycopyrrolate, 70
glydo, 93
 GLYXAMBI TAB 10-5
 MG, 57
 GLYXAMBI TAB 25-5
 MG, 57
 GOMEKLI, 24
granisetron hcl, 69
griseofulvin microsize,
 11
griseofulvin
ultramicrosize, 11
guanfacine hcl, 38
guanfacine hcl (adhd),
 52
 HADLIMA, 75
 HADLIMA PUSH TOUCH,
 75
 HAEGARDA, 74
hailey 1.5/30, 62
hailey 24 fe, 62
hailey fe 1/20, 62
halobetasol propionate,
 92
haloperidol, 45
haloperidol decanoate,
 45
haloperidol lactate, 45
 HAVRIX, 79
heather, 62
 HEP SOD/NACL INJ
 25000UNT, 73
heparin sodium
(porcine), 73
 HEPLISAV-B, 79
 HERCEP HYLEC SOL 60-
 10000, 24
 HERCEPTIN, 24
 HERCESSI, 24
 HERNEXEOS, 24
 HERZUMA, 24
 HIBERIX, 79
 HUMIRA, 75
 HUMIRA PEN, 75
 HUMIRA PEN KIT PS/UV,
 76
 HUMIRA PEN-CD/UC/HS
 START, 76
 HUMULIN R U-500
 (CONCENTR, 58
 HUMULIN R U-500
 KWIKPEN, 58
hydralazine hcl, 38
hydrochlorothiazide, 37
hydrocodone bitartrate,
 8
hydrocodone-
acetaminophen soln
7.5-325 mg/15ml, 8
hydrocodone-
acetaminophen tab
10-325 mg, 8
hydrocodone-
acetaminophen tab 5-
325 mg, 8
hydrocodone-
acetaminophen tab
7.5-325 mg, 8
hydrocodone-ibuprofen
tab 7.5-200 mg, 8
hydrocortisone, 66
hydrocortisone
(intrarectal), 70
hydrocortisone (rectal),
 93
hydrocortisone (topical),
 92
hydrocortisone sod
succinate, 66
hydrocortisone valerate,
 92
hydrocortisone w/ acetic
acid otic soln 1-2%,
 85
hydromorphone hcl, 8
hydroxychloroquine
sulfate, 77
hydroxyurea, 21
hydroxyzine hcl, 86
hydroxyzine pamoate,
 86
 HYRNUO, 24
ibandronate sodium, 60
 IBRANCE, 24
 IBTROZI, 24
ibu, 7
ibuprofen, 7
icatibant acetate, 74
iclevia, 62
 ICLUSIG, 24
 IDHIFA, 24
imatinib mesylate, 24
 IMBRUVICA, 24, 25
imipenem-cilastatin
intravenous for soln
250 mg, 10
imipenem-cilastatin
intravenous for soln
500 mg, 10
imipramine hcl, 41
imiquimod, 93
 IMKELDI, 25
 IMOVAX RABIES
 (H.D.C.V.), 79
 IMPAVIDO, 10
 INBRIJA, 43
incassia, 62
 INCRELEX, 67
 INCRUSE ELLIPTA, 86
indapamide, 37
 INFANRIX INJ, 79

INFLIXIMAB, 76
 INLURIYO, 20
 INLYTA, 25
 INQOVI TAB 35-100MG,
 19
 INREBIC, 25
 INSULIN PEN NEEDLES:
 EMBECTA-BD, 59
 INSULIN SAFETY
 NEEDLES: EMBECTA-
 BD, 59
 INSULIN SYRINGES:
 EMBECTA-BD, 59
 INTELENCE, 12
 INTRALIPID, 83
introvale, 62
 INVEGA HAFYERA, 45
 INVEGA SUSTENNA, 45
 INVEGA TRINZA, 45
 IPOL INJ INACTIVE, 79
ipratropium bromide, 86
ipratropium bromide
(nasal), 86
ipratropium-albuterol
nebu soln 0.5-2.5(3)
mg/3ml, 85
irbesartan, 34
irbesartan-
hydrochlorothiazide
tab 150-12.5 mg, 33
irbesartan-
hydrochlorothiazide
tab 300-12.5 mg, 33
irinotecan hcl, 21
 ISENTRESS, 12
 ISENTRESS HD, 12
isibloom, 62
 ISOLYTE-P INJ /D5W, 81
 ISOLYTE-S INJ PH 7.4,
 81
isoniazid, 14
isosorbide dinitrate, 38
isosorbide mononitrate,
 39
isotretinoin, 90
isradipine, 36
 ITOVEBI, 25
itraconazole, 11
ivabradine hcl, 38
ivermectin, 10
 IWILFIN, 21
 IXIARO INJ, 79
jaimiess, 62
 JAKAFI, 25
jantoven, 73
 JANUMET TAB 50-1000,
 57
 JANUMET TAB 50-
 500MG, 57
 JANUMET XR TAB 100-
 1000, 57
 JANUMET XR TAB 50-
 1000, 57
 JANUMET XR TAB 50-
 500MG, 57
 JANUVIA, 57
 JARDIANCE, 57
jasmiel, 62
javygtor, 67
 JAYPIRCA, 25
jencycla, 62
 JENTADUETO TAB 2.5-
 1000, 57
 JENTADUETO TAB 2.5-
 500, 57
 JENTADUETO TAB 2.5-
 850, 57
 JENTADUETO TAB XR
 2.5-1000MG, 57
 JENTADUETO TAB XR 5-
 1000MG, 57
jinteli, 66
jolessa, 62
juleber, 62
 JULUCA TAB 50-25MG,
 14
junel 1.5/30, 62
junel 1/20, 62
junel fe 1.5/30, 62
junel fe 1/20, 62
junel fe 24, 62
 JYLAMVO, 77
 JYNNEOS, 79
 KADCYLA, 25
kaitlib fe, 62
 KALETRA SOL, 14
 KALYDECO, 87
 KANJINTI, 25
kariva, 62
kcl 10 meq/l (0.075%)
in dextrose 5% & nacl
0.45% inj, 81
kcl 20 meq/l (0.149%)
in nacl 0.45% inj, 81
kcl 20 meq/l (0.149%)
in nacl 0.9% inj, 81
kcl 20 meq/l (0.15%) in
dextrose 5% & nacl
0.45% inj, 81
kcl 20 meq/l (0.15%) in
dextrose 5% & nacl
0.9% inj, 81
kcl 20 meq/l (0.15%) in
nacl 0.45% inj, 81
kcl 20 meq/l (0.15%) in
nacl 0.9% inj, 81
kcl 30 meq/l (0.224%)
in dextrose 5% & nacl
0.45% inj, 81
kcl 40 meq/l (0.298%)
in nacl 0.9% inj, 81
kcl 40 meq/l (0.3%) in
dextrose 5% & nacl
0.45% inj, 81
kcl 40 meq/l (0.3%) in
dextrose 5% & nacl
0.9% inj, 81
kcl 40 meq/l (0.3%) in
nacl 0.9% inj, 81
 KCL/D5W/NACL INJ
 0.15/0.2, 81

KCL/D5W/NACL INJ
 0.3/0.9%, 81
kelnor 1/35, 62
 KERENDIA, 32
 KESIMPTA, 55
ketoconazole, 11
ketoconazole (topical),
 91
ketorolac tromethamine
 (*ophth*), 84
 KEYTRUDA, 25
 KEYTRUDA INJ QLEX
 395-4800 MG-
 UNIT/2.4ML, 25
 KEYTRUDA INJ QLEX
 790-9600 MG-
 UNIT/4.8ML, 25
 KINERET, 76
 KINRIX INJ, 79
kionex, 60
 KISQALI 200 DOSE, 25
 KISQALI 400 DOSE, 25
 KISQALI 400 PAK
 FEMARA, 25
 KISQALI 600 DOSE, 25
 KISQALI 600 PAK
 FEMARA, 25
klayesta, 91
klor-con, 82
klor-con 10, 82
 KLOR-CON 10, 82
 KLOR-CON 8, 82
klor-con m10, 82
klor-con m15, 82
klor-con m20, 82
 KLOXXADO, 56
 KOMZIFTI, 25
 KOSELUGO, 26
kourzeq, 94
 KRAZATI, 26
kurvelo, 62
labetalol hcl, 36
lacosamide, 48
lacosamide oral, 48

 LACTATED RIN INJ, 81
lactated ringer's
 solution, 81
lactic acid (ammonium
 lactate), 93
lactulose, 71
lactulose
 (*encephalopathy*), 71
lamivudine, 12
lamivudine (hbv), 14
lamivudine-zidovudine
 tab 150-300 mg, 14
lamotrigine, 48, 49
lanreotide acetate, 67
lansoprazole, 72
 LANTUS, 59
 LANTUS SOLOSTAR, 59
lapatinib ditosylate, 26
larin 1.5/30, 62
larin 1/20, 62
larin 24 fe, 62
larin fe 1.5/30, 63
larin fe 1/20, 63
latanoprost, 84
 LAZCLUZE, 26
leflunomide, 77
lenalidomide, 21
 LENVIMA 10 MG DAILY
 DOSE, 26
 LENVIMA 12MG DAILY
 DOSE, 26
 LENVIMA 20 MG DAILY
 DOSE, 26
 LENVIMA 4 MG DAILY
 DOSE, 26
 LENVIMA 8 MG DAILY
 DOSE, 26
 LENVIMA CAP 14 MG, 26
 LENVIMA CAP 18 MG, 26
 LENVIMA CAP 24 MG, 26
lessina, 63
letrozole, 20
leucovorin calcium, 21
 LEUKERAN, 19

leuprolide acetate, 20
levabuterol hcl, 87
levabuterol tartrate, 87
levetiracetam, 49
levetiracetam in sodium
 chloride iv soln 1000
 mg/100ml, 49
levetiracetam in sodium
 chloride iv soln 1500
 mg/100ml, 49
levetiracetam in sodium
 chloride iv soln 500
 mg/100ml, 49
levobunolol hcl, 84
levocarnitine (metabolic
 modifiers), 67
levocetirizine
 dihydrochloride, 86
levofloxacin, 16
levofloxacin in d5w iv
 soln 250 mg/50ml, 16
levofloxacin in d5w iv
 soln 500 mg/100ml,
 16
levofloxacin in d5w iv
 soln 750 mg/150ml,
 16
levonest, 63
levonor-eth est tab
 0.15-0.02/0.025/0.03
 mg ð est 0.01 mg,
 63
levonorgestrel & ethinyl
 estradiol (91-day) tab
 0.15-0.03 mg, 63
levonorgestrel & ethinyl
 estradiol tab 0.1 mg-
 20 mcg, 63
levonorgestrel-eth estra
 tab 0.05-30/0.075-
 40/0.125-30mg-mcg,
 63

levonorgestrel-ethinyl estradiol (continuous) tab 90-20 mcg, 63
levonorg-eth est tab 0.1-0.02mg(84) & eth est tab 0.01mg(7), 63
levora 0.15/30-28, 63
levo-t, 68
levothyroxine sodium, 69
levoxyl, 69
l-glutamine (sickle cell), 74
lidocaine, 93
lidocaine hcl, 93
lidocaine hcl (local anesth.), 7
lidocaine hcl (mouth-throat), 94
lidocaine-prilocaine cream 2.5-2.5%, 93
lidocan, 93
 LILETTA, 63
linezolid, 10
 LINEZOLID INJ 2MG/ML, 10
 LINZESS, 71
liomny, 69
liothyronine sodium, 69
lisdexamfetamine dimesylate, 52
lisinopril, 32
lisinopril & hydrochlorothiazide tab 10-12.5 mg, 31
lisinopril & hydrochlorothiazide tab 20-12.5 mg, 31
lisinopril & hydrochlorothiazide tab 20-25 mg, 31
lithium, 54
lithium carbonate, 54
 LIVTENCITY, 14
loestrin 1.5/30-21, 63
loestrin 1/20-21, 63
loestrin fe 1.5/30, 63
loestrin fe 1/20, 63
lojaimiess, 63
 LOKELMA, 60
lomustine, 19
 LONSURF TAB 15-6.14, 19
 LONSURF TAB 20-8.19, 19
loperamide hcl, 71
lopinavir-ritonavir tab 100-25 mg, 14
lopinavir-ritonavir tab 200-50 mg, 14
lorazepam, 40
lorazepam intensol, 40
 LORBRENA, 26
loryna, 63
losartan potassium, 34
losartan potassium & hydrochlorothiazide tab 100-12.5 mg, 33
losartan potassium & hydrochlorothiazide tab 100-25 mg, 33
losartan potassium & hydrochlorothiazide tab 50-12.5 mg, 33
 LOTEMAX, 84
loteprednol etabonate-tobramycin ophth susp 0.5-0.3%, 83
lovastatin, 34
low-ogestrel, 63
loxapine succinate, 45
luizza 1.5/30, 63
luizza 1/20, 63
 LUMAKRAS, 26
 LUMIGAN, 84
 LUMIZYME, 67
 LUPRON DEPOT (1-MONTH), 20
 LUPRON DEPOT (3-MONTH), 20
 LUPRON DEPOT-PED (1-MONTH), 67
 LUPRON DEPOT-PED (3-MONTH), 67
 LUPRON DEPOT-PED (6-MONTH), 67
lurasidone hcl, 45
lutera, 63
 LYBALVI TAB 10-10MG, 45
 LYBALVI TAB 15-10MG, 45
 LYBALVI TAB 20-10MG, 45
 LYBALVI TAB 5-10MG, 45
lyleq, 63
lyllana, 66
 LYNPARZA, 26
 LYSODREN, 20
 LYTGOBI (12 MG DAILY DOSE), 27
 LYTGOBI (16 MG DAILY DOSE), 27
 LYTGOBI (20 MG DAILY DOSE), 27
lyza, 63
magnesium sulfate, 81
 MAGNESIUM SULFATE, 81
magnesium sulfate in dextrose 5% iv soln 1 gm/100ml, 81
malathion, 94
maraviroc, 12
marlissa, 63
 MARPLAN, 41
 MATULANE, 21
matzim la, 36
 MAVYRET PAK 50-20MG, 14

MAVYRET TAB 100-40MG, 14
meclizine hcl, 69
medroxyprogesterone acetate, 68
medroxyprogesterone acetate (contraceptive), 63
mefloquine hcl, 12
megestrol acetate, 20, 68
megestrol acetate (appetite), 68
 MEKINIST, 27
 MEKTOVI, 27
meleya, 63
meloxicam, 7
memantine hcl, 40
memantine hcl-donepezil hcl cap er 24hr 14-10 mg, 40
memantine hcl-donepezil hcl cap er 24hr 21-10 mg, 40
memantine hcl-donepezil hcl cap er 24hr 28-10 mg, 40
 MENQUADFI, 79
 MENVEO INJ, 80
 MENVEO SOL, 80
mercaptopurine, 19
meropenem, 10
mesalamine, 70
mesalamine w/ cleanser, 70
mesna, 21
metformin hcl, 57
methadone hcl, 8
methadone hydrochloride i, 8
methazolamide, 37
methenamine hippurate, 10
methimazole, 69
methocarbamol, 55
methotrexate sodium, 19, 77
methoxsalen rapid, 91
methsuximide, 49
methylphenidate hcl, 52, 53
methylprednisolone, 66
methylprednisolone acetate, 66
methylprednisolone sod succ, 66
metoclopramide hcl, 69
metolazone, 37
metoprolol & hydrochlorothiazide tab 100-25 mg, 35
metoprolol & hydrochlorothiazide tab 100-50 mg, 36
metoprolol & hydrochlorothiazide tab 50-25 mg, 35
metoprolol succinate, 36
metoprolol tartrate, 36
metronidazole, 10
metronidazole (topical), 93
metronidazole vaginal, 73
metyrosine, 38
mibelas 24 fe, 63
micafungin sodium, 11
microgestin 1.5/30, 63
microgestin 1/20, 63
microgestin fe 1.5/30, 63
microgestin fe 1/20, 63
midodrine hcl, 38
 MIEBO, 85
mifepristone (hyperglycemia), 68
mili, 63
mimvey, 66
minocycline hcl, 18
minoxidil, 38
mirtazapine, 41
misoprostol, 71
 M-M-R II INJ, 79
 M-NATAL PLUS TAB, 82
modafinil, 56
 MODEYSO, 21
moexipril hcl, 32
molindone hcl, 45
mometasone furoate, 92
mometasone furoate (nasal), 89
 MONJUVI, 27
mono-lynyah, 63
montelukast sodium, 87
morphine sulfate, 8
 MOUNJARO, 57
 MOVANTIK, 71
moxifloxacin hcl, 16
moxifloxacin hcl (ophth), 83
moxifloxacin hcl 400 mg/250ml in sodium chloride 0.8% inj, 16
 MRESVIA, 80
 MULTAQ, 34
multiple electrolytes ph 5.5, 81
mupirocin, 90
mycophenolate mofetil, 79
mycophenolate sodium, 79
 MYRBETRIQ, 72
nabumetone, 7
nadolol, 36
nafcillin sodium, 17
 NAGLAZYME, 68
naloxone hcl, 56
naltrexone hcl, 56
 NAMZARIC CAP 7-10MG, 40
naproxen, 7

naproxen sodium, 7
naratriptan hcl, 53
 NATACYN, 83
nateglinide, 58
 NAYZILAM, 49
nebivolol hcl, 36
necon 0.5/35-28, 63
nefazodone hcl, 41
neomycin sulfate, 10
neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin, 83
neomycin-polymygramicid op sol 1.75-10000-0.025mg-unt-mg/ml, 83
neomycin-polymyxin-dexamethasone ophth oint 0.1%, 83
neomycin-polymyxin-dexamethasone ophth susp 0.1%, 83
neomycin-polymyxin-hc ophth susp, 83
neomycin-polymyxin-hc otic soln 1%, 85
neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%, 85
 NERLYNX, 27
neuac, 90
nevirapine, 12
 NEXLETOL, 35
 NEXLIZET TAB 180/10MG, 35
 NEXPLANON, 64
niacin (antihyperlipidemic), 35
nicardipine hcl, 36
 NICOTROL NS, 56
nifedipine, 37
nikki, 64
nilotinib hcl, 27
nilutamide, 20
nimodipine, 37
 NINLARO, 27
nisoldipine, 37
nitazoxanide, 10
nitisinone, 68
 NITRO-BID, 39
nitrofurantoin macrocrystal, 10
nitrofurantoin monohyd macro, 10
nitroglycerin, 39
nitroglycerin (intra-anal), 93
nizatidine, 70
nora-be, 64
norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr, 64
norethindrone (contraceptive), 64
norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg, 64
norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg, 64
norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg, 64
norethindrone ace-eth estradiol-fe chew tab 1 mg-20 mcg (24), 64
norethindrone acetate, 68
norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg, 66
norethindrone acetate-ethinyl estradiol tab 1 mg-5 mcg, 66
norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg, 64
norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg, 64
norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg, 64
norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg, 64
norlyroc, 64
nortrel 0.5/35 (28), 64
nortrel 1/35 (21), 64
nortrel 1/35 (28), 64
nortrel 7/7/7, 64
nortriptyline hcl, 41
 NORVIR, 12
 NOVOLIN INJ 70/30, 59
 NOVOLIN INJ 70/30 FP, 59
 NOVOLIN N, 59
 NOVOLIN N FLEXPEN, 59
 NOVOLIN R, 59
 NOVOLIN R FLEXPEN, 59
 NOVOLOG, 59
 NOVOLOG FLEXPEN, 59
 NOVOLOG FLEXPEN RELION, 59
 NOVOLOG MIX INJ 70/30, 59
 NOVOLOG MIX INJ FLEXPEN, 59
 NOVOLOG PENFILL, 59
 NOVOLOG RELION, 59
 NUBEQA, 20
 NUEDEXTA CAP 20-10MG, 54
 NULOJIX, 79
 NUPLAZID, 45

NURTEC, 53
 NUTRILIPID, 83
 NUZYRA, 18
 nyamyc, 91
 nylia 1/35, 64
 nylia 7/7/7, 64
 nystatin, 11
 nystatin (mouth-throat),
 94
 nystatin (topical), 91
 nystop, 91
 OCTAGAM, 78
 octreotide acetate, 68
 ODEFSEY TAB, 14
 ODOMZO, 27
 OFEV, 87
 ofloxacin (ophth), 83
 ofloxacin (otic), 85
 OGIVRI, 27
 OGSIVEO, 27
 OJEMDA, 27
 OJJAARA, 27
 olanzapine, 45
 olmesartan medoxomil,
 34
 olmesartan medoxomil-
 hydrochlorothiazide
 tab 20-12.5 mg, 33
 olmesartan medoxomil-
 hydrochlorothiazide
 tab 40-12.5 mg, 33
 olmesartan medoxomil-
 hydrochlorothiazide
 tab 40-25 mg, 33
 olmesartan-amlodipine-
 hydrochlorothiazide
 tab 20-5-12.5 mg, 33
 olmesartan-amlodipine-
 hydrochlorothiazide
 tab 40-10-12.5 mg,
 33
 olmesartan-amlodipine-
 hydrochlorothiazide
 tab 40-10-25 mg, 33
 olmesartan-amlodipine-
 hydrochlorothiazide
 tab 40-5-12.5 mg, 33
 olmesartan-amlodipine-
 hydrochlorothiazide
 tab 40-5-25 mg, 33
 olopatadine hcl (nasal),
 86
 omega-3-acid ethyl
 esters cap 1 gm, 35
 omeprazole, 72
 OMNIPOD 5 DX KIT INT
 G7G6, 59
 OMNIPOD 5 DX MIS POD
 G7G6, 59
 OMNIPOD 5 L2 KIT
 INTRO G6, 59
 OMNIPOD 5 L2 MIS
 PODS G6, 59
 OMNIPOD DASH KIT
 INTRO, 59
 OMNIPOD DASH MIS
 PODS, 59
 ondansetron, 69
 ondansetron hcl, 69
 ONTRUZANT, 27
 ONUREG, 19
 OPIPZA, 45
 OPSUMIT, 39
 ORGOVYX, 20
 ORKAMBI GRA 100-125,
 88
 ORKAMBI GRA 150-188,
 88
 ORKAMBI GRA 75-
 94MG, 88
 ORKAMBI TAB 100-125,
 88
 ORKAMBI TAB 200-125,
 88
 orquidea, 64
 ORSERDU, 20
 oseltamivir phosphate,
 15
 OSPOMYV, 60
 oxacillin sodium, 17
 oxaliplatin, 19
 oxaprozin, 7
 oxcarbazepine, 49
 oxybutynin chloride, 73
 oxycodone hcl, 8, 9
 oxycodone w/
 acetaminophen tab
 10-325 mg, 9
 oxycodone w/
 acetaminophen tab
 2.5-325 mg, 9
 oxycodone w/
 acetaminophen tab 5-
 325 mg, 9
 oxycodone w/
 acetaminophen tab
 7.5-325 mg, 9
 OXYCONTIN, 8
 OZEMPIC (0.25 OR
 0.5MG/DOSE), 58
 OZEMPIC (1MG/DOSE),
 58
 OZEMPIC (2MG/DOSE),
 58
 pacerone, 34
 paclitaxel, 22
 paclitaxel inj 100mg, 22
 paliperidone, 45
 pamidronate disodium,
 60
 PAMIDRONATE
 DISODIUM, 60
 PANRETIN, 93
 pantoprazole sodium, 72
 PANZYGA, 78
 paricalcitol, 69
 paroxetine hcl, 42
 PAXLOVID PAK, 15
 PAXLOVID TAB 150-100,
 15
 PAXLOVID TAB 300-100,
 15

pazopanib hcl, 27
 PEDIARIX INJ 0.5ML, 80
 PEDVAX HIB, 80
peg 3350-kcl-na bicarb-nacl-na sulfate for soln
 236 gm, 71
peg 3350-kcl-sod bicarb-nacl for soln
 420 gm, 71
 PEGASYS, 15
 PEMAZYRE, 27
pemetrexed disodium,
 19
 PENBRAYA INJ, 80
penicillamine, 60
penicillin g potassium,
 17
penicillin g sodium, 17
penicillin v potassium,
 17
 PENMENVY INJ, 80
 PENTACEL INJ, 80
pentamidine isethionate inh, 10
pentamidine isethionate inj, 10
pentoxifylline, 74
perampanel, 49
perindopril erbumine, 32
periogard, 94
permethrin, 94
perphenazine, 46
pfizerpen, 17
phenelzine sulfate, 42
phenobarbital, 49
phenobarbital sodium,
 49
phenytek, 49
phenytoin, 49
phenytoin sodium, 49
phenytoin sodium extended, 49
 PHESGO SOL, 27
philith, 64
 PIFELTRO, 12
pilocarpine hcl, 84
pilocarpine hcl (oral), 94
pimecrolimus, 93
pimozide, 46
pimtrex, 64
pindolol, 36
pioglitazone hcl, 58
pioglitazone hcl-metformin hcl tab 15-500 mg, 58
pioglitazone hcl-metformin hcl tab 15-850 mg, 58
piperacillin sod-tazobactam na for inj
 3.375 gm (3-0.375 gm), 18
piperacillin sod-tazobactam sod for inj
 13.5 gm (12-1.5 gm), 18
piperacillin sod-tazobactam sod for inj
 2.25 gm (2-0.25 gm), 18
piperacillin sod-tazobactam sod for inj
 4.5 gm (4-0.5 gm), 18
piperacillin sod-tazobactam sod for inj
 40.5 gm (36-4.5 gm), 18
 PIQRAY 200MG DAILY DOSE, 27
 PIQRAY 250MG TAB DOSE, 28
 PIQRAY 300MG DAILY DOSE, 28
pirfenidone, 88
piroxicam, 7
pitavastatin calcium, 35
plenamine, 83
 PLENVU SOL, 71
podofilox, 93
polymyxin b sulfate, 10
polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1%, 84
 POMALYST, 21
portia-28, 64
posaconazole, 11
 POT CHL 20MEQ/L IN NAACL 0.45% INJ, 81
 POT CHL 20MEQ/L IN NAACL 0.9% INJ, 81
 POT CHL 40MEQ/L IN NAACL 0.9% INJ, 81
potassium chloride, 81, 82
potassium chloride 20 meq/l (0.15%) in dextrose 5% inj, 82
potassium chloride microencapsulated crystals er, 82
potassium citrate (alkalinizer), 72
pramipexole dihydrochloride, 43
prasugrel hcl, 75
pravastatin sodium, 35
praziquantel, 10
prazosin hcl, 32
prednisolone, 66
prednisolone acetate (ophth), 84
 PREDNISOLONE SODIUM PHOSP, 84
prednisolone sodium phosphate, 66
prednisone, 66, 67
 PREDNISON INTENSOL, 67
pregabalin, 50
 PREMASOL SOL 10%, 83

PRENATAL TAB 27-1MG, 82
 PRENATAL TAB PLUS, 82
prevalite, 35
 PREVYMIS, 15
 PREZCOBIX TAB 675/150, 14
 PREZCOBIX TAB 800-150, 14
 PREZISTA, 12
 PRIFTIN, 14
primaquine phosphate, 12
 PRIMAQUINE PHOSPHATE, 12
primidone, 50
 PRIORIX INJ, 80
 PRIVIGEN, 78
probenecid, 7
prochlorperazine, 69
prochlorperazine edisylate, 70
prochlorperazine maleate, 70
 PROCRT, 74
proctocort, 93
procto-med hc, 93
proctosol hc, 93
proctozone-hc, 93
progesterone, 68
 PROGRAF, 79
 PROLASTIN-C, 88
 PROLIA, 60
promethazine hcl, 70
propafenone hcl, 34
proparacaine hcl, 85
propranolol hcl, 36
propylthiouracil, 69
 PROQUAD INJ, 80
 PROSOL INJ 20%, 83
protriptyline hcl, 42
 PULMOZYME, 88
pyrazinamide, 14
pyridostigmine bromide, 54
pyrimethamine, 10
 PYZCHIVA, 76
 QINLOCK, 28
 QUADRACEL INJ 0.5ML, 80
quetiapine fumarate, 46
quinapril hcl, 32
quinidine sulfate, 34
quinine sulfate, 12
 QULIPTA, 53
 RABAVERT INJ, 80
rabeprazole sodium, 72
 RALDESY, 42
raloxifene hcl, 68
ramelteon, 53
ramipril, 32
ranolazine, 38
rasagiline mesylate, 43
reclipsen, 64
 RECOMBIVAX HB, 80
 RELENZA DISKHALER, 15
 RELISTOR, 71
 REMICADE, 76
 RENFLEXIS, 76
repaglinide, 58
 REPATHA, 35
 REPATHA SURECLICK, 35
 RESTASIS, 85
 RESTASIS MULTIDOSE, 85
 RETEVMO, 28
 REVCOVI, 68
 REVUFORJ, 28
 REXULTI, 46
 REYATAZ, 13
 REZDIFFRA, 68
 REZLIDHIA, 28
 REZUROCK, 79
 RHOPRESSA, 84
ribavirin (hepatitis c), 15
rifabutin, 14
rifampin, 14
riluzole, 54
rimantadine hydrochloride, 15
 RINVOQ, 76
 RINVOQ LQ, 76
risedronate sodium, 60
risperidone, 46
risperidone microspheres, 46
ritonavir, 13
rivaroxaban, 73
rivastigmine, 40
rivastigmine tartrate, 40
rivelsa, 64
rizatriptan benzoate, 53
 ROCKLATAN DRO, 84
roflumilast, 88
 ROMVIMZA, 28
ropinirole hydrochloride, 43
rosuvastatin calcium, 35
rosyrah, 64
 ROTARIX SUS, 80
 ROTATEQ SOL, 80
roweepra, 50
 ROZLYTREK, 28
 RUBRACA, 28
rufinamide, 50
 RUKOBIA, 13
 RYBELSUS, 58
 RYDAPT, 28
sacubitril-valsartan tab 24-26 mg, 33
sacubitril-valsartan tab 49-51 mg, 33
sacubitril-valsartan tab 97-103 mg, 33
sajazir, 74
 SANTYL, 94
sapropterin dihydrochloride, 68
 SCEMBLIX, 28

scopolamine, 70
 SECUADO, 46
selegiline hcl, 43
selenium sulfide, 91
 SELZENTRY, 13
 SEREVENT DISKUS, 87
sertraline hcl, 42
setlakin, 64
sharobel, 64
 SHINGRIX, 80
 SIGNIFOR, 68
 SIKLOS, 74
sildenafil citrate
 (*pulmonary*
 hypertension), 39
silodosin, 72
silver sulfadiazine, 90
 SIMBRINZA SUS 1-
 0.2%, 84
simliya, 64
simpesse, 64
simvastatin, 35
sirolimus, 79
 SIRTURO, 14
 SKYRIZI, 76
 SKYRIZI PEN, 76
sod sulfate-pot sulf-mg
 sulf oral sol 17.5-3.13-
 1.6 gm/177ml, 71
sodium chloride, 82
sodium chloride (gu
 irrigant), 94
sodium fluoride chew;
 tab; 1.1 (0.5 f) mg/ml
 soln, 82
sodium oxybate, 56
sodium phenylbutyrate,
 68
sodium polystyrene
 sulfonate, 60
sodium polystyrene
 sulfonate powder, 60
solifenacin succinate, 73
 SOLIQUA INJ 100/33, 59
 SOLTAMOX, 20
 SOLU-CORTEF, 67
 SOMATULINE DEPOT, 68
 SOMAVERT, 68
sorafenib tosylate, 28
sotalol hcl, 34
sotalol hcl (afib/afl), 34
 SOTYKTU, 76
 SPIRIVA RESPIMAT, 86
spironolactone, 32
spironolactone &
 hydrochlorothiazide
 tab 25-25 mg, 37
sprintec 28, 64
 SPRITAM, 50
sps, 60
sps rectal, 60
sronyx, 64
ssd, 90
 STELARA, 76
 STIVARGA, 28
streptomycin sulfate, 10
 STRIBILD TAB, 14
subvenite, 50
 SUBVENITE, 50
sucrafate, 71
sulfacetamide sodium
 (*acne*), 90
sulfacetamide sodium
 (*ophth*), 84
sulfacetamide sodium-
 prednisolone ophth
 soln 10-0.23(0.25)%,
 83
sulfadiazine, 10
sulfamethoxazole-
 trimethoprim iv soln
 400-80 mg/5ml, 10
sulfamethoxazole-
 trimethoprim susp
 200-40 mg/5ml, 10
sulfamethoxazole-
 trimethoprim tab 400-
 80 mg, 10
sulfamethoxazole-
 trimethoprim tab 800-
 160 mg, 10
 SULFAMYLON, 90
sulfasalazine, 70
sulindac, 7
sumatriptan, 53
sumatriptan succinate,
 54
sunitinib malate, 28
 SUNLENCA, 13
syeda, 64
 SYMDEKO TAB 100-150,
 88
 SYMDEKO TAB 50-
 75MG, 88
 SYMPAZAN, 50
 SYMTUZA TAB, 14
 SYNAREL, 68
 SYNTHROID, 69
 TABLOID, 19
 TABRECTA, 29
tacrolimus, 79
tacrolimus (topical), 93
tadalafil, 72
tadalafil (pulmonary
 hypertension), 39
 TAFINLAR, 29
 TAGRISSO, 29
 TALZENNA, 29
tamoxifen citrate, 20
tamsulosin hcl, 72
tarina 24 fe, 65
tarina fe 1/20 eq, 65
tasimelteon, 53
 TAVNEOS, 74
tazarotene, 91
tazicef, 16
 TAZVERIK, 29
 TECENTRIQ, 29
 TECENTRIQ INJ
 HYBREZA, 29
 TEFLARO, 16
telmisartan, 34

telmisartan-amlodipine tab 40-10 mg, 33
telmisartan-amlodipine tab 40-5 mg, 33
telmisartan-amlodipine tab 80-10 mg, 33
telmisartan-amlodipine tab 80-5 mg, 33
telmisartan-hydrochlorothiazide tab 40-12.5 mg, 33
telmisartan-hydrochlorothiazide tab 80-12.5 mg, 33
telmisartan-hydrochlorothiazide tab 80-25 mg, 33
temazepam, 53
 TENIVAC INJ 5-2LF, 80
tenofovir disoproxil fumarate, 13
 TEPMETKO, 29
terazosin hcl, 32
terbinafine hcl, 11
terbutaline sulfate, 87
terconazole vaginal, 73
teriparatide, 60
 TERIPARATIDE, 60
testosterone, 56
testosterone cypionate, 56
testosterone enanthate, 57
testosterone pump, 57
tetrabenazine, 54
tetracycline hcl, 18
 THALOMID, 21
theophylline, 88
thioridazine hcl, 46
thiothixene, 46
tiadylt er, 37
tiagabine hcl, 50
 TIBSOVO, 29
ticagrelor, 75
 TICOVAC, 80
tigecycline, 18
tilia fe, 65
timolol maleate, 36
timolol maleate (ophth), 84
tinidazole, 10
 TIVICAY, 13
 TIVICAY PD, 13
tizanidine hcl, 55
 TOBI PODHALER, 11
 TOBRADEX OIN 0.3-0.1%, 83
tobramycin, 11
tobramycin (ophth), 84
tobramycin sulfate, 11
tobramycin-dexamethasone ophth susp 0.3-0.1%, 83
tolterodine tartrate, 73
tolvaptan, 68
tolvaptan tab therapy pack 30 & 15 mg, 68
tolvaptan tab therapy pack 45 & 15 mg, 68
tolvaptan tab therapy pack 60 & 30 mg, 68
tolvaptan tab therapy pack 90 & 30 mg, 68
topiramate, 50
toremifene citrate, 20
torpenz, 29
toremide, 37
 TOUJEO MAX SOLOSTAR, 59
 TOUJEO SOLOSTAR, 59
 TPN ELECTROL INJ, 82
 TRADJENTA, 58
tramadol hcl, 9
tramadol-acetaminophen tab 37.5-325 mg, 9
trandolapril, 32
tranexamic acid, 74
tranylcypromine sulfate, 42
 TRAVASOL INJ 10%, 83
travoprost, 85
 TRAZIMERA, 29
trazodone hcl, 42
 TRELEGY AER ELLIPTA 100-62.5-25 MCG, 85
 TRELEGY AER ELLIPTA 200-62.5-25 MCG, 85
 TREMFYA, 76, 77
 TREMFYA INDUCTION PACK FO, 77
 TREMFYA PEN, 77
treprostinil, 39
tretinoin, 90
tretinoin (chemotherapy), 21
triamcinolone acetonide (mouth), 94
triamcinolone acetonide (topical), 92
triamterene & hydrochlorothiazide cap 37.5-25 mg, 37
triamterene & hydrochlorothiazide tab 37.5-25 mg, 37
triamterene & hydrochlorothiazide tab 75-50 mg, 37
tridacaine ii, 93
triderm, 92
trientine hcl, 60
tri-estarylla, 65
trifluoperazine hcl, 46
trifluridine, 84
trihexyphenidyl hcl, 43
 TRIJARDY XR TAB ER 24HR 10-5-1000MG, 58
 TRIJARDY XR TAB ER 24HR 12.5-2.5-1000MG, 58

TRIJARDY XR TAB ER
 24HR 25-5-1000MG,
 58
 TRIJARDY XR TAB ER
 24HR 5-2.5-1000MG,
 58
 TRIKAFTA PAK 59.5MG,
 88
 TRIKAFTA PAK 75MG, 88
 TRIKAFTA TAB 100-50-
 75MG & 150MG, 88
 TRIKAFTA TAB 50-25-
 37.5MG & 75MG, 88
tri-legest fe, 65
tri-linyah, 65
tri-lo-estarylla, 65
tri-lo-marzia, 65
tri-lo-mili, 65
tri-lo-sprintec, 65
trimethoprim, 11
tri-mili, 65
trimipramine maleate,
 42
 TRINTELLIX, 42
tri-sprintec, 65
 TRIUMEQ PD TAB, 14
 TRIUMEQ TAB, 14
tri-vylibra, 65
tri-vylibra lo, 65
 TROGARZO, 13
 TROPHAMINE INJ 10%,
 83
tropium chloride, 73
 TRUE METRIX KIT AIR,
 94
 TRUE METRIX KIT
 METER, 94
 TRUE METRIX STRIPS,
 94
 TRULICITY, 58
 TRUMENBA, 80
 TRUQAP, 29
 TRUXIMA, 29
 TUKYSA, 29
 TURALIO, 29
turqoz, 65
*twice-daily clindamycin
 phosphate (topical)*,
 90
 TWINRIX INJ, 80
 TYBOST, 13
tydemy, 65
 TYENNE, 77
 TYPHIM VI, 80
 UBRELVY, 54
unithroid, 69
 UPTRAVI, 39
 UPTRAVI PACK TAB
 200/800, 39
ursodiol, 71
 USTEKINUMAB, 77
valacyclovir hcl, 15
 VALCHLOR, 94
valganciclovir hcl, 15
valproate sodium, 50
valproic acid, 50
valsartan, 34
*valsartan-
 hydrochlorothiazide
 tab 160-12.5 mg*, 33
*valsartan-
 hydrochlorothiazide
 tab 160-25 mg*, 33
*valsartan-
 hydrochlorothiazide
 tab 320-12.5 mg*, 33
*valsartan-
 hydrochlorothiazide
 tab 320-25 mg*, 33
*valsartan-
 hydrochlorothiazide
 tab 80-12.5 mg*, 33
 VALTOCO 10 MG DOSE,
 50
 VALTOCO 15 MG DOSE,
 50
 VALTOCO 20 MG DOSE,
 51
 VALTOCO 5 MG DOSE,
 50
valtya 1/35, 65
valtya 1/50, 65
vancomycin hcl, 11
 VANCOMYCIN INJ 1 GM,
 11
 VANCOMYCIN INJ
 500MG, 11
 VANCOMYCIN INJ
 750MG, 11
 VANFLYTA, 29
 VAQTA, 80
varenicline tartrate, 56
*varenicline tartrate tab
 11 x 0.5 mg & 42 x 1
 mg start pack*, 56
 VARIVAX, 80
 VASCEPA, 35
 VAXCHORA SUS, 80
velivet, 65
 VELSIPITY, 77
 VENCLEXTA, 29
 VENCLEXTA TAB START
 PK, 29
venlafaxine hcl, 42
 VENTOLIN HFA, 87
 VENTOLIN HFA
 (INSTITUTIONAL
 PACK), 87
verapamil hcl, 37
 VERQUVO, 38
 VERSACLOZ, 46
 VERZENIO, 30
vestura, 65
vienna, 65
vigabatrin, 51
vigadrone, 51
 VIGAFYDE, 51
vilazodone hcl, 42
 VIMKUNYA, 80
vincristine sulfate, 22
vinorelbine tartrate, 22
viorele, 65

VIRACEPT, 13
 VIREAD, 13
 VITRAKVI, 30
 VIVIMUSTA, 19
 VIVITROL, 56
 VIVOTIF CAP EC, 80
 VIZIMPRO, 30
 VONJO, 30
 VOQUEZNA PAK DUAL
 PAK, 71
 VOQUEZNA PAK TRIP
 PK, 71
 VORANIGO, 30
voriconazole, 11, 12
 VOSEVI TAB, 15
 VOWST CAP, 71
 VRAYLAR, 46
vyfemla, 65
vylibra, 65
 VYZULTA, 85
warfarin sodium, 73
water for irrigation,
sterile irrigation soln,
 94
 WELIREG, 21
wera, 65
 WESTAB PLUS TAB 27-
 1MG, 82
 WINREVAIR, 39
 WINREVAIR INJ 45MG,
 39
 WINREVAIR INJ 60MG,
 39
wixela inhub, 90
wymzya fe, 65
 WYOST, 60
 XALKORI, 30
xarah fe, 65
 XARELTO, 74
 XARELTO STAR TAB
 15/20MG, 74
 XATMEP, 77
 XCOPRI, 51
 XCOPRI PAK 100-150,
 51
 XCOPRI PAK 12.5-25, 51
 XCOPRI PAK 150-200MG
 (MAINTENANCE), 51
 XCOPRI PAK 150-200MG
 (TITRATION), 51
 XCOPRI PAK 50-100MG,
 51
 XDEMVI, 84
 XELJANZ, 77
 XELJANZ XR, 77
xelria fe, 65
 XERMELO, 71
 XHANCE, 89
 XIFAXAN, 72
 XIGDUO XR TAB 10-
 1000, 58
 XIGDUO XR TAB 10-
 500MG, 58
 XIGDUO XR TAB 2.5-
 1000, 58
 XIGDUO XR TAB 5-
 1000MG, 58
 XIGDUO XR TAB 5-
 500MG, 58
 XIIDRA, 85
 XOLAIR, 88, 89
 XOSPATA, 30
 XPOVIO PAK (100 MG
 ONCE WEEKLY), 30
 XPOVIO PAK (40 MG
 ONCE WEEKLY), 30
 XPOVIO PAK (40 MG
 TWICE WEEKLY), 30
 XPOVIO PAK (60 MG
 ONCE WEEKLY), 30
 XPOVIO PAK (60 MG
 TWICE WEEKLY), 30
 XPOVIO PAK (80 MG
 ONCE WEEKLY), 30
 XPOVIO PAK (80 MG
 TWICE WEEKLY), 30
 XTANDI, 20
 XTRENBO, 60
xulane, 65
 XULTOPHY INJ 100/3.6,
 59
 YESINTEK, 77
 YF-VAX INJ, 80
 YONSA, 20
 YUTREPIA, 39
yuvafem, 66
zafemy, 65
zafirlukast, 87
 ZARXIO, 74
 ZEGALOGUE, 67
 ZEJULA, 30
 ZELBORAF, 30
zelvysia, 68
 ZEMAIRA, 89
zenatane, 90
 ZENPEP CAP 10000UNT,
 72
 ZENPEP CAP 15000UNT,
 72
 ZENPEP CAP 20000UNT,
 72
 ZENPEP CAP 25000UNT,
 72
 ZENPEP CAP 3000UNIT,
 72
 ZENPEP CAP 40000UNT,
 72
 ZENPEP CAP 5000UNIT,
 72
 ZENPEP CAP 60000UNT,
 72
 ZERVIATE, 84
zidovudine, 13
ziprasidone hcl, 46
ziprasidone mesylate, 46
 ZIRABEV, 31
 ZIRGAN, 84
zoledronic acid, 60
 ZOLINZA, 31
zolpidem tartrate, 53
 ZONISADE, 51

zonisamide, 51
zovia 1/35, 65
ZTALMY, 51
zumandimine, 65

ZURZUVAE, 42
ZYDELIG, 31
ZYKADIA, 31

ZYLET SUS 0.5-0.3%,
83
ZYPITAMAG, 35
ZYPREXA RELPREVV, 47



本處方集之更新日期為 04/01/2026。有關最新資訊或其他問題，請聯絡 Central Health Medicare Plan 會員服務部，電話：(800) 665-3086（TTY 使用者請撥打 711），10 月 1 日至 3 月 31 日：每週七天，當地時間 8 a.m. 至 8 p.m.，4 月 1 日至 9 月 30 日：週一至週五，當地時間 8 a.m. 至 8 p.m.，或造訪 centralhealthplan.com/PartD/Formulary。